# **Directory structure**

#### cloud-scheduler-gui/

- **db/**: store pragma.sql. It can be removed after import to mysql.
- **scripts**/ : store all of python scripts.
  - Python scripts can be divided in to 2 groups:
    - 1. scripts which is requested by frontend.
      - getDashboard.py

input : -

output: amount = number of sites

sites = list of all sites with all sites' description

- getSiteDescription.py

input : site\_id = id of the site which you want to request its description

date\_req = date and time to request sites' description (yyyy-mm-dd HH:00:00)

output: sites = required site's description

running = number of running virtual cluster

- **checkConnectionType.py**: for checking the connection types for creating single cluster spanning multiple sites reservation.

input : connection type = list of all connection types to be checked separated by | (pipe).

output: result = True if all sites have at least one same connection type, otherwise False.

- checkForReservation.py: to check in creating a reservation function step 1.

input : session\_id = session id of user

begin = begin date and time for reservation.

end = end date and time for reservation.

sites\_id = list of sites' id which user want to reserve separated by , (comma).

Resources = list of all resources' amount. Each site is separated by | (pipe) and each

resource type is separated by , (comma). For example, "12,16|4,6" -> there are 2 sites. First site is required 12 of first resource type and 16 of second resource type. Second site

is required 4 of first resource type and 6 of second resource type. (now first resource type

is CPU and second is memory)

img\_type = image type user chose.

output: result = True if reservation can be created, otherwise False.

isResourceError = True if the reservation cannot be created because some resource is not

available, False if it occurs from another reason.

site\_error = list of all sites (site\_id) and index of resources (resource\_index) which are not available.

#### createReservation.py

input : session\_id = session id of user

begin = begin date and time for reservation.

end = end date and time for reservation.

sites\_id = list of sites' id which user want to reserve separated by , (comma).

Resources = list of all resources' amount. Each site is separated by | (pipe) and each

resource type is separated by , (comma). For example, "12,16|4,6" -> there are 2 sites.

First site is required 12 of first resource type and 16 of second resource type. Second site

is required 4 of first resource type and 6 of second resource type. (now first resource type

is CPU and second is memory)

img\_type = image type user chose.

title = title of a reservation

description = description of a reservation

type = reservation type : single cluster on single site or single cluster spanning multiple sites.

output :

result = True if reservation can be created, otherwise False.

isResourceError = If the result is False, it returns True if the reservation cannot be created because some resource is not available and False if it occurs from another reason.

site\_error = list of all sites (site\_id) and index of resources (resource\_index) which are not available. (if any)

reserve\_id = id of this reservation if it can be created.

#### - Search.py

input : resources = list of all resources' amount separated by , (comma).

connection type = additional network connection type.

image\_type = image type.

begin = begin date and time for reservation.

end = end date and time for reservation.

all\_period = True if user select to reserve 'from begin to end', otherwise False.

days = if user don't select to reserve 'from begin to end', it requires the number of days.

hours = number of hours.

output :

result\_type = result if there are some sites matched all criteria, suggest if there are some sites have enough resources but they are not available in that time criteria, none if there is no site match.

amount = number of site results.

sites = list of all site results with each site description.

time: begin and end available date time for reservation.

#### getMyReservations.py

input : session\_id = session id of user

output: result = list of this specific user's existing reservations with their description. (reservation\_id,

title, description, begin, end, owner, image\_tpe, type, sites)

### - getAllReservations.py

input: session id = session id of user (admin only)

output: result = list of all users' existing reservations with their descriptions. (reservation\_id, title,

description, begin, end, owner, image\_tpe, type, sites)

#### getMyEndedReservations.py

input : session\_id = session id of user

output: result = list of all users' past reservations with their descriptions. (reservation\_id, title,

description, begin, end, owner, image\_tpe, type, sites)

# getAllEndedReservations.py

input : session\_id = session id of user (admin only)

output: result = list of all users' past reservations with their descriptions. (reservation\_id, title,

description, begin, end, owner, image\_tpe, type, sites)

# - extendReservation.py

input : session\_id = session id of user

end = new end date and time of reservation

reservation\_id = id of the reservation which is requested to extend.

output: result = True if the extension is complete, otherwise False.

# cancelReservation.py

input : session\_id = session id of user

reservation\_id = id of the reservation which is requested to cancel.

reason = reason of this cancelation

output: result = True if the cancelation is complete, otherwise False.

### - signln.py

input : username = username of user

password = password of user

output: result = True if login successfully, otherwise False.

session\_id = session id of user

firstname = user's first name

lastname = user's last name

email\_address = user's email address

phone\_number = user's phone number

status = role of user (admin/user)

organition = user's organization

position = user's position

language = user's language

timezone = user's timezone

# setTimezone.py

input : session\_id = session id of user

timezone = new timezone

output: result = True if change user's time zone successfully, otherwise False.

#### forgetPassword.py

input: username = username of user

password = new user's password

output: result = True if prepare to reset password and send email to user successfully, otherwise

False.

#### 2. class

AuthenticationManager.py: To login and check session expiration and after login successfully it creates
an instance (object) of class User.

- User.py: To store, set and get user data such as username, password, session id etc.
- ReservationManager.py: To check for reservation, create a reservation, extend reservation, cancel reservation and get user's reservation.
- **Reservation.py**: To store, set and get data about reservation such as title, description, sites etc.
- SiteManager.py: To get all or specific sites' description and search sites by criteria.
- **Site.py**: store, set and get data about site such as name, resources, image type, additional network connection type etc.
- **Resource.py**: CPU and Memory are subclasses of Resource. They are used for storing, setting and getting data about the resources in any site such as total amount of resource, available amount of resource etc.

- Database.py: For basic operation to access the database such as connect, execute, commit etc.
   Hostname, username, password and database name are specified in this file.
- JSONFormatter.py: To convert data to be JSON format before return to frontend.

# How to add more resource type

- Table 'site', 'site\_reserved', 'schedule': should add a new column to keep amount of new resources after 'memory' column.
- **Resource.py**: should create a new resource's subclass extending from the 'Resource' class (now there are only 'CPU' and 'Memory')
- Site.py: in constructor should call addResource() with an instance of new resource type.

# How to add more site description

You should add more columns in 'site' table after all of the resource types' column and you have to edit source code.

- Edit the constructor (method Site()) in Site.py to set new attribute.
- Add method get for each new attribute.
- Edit method formatSite() in JSONFormatter which gets site's data to return to frontend.

# How to add description for resources

• Create new tables for resources with column 'name' and 'description'.

# How to add description to images

 Create new tables for images with column 'id' 'name' and 'description' and change to the data in the current 'image\_type' table to store the id of image instead.