

Examining the Impact of Weather on NFL Decision-Making

2023-12-04

Introduction

NFL head coaches are constantly under scrutiny, whether warranted or unwarranted, for the decisions made over the course of game that ultimately lead to a win or loss. Coaches have a variety of options at their disposal depending on the current condition and momentum of the game, and most of their decision making stems from a primarily objective examination of their team's needs. Third and 10 down 20 points in the 4th quarter? In all likelihood a pass play to try and mount a comeback. Fourth and 20 up 10? Most likely a punt to minimize the risk of giving good field position to the opponent. Coaches, players, and fans can on the whole agree on the right play-call in many hypothetical game scenarios.

However, every coach suffers from inherent biases that have the potential to impair their judgement and decision making when baselined against a baseline of rationality. For example, the hot-hand fallacy has been extensively studied across varying sports (though primarily in basketball), with little statistical evidence to support the notion that athletes experiencing a positive outcomes are more likely to experience it repeatedly. Yet in practice, coaches will often apply decision making that has worked in the past in new situations despite adverse conditions for success. Entrusted with managing numerous responsibilities throughout the game, coaches must rely on heuristics and past anecdotal experiences to guide them throughout the game, resulting in these observed biases.

One key consideration that consistently affects game-planning and subsequently decision-making are the weather conditions. For stadiums that have an open roof (there are 22 outdoor stadiums and an additional 5 domed stadiums with retractable roofs), games are subject to the effects of the surrounding climate: temperature, humidity, wind speed, and precipitation. In contrast, closed stadiums fine-tune and control for climate, reducing the influence of the aforementioned conditions to essentially 0.

All of these weather measures have the potential to affect the probability of success for any given play. High wind speeds can affect both the trajectory and velocity of passes, potentially lowering the probability of a completion, while high humidity results in less dense air that allows footballs to travel farther, potentially increasing the probability of a field goal conversion. Unfortunately, there has been minimal existing literature exploring the effects of temperature on NFL games, and most of that has been amateur-led and conducted with a primary focus on exploiting sports betting inefficiencies.

Entering the game, coaches have generally prepared for the climate conditions and have adjusted their game plans accordingly. Yet over the course of the game, numerous scenarios emerge that warrant a particular play whose success rate may be hindered as a result of the weather. In these situations, how does a coach assess the gravity of weather? We investigate this phenomenon through three main research questions:

1. For non fourth down plays in which the coach predominantly decides to run or pass, do the weather conditions impact the coach's ultimate decision making?
2. Similarly, for fourth down plays in which the decision tree expands to include punting and kicking a field goal, do the weather conditions play any role in influencing the coach's ultimate decision-making?
3. For both non fourth down and fourth down plays, do weather conditions have any impact on the probability of a successful outcome (first down, touchdown, field goal made, punt that pins opponent deep in their territory)?

We hope that our findings will be informative in uncovering any systematic bias in either the overestimation

or underestimation of weather conditions by NFL coaches, allowing them to tailor their play calling in a way that best positions their team for success.

Proposed Methodology

We divide our analysis into non fourth down and fourth down situations because each scenario considers a different set of options (run and pass on non fourth downs, with the added optionality of kicking a field goal or punting on fourth downs). Because there are so many potential variables that affect the decision to run pass, punt, or kick, we will use gradient boosting to fit decision trees predicting the end play call of a particular situation in order to gauge feature importance and see if weather conditions appear to be “important” in predicting a coach’s decision-making. From there, we will fit two logistic regression models with the features we deemed relevant, with the response variables being outcomes of success for the particular down (first down and touchdown for non fourth down plays, ____ for fourth down plays).

Data Description

We use two datasets in our analysis. The first dataset, obtained from Kaggle, consists of hourly weather observations recorded from Meteostat and Weather Underground for games from the 2000-2001 NFL season to the 2020-2021 NFL season. In total, there are 37,155 hourly observations. Each observation relevant weather metrics such as temperature (in Fahrenheit), dew point, humidity (0 - 100), precipitation (mm), wind speed (MPH), and estimated condition. The estimated condition is qualitatively described, with levels such as clear, heavy rain, moderate rain, light rain, light snow, and moderate snow.

The second dataset, obtained from the nflverse R package, consists of play-by-play data for every NFL game since the 1999-2000 NFL season. For our analysis, we will only use data from the 2018-2019 to 2020-2021 seasons, in order to align our timeframes with the weather observations dataset. In total, there were 144,422 plays over these three NFL seasons. In addition to play-specific characteristics such as down, yard line, time remaining in quarter, score of game, play type, and result of play, each play also records the home and away team and the type of stadium in which the game is being played in (outdoors, dome, closed stadium, and open stadium).

Although the play-by-play dataset does contain variables describing the weather conditions such as temperature and wind speed, it is play-agnostic and therefore does not change over the course of the game. This is problematic because we cannot assume that weather conditions remain constant as the day progresses. Therefore, we cannot rely solely on the play-by-play dataset and must incorporate the hourly observations dataset. Both datasets share a common game ID variable and similar time of day measurements, so after initial data cleaning (rounding the time of day measurements in the play-by-play dataset to the nearest hour to match the format of the hourly weather observations, which occur at the start of each hour), we are able to merge the two datasets, and after filtering out plays that do not have a specified down (kickoffs, extra points, timeouts), we are left with 112,381 plays with hourly weather observations.

EDA

We first explore the significant of the 112,381 with respect to the current game situation. Our dataset contains a win probability variable that describes the estimated win probability for the team in possession given the current game conditions at the start of the play. Here we plot the density plot of win probabilities

We observe a trimodal distribution with peaks occurring near a win probability of 0, 50, and 100. We are not particularly interested in plays occurring in game situations where the outcome is essentially decided, and so we filter out plays that occurred in situations where the win probability was less than .10 or greater than .90. We are now left with 84,890 plays.

From these plays, we consider how playcalling on first, second, and third downs vary versus fourth downs. We display the number of occurrences of each play type among non-fourth down plays versus fourth down plays from our training datasets. First, for non fourth down plays:




Figure 1: Distribution of Win Probability on Plays


Play Type	Frequency
Field Goal	185
No Play	4904
Pass	42054
QB Kneel	217
QB Spike	147
Run	29149

Then, for fourth down plays:

Play Type	Frequency
Field Goal	2067
No Play	367
Pass	509
Punt	4825
Run	450

As expected, coaches will never punt and only kick field goals near the end of a half on non fourth downs, while prioritizing punts and field goals on fourth down. Therefore, for our non-fourth-down analysis, we will only be concerned with predicting whether a play is a run or pass (filtering out non-run and non-pass plays, or a binary categorical response), and for our fourth down analysis, we will focus on predicting four outcomes: punt, kick, run, and pass.

Finally, let's consider whether a stadium having an open versus closed roof affects the distribution of 4th down play outcomes. The play-by-play dataset has four possible outcomes for the roof variable: outdoors, open, closed, and dome. We will consider a domed stadium that has an open roof for the particular game to be equivalent to an outdoors stadium and a domed stadium that has a closed roof for the particular game to be equivalent to a non-retractable dome stadium.



and indoor stadiums, a higher percentage of 4th down plays are field goals in domed stadiums than outdoor stadiums, suggesting that coaches are cognizant of the effects of weather on effective field-goal kicking.

Train Test Split

We will use plays from the 2018-2019 and 2019-2020 seasons as our training set (51226 non-fourth-down plays and 5616 fourth down plays) and plays from the 2020-2021 season (25430 non-fourth-down plays and 2618 fourth down plays) as our test set. This roughly corresponds to a 2/3 train-test split for both non-fourth-down and fourth down plays.


Non-Fourth Down Analysis

Training

We first analyze non fourth down playcalling, with a particular emphasis on deciding whether to run or pass. As we are interested in examining the weather bias, we are only interested in examining plays occurring in an open roof setting. Applying these filters, we are left with 36,036 observations.

With 383 variables in the training dataset, including many that describe post-play statistics (yards gained, turnover, first down conversion, etc.), we perform an initial qualitative variable selection process, selecting 30 variables that we believe coaches could potentially consider before deciding which play to call. These range from numeric variables such as down, yard line, yards to go, and seconds remaining in half to categorical variables like type of stadium, type of surface, and game half, but all are game conditions pre-determined before the play. See appendix for full list of variables.

To gauge whether such variables appear to be the most influential in predicting run or pass plays, we use XgBoost to fit gradient-boosted decision trees with our label being the play type. Out of these 30 variables, 5 are categorical, so we perform preprocessing through one-hot-encoding. We use a max tree depth of 10 and 100 rounds. Here we plot the importance feature graph from the model.



Our training log loss was .22. From the feature importance graph, we find that Pressure, Humidity, DewPoint, and Temperature have some of the highest feature scores (as quantified by Gain), indicating that such conditions are influential for predicting a coach's decision to run or pass. But do such weather conditions have a statistically significant relationship to the outcome of the particular play?


We consider a successful outcome on non-fourth down plays to be either a first down conversion or a touchdown. Therefore, we proceed with fitting a logistic regression model with the response being a binary variable that records whether or not the play satisfied the aforementioned conditions. We fit the model with all predictors that recorded a Gain metric above .01 in our gradient-boosted model, with an exception for precipitation as we want to conduct inference on all weather predictors. We now include play type as a predictor to control for differences in run and pass plays. We display the estimates for our weather predictors.

	Estimate	Standard Error	Z Value	Pr(> z)
Pressure	0.151	0.0868	1.74	0.0822
Humidity	-0.00551	0.00372	-1.48	0.139
DewPoint	0.00749	0.00723	1.04	0.3
Temperature	-0.00795	0.007	-1.14	0.256
WindSpeed	-0.00756	0.00343	-2.2	0.0277
Precipitation	1.46	0.779	1.88	0.06

At an alpha level of .05, we observe that pressure, humidity, dewpoint, temperature, and precipitation are not statistically significant, though wind speed is, even after controlling for type of play. There is a disconnect between the perceived influence of weather on a coach's decision to run or pass and the impact of weather on successful play outcomes. Backwards selection with our full model resulted in only temperature, dewpoint, week of game, and seconds remaining in game variables being removed.

Fourth Down

Now, we want to look at the other aspect of fourth down play-calling: Fourth Down decision making. At each fourth down event, an offense has three decisions that can be made: go for it (i.e. call a run or pass play to try and get a first down), punt, or kick a field goal. First, we run a similar model where we determine the features that are important, and then use those features to implement a multinomial logistic regression model. Fourth down decision making is more clear cut than run/pass decision making, so we will filter the dataset to only include plays where outcomes may be more ambiguous



Now, we run a logistic regression model to determine if weather has a significant effect on play outcomes. Instead of using series success rate as the response variable for this model, we choose to use the result of the game (1 if the possession team wins and 0 if the possession team loses) as a proxy for measuring success of plays. Below is the full model

$$Pr(\text{Outcome}_i = \text{Win}) = \pi_i$$

$$\log\left(\frac{\pi_i}{1 - \pi_i}\right) = \beta_0 + \beta_1 \text{Pressure} + \beta_2 \text{Wind Speed} + \beta_3 \text{Humidity} + \beta_4 \text{Temperature} + \beta_5 \text{Precipitation} + \beta_6 \text{Dewpoint} + \beta_7 \text{Run} + \beta_8 \text{Pass}$$

$\beta_7 \dots \beta_9$ indicate the the play types for which we are predicting outcomes. In our regression, the field goal play type is the base group.

$\sum_{j=8}^p \beta_j X_j$ indicates all predictor variables not related to play type or weather that were significant from the tree-based model (i.e. Yard Line, Yards to Go for a First Down, Time Remaining in the Half, etc).

	Estimate	Standard Error	Z Value	Pr(> z)
Pressure	-0.129	0.177	-0.731	0.465
Humidity	0.00294	0.0075	0.393	0.695
DewPoint	-0.0082	0.0144	-0.567	0.57
Temperature	0.0078	0.0137	0.568	0.57
WindSpeed	-0.00711	0.00711	-1	0.317
Precipitation	-0.709	1.66	-0.428	0.669

From the model, we can see that the only weather variable that has a significant impact on play outcomes (in terms of wins and losses) is wind speed. This is indicated by the fact that it is the only weather variable that has a p-value $< .05$.

Conclusion

Through the lens of two different game scenarios (runs/passes in early down situations, fourth downs), we were able to assess the validity of the two hypothesis that we made