```
package com.chiru;
import java.io.IOException;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import javax.servlet.RequestDispatcher;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
/**
 * Servlet implementation class seeRequests
public class seeRequests extends HttpServlet {
   private static final long serialVersionUID = 1L;
    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
   public void doPost (HttpServletRequest request, HttpServletResponse response) throws
    ServletException, IOException {
        Connection con = null;
        try {
            Class.forName("com.ibm.db2.jcc.DB2Driver");
            con = DriverManager.getConnection(
            "jdbc:db2://db2serv01.cs.stonybrook.edu:50000/teamdb61:retrieveMessagesFromServerOnGe
            tMessage=true; ", "cseteam61", "Balawat61");
        } catch (Exception e1) {
            // TODO Auto-generated catch block
            e1.printStackTrace();
        }
        String SIP = request.getParameter("reqsip");
        String sql = "select USERID from CSETEAM61.SIPREQUEST where SIPID = ?";
        String sql1 = "select count(USERID) from CSETEAM61.SIPREQUEST where SIPID = ?";
        ResultSet rs = null;
        try {
            PreparedStatement ps = con.prepareStatement(sql1);
            ps.setString(1, SIP);
            rs = ps.executeQuery();
            rs.next();
            int count = Integer.parseInt(rs.getString(1));
            System.out.println(count);
            System.out.println(SIP);
```

```
String memreqs[] = new String[count];
        ps = con.prepareStatement(sql);
        ps.setString(1, SIP);
        rs = ps.executeQuery();
        int i = 0;
        while(rs.next()){
            memreqs[i] = rs.getString(1);
            System.out.println(memreqs[i]);
            i++;
        }
        request.getSession().setAttribute("insReqSip", SIP);
        request.getSession().setAttribute("memreqs", memreqs);
        RequestDispatcher requestDispatcher = getServletContext().getRequestDispatcher(
        "/finalReqs.jsp");
        requestDispatcher.forward(request, response);
   } catch (SQLException e) {
        // TODO Auto-generated catch block
        e.printStackTrace();
   finally{
        try {
            rs.close();
            con.close();
        } catch (SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
   }
}
```