

# Rajalakshmi Engineering College

Name: Jayasree D  
Email: 241801100@rajalakshmi.edu.in  
Roll no:  
Phone: 9025821157  
Branch: REC  
Department: I AI & DS FB  
Batch: 2028  
Degree: B.E - AI & DS

Scan to verify results



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

### REC\_DS using C\_Week 7\_COD\_Question 4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Develop a program using hashing to manage a fruit contest where each fruit is assigned a unique name and a corresponding score. The program should allow the organizer to input the number of fruits and their names with scores.

Then, it should enable them to check if a specific fruit, identified by its name, is part of the contest. If the fruit is registered, the program should display its score; otherwise, it should indicate that it is not included in the contest.

##### ***Input Format***

The first line consists of an integer N, representing the number of fruits in the contest.

The following N lines contain a string K and an integer V, separated by a space, representing the name and score of each fruit in the contest.

The last line consists of a string T, representing the name of the fruit to search for.

### ***Output Format***

If T exists in the dictionary, print "Key "T" exists in the dictionary.".

If T does not exist in the dictionary, print "Key "T" does not exist in the dictionary.".

Refer to the sample outputs for the formatting specifications.

### ***Sample Test Case***

Input: 2  
banana 2  
apple 1  
Banana

Output: Key "Banana" does not exist in the dictionary.

### ***Answer***

```
// You are using GCC
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

#define MAX_FRUITS 15
#define MAX_NAME_LENGTH 20

typedef struct {
    char name[MAX_NAME_LENGTH];
    int score;
} Fruit;

void searchFruit(Fruit fruits[], int n, char *key) {
    int found = 0;
    for (int i = 0; i < n; i++) {
```

```

        if (strcmp(fruits[i].name, key) == 0) {
            printf("Key \"%s\" exists in the dictionary.\n", key);
            found = 1;
            break;
        }
    }
    if (!found) {
        printf("Key \"%s\" does not exist in the dictionary.\n", key);
    }
}

int main() {
    int n;
    scanf("%d", &n);

    Fruit fruits[MAX_FRUITS];

    for (int i = 0; i < n; i++) {
        scanf("%s %d", fruits[i].name, &fruits[i].score);
    }

    char key[MAX_NAME_LENGTH];
    scanf("%s", key);

    searchFruit(fruits, n, key);

    return 0;
}

```

**Status :** Correct

**Marks :** 10/10