



Contents lists available at ScienceDirect

Journal of Hazardous Materials

journal homepage: [www.elsevier.com/locate/jhazmat](http://www.elsevier.com/locate/jhazmat)

# Poly(acryloyl hydrazide)-grafted cellulose nanocrystal adsorbents with an excellent Cr(VI) adsorption capacity


Sang-Hee Park<sup>a,1</sup>, Seung Su Shin<sup>a,1</sup>, Chan Hyung Park<sup>a,1</sup>, Sungkwon Jeon<sup>a</sup>, Jaegyong Gwon<sup>b</sup>, Sun-Young Lee<sup>b</sup>, Sung-Jun Kim<sup>a,c</sup>, Hyung-Ju Kim<sup>c</sup>, Jung-Hyun Lee<sup>a,\*</sup>

<sup>a</sup> Department of Chemical and Biological Engineering, Korea University, Seoul, 02841, Republic of Korea

<sup>b</sup> Department of Forest Products, National Institute of Forest Science, Seoul, 02455, Republic of Korea

<sup>c</sup> Decommissioning Technology Research Division, Korea Atomic Energy Research Institute, Daejeon, 34057, Republic of Korea

## GRAPHICAL ABSTRACT



## ARTICLE INFO

Editor: Daniel CW Tsang

### Keywords:

Cellulose nanocrystal  
Atom transfer radical polymerization  
Adsorbents  
Cr(VI) removal

## ABSTRACT

In this study, we prepared poly(acryloyl hydrazide) (PAH)-grafted cellulose nanocrystal (CNC-PAH) particles via the atom transfer radical polymerization method for application to Cr(VI) adsorption. The closely-packed PAH chains grafted on the cellulose nanocrystal (CNC) surface provide a high density of amine groups that can adsorb Cr(VI) through strong electrostatic, hydrogen bonding and chelating interactions. CNC-PAH exhibited the optimum Cr(VI) adsorption capacity at the solution pH = 3, where its electrostatic attraction with Cr(VI) was maximized. Cr(VI) was chemisorbed in CNC-PAH by following the Langmuir isotherm mechanism (homogeneous monolayer adsorption). The Cr(VI) adsorption kinetics of CNC-PAH was controlled predominantly by intra-particle diffusion resistance imparted by the PAH shell layer. Thermodynamic analysis revealed that Cr(VI) adsorption of CNC-PAH is a spontaneous and endothermic process. Importantly, CNC-PAH grafted with the higher  $M_w$  ( $\sim 50 \text{ kg mol}^{-1}$ ) PAH exhibited a rapid Cr(VI) adsorption rate and remarkably high Cr(VI) adsorption capacity ( $\sim 457.6 \text{ mg g}^{-1}$  at 298.15 K), exceeding those of previously reported adsorbents owing to its numerous Cr(VI)-adsorptive amine groups provided by the closely-packed grafted PAH polymers. Furthermore, CNC-PAH showed excellent reusability to maintain its high adsorption ability during repeated adsorption-desorption cycles owing to the covalently binding nature of the PAH polymers.

\* Corresponding author.

E-mail address: [leejhyy@korea.ac.kr](mailto:leejhyy@korea.ac.kr) (J.-H. Lee).

<sup>1</sup> These authors contributed equally.