betaMC: Staging

Ivan Jacob Agaloos Pesigan

Staging...

References

R Core Team. (2022). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/

1 Standardized Slopes

```
df <- nas1982
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = df)
mvn <- BetaMC(object, type = "mvn")</pre>
adf <- BetaMC(object, type = "adf")</pre>
hc3 <- BetaMC(object, type = "hc3")
summary(mvn)
summary(adf)
summary(hc3)
coef(mvn)
coef(adf)
coef(hc3)
vcov(mvn)
vcov(adf)
vcov(hc3)
confint(mvn)
confint(adf)
confint(hc3)
```

2 Multiple Correlation

```
df <- nas1982
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = df)
std_mvn <- BetaMC(object, type = "mvn")</pre>
```

```
std_adf <- BetaMC(object, type = "adf")</pre>
std_hc3 <- BetaMC(object, type = "hc3")</pre>
mvn <- RSqBetaMC(std_mvn)</pre>
adf <- RSqBetaMC(std_adf)</pre>
hc3 <- RSqBetaMC(std_hc3)</pre>
summary(mvn)
#> Multiple correlation
#> type = "mvn"
#> est
               se R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> rsq 0.8045 0.0560 20000 0.5397 0.6006 0.6623 0.8789 0.9038 0.9266
#> adj 0.7906 0.0601 20000 0.5069 0.5721 0.6382 0.8702 0.8969 0.9214
summary(adf)
#> Multiple correlation
#> type = "adf"
#> est se R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> rsq 0.8045 0.0545 20000 0.552 0.6168 0.6672 0.8796 0.9018 0.9285
#> adj 0.7906 0.0583 20000 0.520 0.5894 0.6434 0.8709 0.8948 0.9234
summary(hc3)
#> Multiple correlation
#> type = "hc3"
#> est
               se R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> rsq 0.8045 0.0627 20000 0.4816 0.5770 0.6414 0.8879 0.9116 0.9320
#> adj 0.7906 0.0672 20000 0.4446 0.5468 0.6158 0.8799 0.9053 0.9271
coef(mvn)
#> rsq
#> 0.8045263 0.7905638
coef(adf)
#> rsq adj
#> 0.8045263 0.7905638
coef(hc3)
#> rsq
                adj
#> 0.8045263 0.7905638
vcov(mvn)
             rsq
#> rsq 0.003141591 0.003365990
#> adj 0.003365990 0.003606418
```

```
vcov(adf)
             rsq
#> rsq 0.002965697 0.003177533
#> adj 0.003177533 0.003404499
vcov(hc3)
            rsq adj
#> rsq 0.003937405 0.004218648
#> adj 0.004218648 0.004519980
confint(mvn)
#> 2.5% 97.5%
#> rsq 0.6623081 0.8788682
#> adj 0.6381872 0.8702159
confint(adf)
#> 2.5% 97.5%
#> rsq 0.6671984 0.8795506
#> adj 0.6434268 0.8709471
confint(hc3)
         2.5% 97.5%
#> rsq 0.6414308 0.8879357
#> adj 0.6158187 0.8799311
```

3 Differences of Standardized Slopes

```
df <- nas1982
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = df)
std_mvn <- BetaMC(object, type = "mvn")
std_adf <- BetaMC(object, type = "adf")
std_hc3 <- BetaMC(object, type = "hc3")
mvn <- DiffBetaMC(std_mvn)
adf <- DiffBetaMC(std_dnt)
hc3 <- DiffBetaMC(std_hc3)
summary(mvn)

#> Difference between standardized regression coefficients
#> type = "mvn"
#> est se R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
```

```
#> NARTIC-PCTGRT 0.1037 0.1348 20000 -0.3394 -0.2553 -0.1664 0.3605 0.4309 0.5247
#> NARTIC-PCTSUPP 0.2319 0.1248 20000 -0.1975 -0.0955 -0.0222 0.4668 0.5421 0.6061
#> PCTGRT-PCTSUPP 0.1282 0.1221 20000 -0.2649 -0.1856 -0.1151 0.3637 0.4380 0.5154
summary(adf)
#> Difference between standardized regression coefficients
#> type = "adf"
                   est se R 0.05%
                                           0.5% 2.5% 97.5% 99.5% 99.95%
#>
#> NARTIC-PCTGRT 0.1037 0.1217 20000 -0.2892 -0.2061 -0.1340 0.3393 0.4167 0.5086
#> NARTIC-PCTSUPP 0.2319 0.1184 20000 -0.1535 -0.0806 -0.0067 0.4575 0.5322 0.6061
#> PCTGRT-PCTSUPP 0.1282 0.1208 20000 -0.2702 -0.1877 -0.1096 0.3605 0.4320 0.5173
summary(hc3)
#> Difference between standardized regression coefficients
#> tvpe = "hc3"
                   est se R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> NARTIC-PCTGRT 0.1037 0.1410 20000 -0.3408 -0.2609 -0.1764 0.3767 0.4649 0.5697
#> NARTIC-PCTSUPP 0.2319 0.1318 20000 -0.2054 -0.1191 -0.0367 0.4816 0.5588 0.6615
#> PCTGRT-PCTSUPP 0.1282 0.1363 20000 -0.3207 -0.2303 -0.1475 0.3878 0.4757 0.5592
coef(mvn)
#> NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
     0.1036564
                    0.2318974
                                  0.1282410
coef(adf)
#> NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
#> 0.1036564 0.2318974 0.1282410
coef(hc3)
#> NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
#> 0.1036564 0.2318974 0.1282410
vcov(mvn)
                NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
#> NARTIC-PCTGRT 0.018176173 0.009414899 -0.008761273
#> NARTIC-PCTSUPP 0.009414899 0.015565443 0.006150544
#> PCTGRT-PCTSUPP -0.008761273 0.006150544 0.014911817
vcov(adf)
                NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
#> NARTIC-PCTGRT 0.014798908 0.007107739 -0.007691169
#> NARTIC-PCTSUPP 0.007107739 0.014008854 0.006901115
#> PCTGRT-PCTSUPP -0.007691169 0.006901115 0.014592284
```

```
vcov(hc3)
                 NARTIC-PCTGRT NARTIC-PCTSUPP PCTGRT-PCTSUPP
#> NARTIC-PCTGRT 0.019893072 0.009333186 -0.010559887
#> NARTIC-PCTSUPP 0.009333186 0.017364424 0.008031238
#> PCTGRT-PCTSUPP -0.010559887 0.008031238
                                              0.018591125
confint(mvn)
#>
                        2.5%
                                 97.5%
#> NARTIC-PCTGRT -0.16643898 0.3605034
#> NARTIC-PCTSUPP -0.02216683 0.4668334
#> PCTGRT-PCTSUPP -0.11511211 0.3636570
confint(adf)
#>
                         2.5%
                                97.5%
#> NARTIC-PCTGRT -0.134021679 0.3393289
#> NARTIC-PCTSUPP -0.006726061 0.4575467
#> PCTGRT-PCTSUPP -0.109611792 0.3605397
confint(hc3)
#>
                        2.5%
                               97.5%
#> NARTIC-PCTGRT -0.17641218 0.3767087
#> NARTIC-PCTSUPP -0.03669939 0.4815911
#> PCTGRT-PCTSUPP -0.14751144 0.3878389
```

4 Partial Correlations

```
df <- nas1982
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = df)
std_mvn <- BetaMC(object, type = "mvn")</pre>
std_adf <- BetaMC(object, type = "adf")</pre>
std_hc3 <- BetaMC(object, type = "hc3")</pre>
mvn <- PCorBetaMC(std_mvn)</pre>
adf <- PCorBetaMC(std_adf)</pre>
hc3 <- PCorBetaMC(std_hc3)</pre>
summary(mvn)
#> Multiple correlation
#> type = "mvn"
#>
                                   R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
                  est
                            se
#> NARTIC_sr 0.4312 0.0769 20000 0.1725 0.2271 0.2704 0.5721 0.6236 0.6754
#> PCTGRT_sr 0.3430 0.0744 20000 0.1115 0.1549 0.1950 0.4870 0.5377 0.6034
```

```
#> PCTSUPP_sr 0.2385 0.0702 20000 0.0246 0.0646 0.1013 0.3773 0.4292 0.4951
#> NARTIC_srsq 0.1859 0.0653 20000 0.0297 0.0516 0.0731 0.3273 0.3888 0.4562
#> PCTGRT_srsq 0.1177 0.0513 20000 0.0124 0.0240 0.0380 0.2372 0.2891 0.3641
#> PCTSUPP_srsq 0.0569 0.0344 20000 0.0006 0.0042 0.0103 0.1423 0.1842 0.2451
#> NARTIC_prsq 0.4874 0.1050 20000 0.1190 0.1810 0.2443 0.6561 0.7118 0.7788
#> PCTGRT_prsq 0.3757 0.1086 20000 0.0561 0.0982 0.1464 0.5687 0.6338 0.7007
#> PCTSUPP_prsq 0.2254 0.1001 20000 0.0026 0.0184 0.0454 0.4289 0.5004 0.6071
summary(adf)
#> Multiple correlation
#> type = "adf"
                                R 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
                  est
                          se
#> NARTIC_sr 0.4312 0.0709 20000 0.1137 0.2116 0.2721 0.5494 0.5937 0.6434
#> PCTGRT_sr 0.3430 0.0707 20000 0.0886 0.1495 0.1923 0.4670 0.5144 0.5748
#> PCTSUPP_sr 0.2385 0.0699 20000 -0.0069 0.0487 0.0962 0.3710 0.4199 0.4856
#> NARTIC_srsq 0.1859 0.0583 20000 0.0129 0.0448 0.0740 0.3019 0.3525 0.4139
#> PCTGRT_srsq 0.1177 0.0471 20000 0.0079 0.0224 0.0370 0.2181 0.2646 0.3304
#> PCTSUPP_srsq 0.0569 0.0334 20000 0.0001 0.0024 0.0093 0.1376 0.1763 0.2358
#> NARTIC_prsq 0.4874 0.0987 20000 0.0520 0.1722 0.2449 0.6324 0.6830 0.7417
#> PCTGRT_prsq 0.3757 0.1005 20000 0.0342 0.0939 0.1470 0.5356 0.5925 0.6478
#> PCTSUPP_prsq 0.2254 0.1040 20000 0.0003 0.0092 0.0381 0.4353 0.5170 0.6131
summary(hc3)
#> Multiple correlation
#> type = "hc3"
#>
                                 R
                                   0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
                  est
                          se
#> NARTIC_sr 0.4312 0.0862 20000 0.0630 0.1386 0.2238 0.5663 0.6186 0.6673
#> PCTGRT_sr 0.3430 0.0833 20000 0.0406 0.1056 0.1566 0.4894 0.5448 0.6017
#> PCTSUPP_sr 0.2385 0.0783 20000 -0.0242 0.0318 0.0793 0.3885 0.4442 0.5201
#> NARTIC_srsq 0.1859 0.0686 20000 0.0040 0.0192 0.0501 0.3207 0.3827 0.4453
#> PCTGRT_srsq 0.1177 0.0548 20000 0.0016 0.0112 0.0245 0.2395 0.2968 0.3621
#> PCTSUPP_srsq 0.0569 0.0379 20000 0.0000 0.0011 0.0063 0.1509 0.1973 0.2705
#> NARTIC_prsq 0.4874 0.1188 20000 0.0166 0.0807 0.1776 0.6496 0.7081 0.7719
#> PCTGRT_prsq 0.3757 0.1158 20000 0.0071 0.0489 0.1031 0.5568 0.6200 0.6828
#> PCTSUPP_prsq 0.2254 0.1136 20000 0.0000 0.0045 0.0264 0.4573 0.5433 0.6433
coef(mvn)
     NARTIC_sr
                 PCTGRT_sr
                              PCTSUPP_sr NARTIC_srsq PCTGRT_srsq PCTSUPP_srsq
#>
     0.4311525
                0.3430075
                              0.2384789
                                           0.1858925
                                                      0.1176542
                                                                    0.0568722
#> NARTIC_prsq PCTGRT_prsq PCTSUPP_prsq
     0.4874382
                0.3757383
                              0.2253739
```

coef(adf)

```
#> NARTIC_sr PCTGRT_sr PCTSUPP_sr NARTIC_srsq PCTGRT_srsq PCTSUPP_srsq
#>
     #> NARTIC_prsq PCTGRT_prsq PCTSUPP_prsq
     0.4874382
               0.3757383
                           0.2253739
coef(hc3)
                PCTGRT_sr PCTSUPP_sr NARTIC_srsq PCTGRT_srsq PCTSUPP_srsq
#>
     NARTIC_sr
     0.4311525
               0.3430075 0.2384789
                                       0.1858925 0.1176542 0.0568722
#> NARTIC_prsq PCTGRT_prsq PCTSUPP_prsq
     0.4874382
               0.3757383 0.2253739
vcov(mvn)
                  NARTIC_sr
                              PCTGRT_sr PCTSUPP_sr NARTIC_srsq
#> NARTIC_sr
              0.0059161388 -0.0012263563 -0.0009278841 0.0049799442
#> PCTGRT_sr -0.0012263563 0.0055358333 -0.0007933958 -0.0010399841
#> PCTSUPP_sr -0.0009278841 -0.0007933958 0.0049346035 -0.0007748720
#> NARTIC_srsq 0.0049799442 -0.0010399841 -0.0007748720 0.0042619315
#> PCTGRT_srsq -0.0008356455 0.0037705586 -0.0005318032 -0.0007045054
#> PCTSUPP_srsq -0.0004355140 -0.0003614701 0.0023599249 -0.0003614984
#> NARTIC_prsq 0.0064447242 -0.0018639922 -0.0014861388 0.0053367412
#> PCTGRT_prsq -0.0019579748 0.0068093849 -0.0014138810 -0.0016700430
#> PCTSUPP_prsq -0.0015043814 -0.0013558583 0.0062957952 -0.0012641652
               PCTGRT_srsq PCTSUPP_srsq NARTIC_prsq PCTGRT_prsq
#> NARTIC sr -0.0008356455 -0.0004355140 0.0064447242 -0.0019579748
#> PCTGRT_sr 0.0037705586 -0.0003614701 -0.0018639922 0.0068093849
#> PCTSUPP_sr -0.0005318032 0.0023599249 -0.0014861388 -0.0014138810
#> NARTIC_srsq -0.0007045054 -0.0003614984 0.0053367412 -0.0016700430
#> PCTGRT_srsq 0.0026303544 -0.0002398980 -0.0012886734 0.0045715616
#> PCTSUPP_srsq -0.0002398980 0.0011803405 -0.0007259279 -0.0006741267
#> NARTIC_prsq -0.0012886734 -0.0007259279 0.0110247789 0.0007676880
#> PCTGRT_prsq 0.0045715616 -0.0006741267 0.0007676880 0.0117882002
#> PCTSUPP_prsq -0.0009193071 0.0030063719 0.0003465792 0.0001459964
#>
               PCTSUPP_prsq
#> NARTIC_sr
              -0.0015043814
#> PCTGRT_sr -0.0013558583
#> PCTSUPP_sr 0.0062957952
#> NARTIC_srsq -0.0012641652
#> PCTGRT_srsq -0.0009193071
#> PCTSUPP_srsq 0.0030063719
#> NARTIC_prsq 0.0003465792
#> PCTGRT_prsq 0.0001459964
#> PCTSUPP_prsq 0.0100156710
vcov(adf)
```

```
NARTIC_sr PCTGRT_sr PCTSUPP_sr NARTIC_srsq
#> NARTIC_sr
                5.028634e-03 0.0002658118 -0.0004205940 4.094629e-03
#> PCTGRT sr
                2.658118e-04 0.0049916523 -0.0005972769 1.248823e-04
#> PCTSUPP_sr -4.205940e-04 -0.0005972769 0.0048893563 -3.872846e-04
#> NARTIC_srsq
              4.094629e-03 0.0001248823 -0.0003872846 3.394463e-03
#> PCTGRT_srsq 1.157608e-04 0.0032889504 -0.0004084194 4.432194e-05
#> PCTSUPP_srsq -1.876976e-04 -0.0002793178 0.0022800680 -1.715467e-04
#> NARTIC_prsq 5.415814e-03 -0.0003987451 -0.0001659118 4.335206e-03
#> PCTGRT_prsq -9.533291e-05 0.0058796846 -0.0005254089 -2.160941e-04
#> PCTSUPP_prsq -8.736019e-04 -0.0013241036 0.0065514198 -7.789682e-04
                PCTGRT_srsq PCTSUPP_srsq NARTIC_prsq PCTGRT_prsq
#> NARTIC_sr
                1.157608e-04 -0.0001876976 0.0054158142 -9.533291e-05
#> PCTGRT_sr
                3.288950e-03 -0.0002793178 -0.0003987451 5.879685e-03
#> PCTSUPP_sr -4.084194e-04 0.0022800680 -0.0001659118 -5.254089e-04
#> NARTIC_srsq 4.432194e-05 -0.0001715467 0.0043352062 -2.160941e-04
#> PCTGRT_srsq 2.218059e-03 -0.0001881497 -0.0003561790 3.818595e-03
#> PCTSUPP_srsq -1.881497e-04 0.0011161618 -0.0001129437 -2.878173e-04
#> NARTIC_prsq -3.561790e-04 -0.0001129437 0.0097404442 2.454887e-03
#> PCTGRT_prsq 3.818595e-03 -0.0002878173 0.0024548870 1.009022e-02
#> PCTSUPP_prsq -8.976828e-04 0.0030710959 0.0020006587 9.317532e-04
#>
               PCTSUPP_prsq
#> NARTIC_sr
               -0.0008736019
#> PCTGRT_sr
               -0.0013241036
#> PCTSUPP_sr
               0.0065514198
#> NARTIC_srsq -0.0007789682
#> PCTGRT_srsq -0.0008976828
#> PCTSUPP_srsq 0.0030710959
#> NARTIC_prsq 0.0020006587
#> PCTGRT_prsq 0.0009317532
#> PCTSUPP_prsq 0.0108103290
vcov(hc3)
                                           PCTSUPP_sr NARTIC_srsq
#>
                   NARTIC_sr
                               PCTGRT_sr
                7.423956e-03 7.438224e-04 -4.279778e-05 5.825960e-03
#> NARTIC_sr
                7.438224e-04 6.932795e-03 -5.609526e-04 3.550374e-04
#> PCTGRT_sr
#> PCTSUPP_sr -4.279778e-05 -5.609526e-04 6.130689e-03 -1.225772e-04
#> NARTIC_srsq 5.825960e-03 3.550374e-04 -1.225772e-04 4.706501e-03
#> PCTGRT_srsq 3.379422e-04 4.486678e-03 -4.047363e-04 1.441210e-04
#> PCTSUPP_srsq -2.782215e-05 -2.690089e-04 2.875299e-03 -5.674647e-05
#> NARTIC_prsq 8.320235e-03 6.719206e-05 2.426903e-04 6.371971e-03
#> PCTGRT_prsq 5.721479e-04 8.139442e-03 -5.194384e-04 1.007423e-04
#> PCTSUPP_prsq -3.372136e-04 -1.385889e-03 7.965035e-03 -4.106309e-04
#>
                 PCTGRT_srsq PCTSUPP_srsq NARTIC_prsq PCTGRT_prsq
                0.0003379422 -2.782215e-05 8.320235e-03 0.0005721479
#> NARTIC_sr
#> PCTGRT_sr 0.0044866780 -2.690089e-04 6.719206e-05 0.0081394416
```

```
#> PCTSUPP_sr -0.0004047363 2.875299e-03 2.426903e-04 -0.0005194384
#> NARTIC_srsq 0.0001441210 -5.674647e-05 6.371971e-03 0.0001007423
#> PCTGRT_srsq 0.0030083194 -1.870319e-04 -1.825980e-04 0.0051660330
#> PCTSUPP_srsq -0.0001870319 1.432631e-03 3.172889e-05 -0.0003159322
#> NARTIC_prsq -0.0001825980 3.172889e-05 1.411378e-02 0.0038281168
#> PCTGRT_prsq 0.0051660330 -3.159322e-04 3.828117e-03 0.0134026471
#> PCTSUPP_prsq -0.0009686970 3.750331e-03 3.124587e-03 0.0012744845
                PCTSUPP_prsq
#> NARTIC_sr
               -0.0003372136
#> PCTGRT_sr
               -0.0013858888
#> PCTSUPP_sr 0.0079650352
#> NARTIC_srsq -0.0004106309
#> PCTGRT_srsq -0.0009686970
#> PCTSUPP_srsq 0.0037503313
#> NARTIC_prsq 0.0031245868
#> PCTGRT_prsq 0.0012744845
#> PCTSUPP_prsq 0.0129117964
confint(mvn)
#>
                     2.5%
                              97.5%
#> NARTIC_sr
               0.27038508 0.5720578
#> PCTGRT_sr
               0.19497167 0.4870015
#> PCTSUPP_sr 0.10126654 0.3772624
#> NARTIC_srsq 0.07310809 0.3272501
#> PCTGRT_srsq 0.03801395 0.2371704
#> PCTSUPP_srsq 0.01025491 0.1423269
#> NARTIC_prsq 0.24429526 0.6560683
#> PCTGRT_prsq 0.14640408 0.5687141
#> PCTSUPP_prsq 0.04539652 0.4288631
confint(adf)
                      2.5%
                               97.5%
#> NARTIC_sr
             0.272078447 0.5494239
#> PCTGRT_sr 0.192256455 0.4669597
#> PCTSUPP_sr 0.096235759 0.3709863
#> NARTIC_srsq 0.074026683 0.3018666
#> PCTGRT_srsq 0.036962545 0.2180513
#> PCTSUPP_srsq 0.009261321 0.1376308
#> NARTIC_prsq 0.244860438 0.6324089
#> PCTGRT_prsq 0.147043243 0.5356481
#> PCTSUPP_prsq 0.038143896 0.4353191
confint(hc3)
                      2.5%
#>
                               97.5%
```