Session Info

Ivan Jacob Agaloos Pesigan

Session

```
sessionInfo()
#> R version 4.4.1 (2024-06-14)
#> Platform: x86_64-pc-linux-gnu
#> Running under: Ubuntu 22.04.4 LTS
#>
#> Matrix products: default
          / usr/lib/x86\_64-linux-gnu/openblas-pthread/libblas.so.3
#> LAPACK: /usr/lib/x86_64-linux-gnu/openblas-pthread/libopenblasp-r0.3.20.so; LAPACK version 3.10
#>
#> locale:
#> [1] LC_CTYPE=en_US.UTF-8
                             LC_NUMERIC=C
   [3] LC_TIME=en_US.UTF-8
                              LC_COLLATE=en_US.UTF-8
#> [5] LC_MONETARY=en_US.UTF-8 LC_MESSAGES=en_US.UTF-8
   [7] LC_PAPER=en_US.UTF-8
                                 LC_NAME=C
#> [9] LC_ADDRESS=C
                                  LC_TELEPHONE=C
#> [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
#>
#> time zone: Etc/UTC
```

```
#> tzcode source: system (glibc)
#> attached base packages:
#> [1] stats
               graphics grDevices utils datasets methods
                                                              base
#> other attached packages:
#> [1] lavaan_0.6-18
                     semmcci_1.1.4.9000 rProject_0.0.14
#>
#> loaded via a namespace (and not attached):
#> [1] httr_1.4.7
                     cli_3.6.3.9000 knitr_1.48
                                                     rlang_1.1.4
#> [5] xfun_0.47
                     stringi_1.8.4
                                      highr_0.11
                                                     generics_0.1.3
#> [9] jsonlite_1.8.8 glue_1.7.0
                                      backports_1.5.0 pbivnorm_0.6.0
#> [13] plyr_1.8.9
                  rprojroot_2.0.4 stats4_4.4.1
                                                      RefManageR_1.4.0
#> [17] quadprog_1.5-8 evaluate_0.24.0 lifecycle_1.0.4 stringr_1.5.1
#> [21] compiler_4.4.1 Rcpp_1.0.13
                                      timechange_0.3.0 bibtex_0.5.1
#> [25] R6_2.5.1
                      parallel_4.4.1 mnormt_2.1.1
                                                      magrittr_2.0.3
#> [29] tools_4.4.1 lubridate_1.9.3 xml2_1.3.6
```

Packages

```
unname(installed.packages()[, 1])
     [1] "Amelia"
                              "bmemLavaan"
                                                   "mi"
#>
    [4] "rsem"
                                                   "semmcci"
                              "sem"
     [7] "abind"
                              "arm"
                                                   "arrow"
    [10] "ash"
                              "AsioHeaders"
                                                   "askpass"
    [13] "assertthat"
                              "backports"
                                                   "base64enc"
```

#>	[16] "betaDelta"	"betaMC"	"betaNB"
#>	[19] "betaSandwich"	"BH"	"bibtex"
#>	[22] "BiocManager"	"bit"	"bit64"
#>	[25] "bitops"	"blob"	"brew"
#>	[28] "brio"	"broom"	"bslib"
#>	[31] "cachem"	"callr"	"car"
#>	[34] "caracas"	"carData"	"cellranger"
#>	[37] "cffr"	"checkmate"	"cli"
#>	[40] "clipr"	"clock"	"clusterGeneration"
#>	[43] "coda"	"cOde"	"collections"
#>	[46] "colorspace"	"commonmark"	"conflicted"
#>	[49] "corpcor"	"covr"	"cowplot"
#>	[52] "cpp11"	"crayon"	"credentials"
#>	[55] "crosstalk"	"cTMed"	"ctsem"
#>	[58] "curl"	"cyclocomp"	"data.table"
#>	[61] "DBI"	"dbplyr"	"Deriv"
#>	[64] "desc"	"deSolve"	"devtools"
#>	[67] "diagram"	"dials"	"DiceDesign"
#>	[70] "diffobj"	"digest"	"distributional"
#>	[73] "distro"	"doBy"	"docopt"
#>	[76] "doFuture"	"downlit"	"dplyr"
#>	[79] "DT"	"dtplyr"	"duckdb"
#>	[82] "dynr"	"dynUtils"	"ellipse"
#>	[85] "ellipsis"	"evaluate"	"expm"
#>	[88] "fansi"	"farver"	"fastDummies"
#>	[91] "fastmap"	"fclust"	"fda"
#>	[94] "fdrtool"	"fds"	"fitCTVARMx"

#>	[97]	"fitDTVARMx"	"FNN"	"fontawesome"
#>	[100]	"forcats"	"foreach"	"Formula"
#>	[103]	"fs"	"fst"	"fstcore"
#>	[106]	"furrr"	"future"	"future.apply"
#>	[109]	"gargle"	"generics"	"gert"
#>	[112]	"ggplot2"	"ggrepel"	"gh"
#>	[115]	"gitcreds"	"glasso"	"glmnet"
#>	[118]	"globals"	"glue"	"googledrive"
#>	[121]	"googlesheets4"	"gower"	"GPArotation"
#>	[124]	"GPfit"	"graphicalVAR"	"gridExtra"
#>	[127]	"gsubfn"	"gtable"	"gtools"
#>	[130]	"hardhat"	"haven"	"hdrcde"
#>	[133]	"here"	"highr"	"Hmisc"
#>	[136]	"hms"	"htmlTable"	"htmltools"
#>	[139]	"htmlwidgets"	"httpgd"	"httpuv"
#>	[142]	"httr"	"httr2"	"ids"
#>	[145]	"ifaTools"	"igraph"	"infer"
#>	[148]	"ini"	"inline"	"ipred"
#>	[151]	"isoband"	"iterators"	"jomo"
#>	[154]	"jpeg"	"jquerylib"	"jsonlite"
#>	[157]	"jsonvalidate"	"kernlab"	"knitr"
#>	[160]	"ks"	"labeling"	"Lahman"
#>	[163]	"languageserver"	"later"	"latex2exp"
#>	[166]	"lava"	"lavaan"	"lazyeval"
#>	[169]	"lhs"	"lifecycle"	"lintr"
#>	[172]	"listenv"	"littler"	"lme4"
#>	[175]	"locfit"	"longMI"	"loo"

#>	[178]	"lubridate"	"magick"	"magrittr"
#>	[181]	"markdown"	"MatrixModels"	"matrixStats"
#>	[184]	"mclust"	"memoise"	"metaSEM"
#>	[187]	"metaVAR"	"mice"	"microbenchmark"
#>	[190]	"mime"	"miniUI"	"minqa"
#>	[193]	"mitml"	"mize"	"mlVAR"
#>	[196]	"mnormt"	"modeldata"	"modelenv"
#>	[199]	"modelr"	"MplusAutomation"	"multicool"
#>	[202]	"munsell"	"mvtnorm"	"nloptr"
#>	[205]	"numDeriv"	"nycflights13"	"OpenMx"
#>	[208]	"openssl"	"ordinal"	"pan"
#>	[211]	"pander"	"parallelly"	"parsnip"
#>	[214]	"patchwork"	"pbapply"	"pbivnorm"
#>	[217]	"pbkrtest"	"pcaPP"	"pdftools"
#>	[220]	"pillar"	"pkgbuild"	"pkgconfig"
#>	[223]	"pkgdown"	"pkgload"	"plogr"
#>	[226]	"plyr"	"png"	"posterior"
#>	[229]	"pracma"	"praise"	"prettyunits"
#>	[232]	"printr"	"processx"	"prodlim"
#>	[235]	"profvis"	"progress"	"progressr"
#>	[238]	"promises"	"proto"	"ps"
#>	[241]	"psych"	"purrr"	"qgraph"
#>	[244]	"qpdf"	"quadprog"	"quantreg"
#>	[247]	"quarto"	"QuickJSR"	"R.cache"
#>	[250]	"R.methodsS3"	"R.00"	"R.utils"
#>	[253]	"R6"	"ragg"	"rainbow"
#>	[256]	"rappdirs"	"rbibutils"	"rcmdcheck"

#>	[259]	"RColorBrewer"	"Rcpp"	"RcppArmadillo"
#>	[262]	"RcppEigen"	"RcppGSL"	"RcppParallel"
#>	[265]	"RcppTOML"	"RCurl"	"Rdpack"
#>	[268]	"readr"	"readxl"	"recipes"
#>	[271]	"RefManageR"	"rematch"	"rematch2"
#>	[274]	"remotes"	"reprex"	"reshape2"
#>	[277]	"reticulate"	"rex"	"rhub"
#>	[280]	"rjags"	"rlang"	"RMariaDB"
#>	[283]	"rmarkdown"	"roxygen2"	"rpf"
#>	[286]	"RPostgres"	"rProject"	"rprojroot"
#>	[289]	"rsample"	"RSQLite"	"rstan"
#>	[292]	"rstantools"	"rstudioapi"	"rversions"
#>	[295]	"rvest"	"Ryacas"	"sass"
#>	[298]	"scales"	"selectr"	"semlbci"
#>	[301]	"semmcci"	"sessioninfo"	"sfd"
#>	[304]	"shape"	"shiny"	"simStateSpace"
		"shape" "slider"	"shiny" "snow"	"simStateSpace" "snowfall"
#>	[307]			
#> #>	[307] [310]	"slider"	"snow"	"snowfall"
#> #> #>	[307] [310] [313]	"slider" "sourcetools"	"snow" "SparseM"	"snowfall" "SQUAREM"
#> #> #>	[307] [310] [313] [316]	"slider" "sourcetools" "StanHeaders"	"snow" "SparseM" "statmod"	"snowfall" "SQUAREM" "stringi"
#> #> #> #>	[307] [310] [313] [316] [319]	"slider" "sourcetools" "StanHeaders" "stringr"	"snow" "SparseM" "statmod" "styler"	"snowfall" "SQUAREM" "stringi" "symSEM"
#> #> #> #> #>	[307] [310] [313] [316] [319] [322]	"slider" "sourcetools" "StanHeaders" "stringr" "sys"	"snow" "SparseM" "statmod" "styler" "systemfonts" "texreg"	"snowfall" "SQUAREM" "stringi" "symSEM" "tensorA"
#> #> #> #> #>	[307] [310] [313] [316] [319] [322] [325]	"slider" "sourcetools" "StanHeaders" "stringr" "sys" "testthat"	"snow" "SparseM" "statmod" "styler" "systemfonts" "texreg"	"snowfall" "SQUAREM" "stringi" "symSEM" "tensorA" "textshaping"
#> #> #> #> #> #>	[307] [310] [313] [316] [319] [322] [325] [328]	"slider" "sourcetools" "StanHeaders" "stringr" "sys" "testthat" "tibble"	"snow" "SparseM" "statmod" "styler" "systemfonts" "texreg" "tidymodels"	"snowfall" "SQUAREM" "stringi" "symSEM" "tensorA" "textshaping" "tidyr"
#> #> #> #> #> #> #>	[307] [310] [313] [316] [319] [322] [325] [328] [331]	"slider" "sourcetools" "StanHeaders" "stringr" "sys" "testthat" "tibble" "tidyselect"	"snow" "SparseM" "statmod" "styler" "systemfonts" "texreg" "tidymodels" "tidyverse"	"snowfall" "SQUAREM" "stringi" "symSEM" "tensorA" "textshaping" "tidyr" "timechange"
#> #> #> #> #> #> #> #>	[307] [310] [313] [316] [319] [322] [325] [328] [331] [334]	"slider" "sourcetools" "StanHeaders" "stringr" "sys" "testthat" "tibble" "tidyselect" "timeDate"	"snow" "SparseM" "statmod" "styler" "systemfonts" "texreg" "tidymodels" "tidyverse" "tinytex"	"snowfall" "SQUAREM" "stringi" "symSEM" "tensorA" "textshaping" "tidyr" "timechange"

#>	[340]	"uuid"	"V8"	"vctrs"
#>	[343]	"viridis"	"viridisLite"	"vroom"
#>	[346]	"waldo"	"warp"	"whisker"
#>	[349]	"whoami"	"withr"	"workflows"
#>	[352]	"workflowsets"	"xfun"	"xml2"
#>	[355]	"xmlparsedata"	"xopen"	"xtable"
#>	[358]	"yaml"	"yardstick"	"zip"
#>	[361]	"base"	"boot"	"class"
#>	[364]	"cluster"	"codetools"	"compiler"
#>	[367]	"datasets"	"foreign"	"graphics"
#>	[370]	"grDevices"	"grid"	"KernSmooth"
#>	[373]	"lattice"	"MASS"	"Matrix"
#>	[376]	"methods"	"mgcv"	"nlme"
#>	[379]	"nnet"	"parallel"	"rpart"
#>	[382]	"spatial"	"splines"	"stats"
#>	[385]	"stats4"	"survival"	"tcltk"
#>	[388]	"tools"	"utils"	

References

Pesigan, I. J. A., & Cheung, S. F. (2023). Monte Carlo confidence intervals for the indirect effect with missing data. Behavior Research Methods, 56(3), 1678–1696. https://doi.org/10.3758/s13428-023-02114-4

R Core Team. (2024). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/