


# Introduction to Machine Learning

## Evaluation

## Overfitting and Underfitting



### Learning goals

- Understand definitions of overfitting and underfitting


# UNDERFITTING

- Occurs if model does not reflect true shape of underlying function
- Hence, predictions will be less good as they could be
- High train error and high test error
- Hard to detect, as we don't know what the Bayes error is for a task




Underfitted model

TrainErr=0.12; TestErr=0.10




Appropriate model

TrainErr=0.08; TestErr=0.06




# OVERFITTING

- Overfitting occurs when the model reflects noise or artifacts in training data, which do not generalize
- Small train error, at cost of test high error
- Hence, predictions of overfitting models cannot be trusted - but proper ML evaluation workflows should make it visible




Overfitted model

TrainErr=0.01; TestErr=0.13





Appropriate model

TrainErr=0.08; TestErr=0.06




# UNDER- AND OVERFITTING IN REGRESSION

- Poly-Regression, on data from sinusoidal function
- LM underfits, high-d overfits



# MATHEMATICAL DEFINITIONS

- Nearly no reference does that, here is one approach
- Underfitting  $UF(\hat{f}, L) := GE(\hat{f}, L) - GE(f^*, L)$   
Diff in GE between  $\hat{f}$  and the Bayes optimal model
- Overfitting  $OF(\hat{f}, L) := GE(\hat{f}, L) - \mathcal{R}_{\text{emp}}(\hat{f}, L)$   
Diff between (theoretical) GE and training error



NB: Now, RHS is both UF and OF, let's say OF has "prio".


## OVERFITTING TRADE-OFFS

The potential for overfitting is influenced by:



Implications:

# COMPLEXITY VS GE



- Common U-shape of GE if complexity or train-rounds go up.
- Optimal level of complexity:  
Simplest model for which GE is not significantly outperformed
- We could also call "Point of OF" the point where GE goes up.

# AVOIDING OVERFITTING

- Use more or better data – not always possible, but maybe can augment data, e.g., for images
- Constrain  $\mathcal{H}$  directly by using less complex model classes
- Many learners come with HPs that can constrain complexity
- Use "early-stopping"
- Occam's razor in model selection: If GE not strongly reduced for more complex class, use the simpler model.



All of the above are methods of regularization, which we study in a dedicated chapter.