# Rajalakshmi Engineering College

Name: Jenell S G

Email: 240701212@rajalakshmi.edu.in

Roll no: 2116240701212 Phone: 7418493255

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 7\_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 18

Section 1: MCQ

1. Minimum number of argument we require to pass in pandas series?

Answer

1

Status: Correct Marks: 1/1

2. What will be the output of the following code?

import pandas as pnd
pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

3. What is the output of the following NumPy code?

import numpy as np arr = np.array([1, 2, 3, 4, 5]) r = arr[2:4] print(r)

### **Answer**

[3 4]

Status: Correct Marks: 1/1

4. What does the np.arange(10) function in NumPy do?

#### Answer

Creates an array with values from 0 to 10

Status: Wrong Marks: 0/1

5. What is the primary purpose of Pandas DataFrame?

#### Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

6. What is the purpose of the following NumPy code snippet?

import numpy as np arr = np.zeros((3, 4)) print(arr)

#### **Answer**

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

7. Which of the following is a valid way to import NumPy in Python?

**Answer** 

import numpy as np

Status: Correct Marks: 1/1

8. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

Status: Correct Marks: 1/1

9. Which function is used to create a Pandas DataFrame?

Answer

rank2

pd.DataFrame()

Status: Correct Marks: 1/1

10. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct Marks: 1/1

11. What is the output of the following code?

import numpy as np a = np.arange(10) print(a[2:5])

**Answer** 

[2, 3, 4]

Status: Correct Marks: 1/1

12. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

13. What is the result of the following NumPy operation?

import numpy as np
arr = np.array([1, 2, 3])
r = arr + 5
print(r)

Answer

[678]

Status: Correct Marks: 1/1

14. Which NumPy function is used to create an identity matrix?

**Answer** 

numpy.eye()

Status: Wrong Marks: 0/1

2,769	15. What is the primary data structure used in NumPy for numeromputations?  Answer  Array	erical 21162A0101212
	Status: Correct	Marks : 1/1
	16. Which NumPy function is used to find the indices of the maand minimum values in an array?	aximum
	Answer	2212
	argmax() and argmin()	4010,
21767	Status: Correct	Marks : 1/1
	17. The important data structure of pandas is/are	
	Answer	
	Both Series and Data Frame	
	Status: Correct	Marks : 1/1
		2/2
	18. What does NumPy stand for?	27071
761	18. What does NumPy stand for?  Answer  Numerical Python	211624010
211	Numerical Python	2
	Status: Correct	Marks : 1/1
	19. What is the output of the following NumPy code snippet?	
	import numpy as np	
	arr = np.array([1, 2, 3, 4, 5])	.1.12
	r = arr[arr > 2] print(r)	,01071
1/67	arr = np.array([1, 2, 3, 4, 5]) r = arr[arr > 2] print(r)	162 M
27	2	2116240101212

Answer

[3 4 5] Status: Correct Marks: 1/1

20. What will be the output of the following code snippet?

import numpy as np arr = np.array([1, 2, 3])result = np.concatenate((arr, arr)) print(result)

Answer

[1 2 3 1 2 3] State

Status: Correct

Marks:

2176240701212

2176240701212

2176240701212

2116240701212

2176240701212

2116240701212