



Comparison of two column agglutination tests for red blood cell antibody testing [↗](#)

PLOS One

Jonas Sawierucha¹, Marion Posset¹, Viola Hähnel¹, Christian L. Johnson¹, James A. Hutchinson²,
[Norbert Ahrens](#)¹

¹Institute for Clinical Chemistry and Laboratory Medicine, Transfusion Medicine, University Hospital Regensburg, ²Department of Surgery, University Hospital Regensburg

[dx.doi.org/10.17504/protocols.io.vdxe27n](https://doi.org/10.17504/protocols.io.vdxe27n)



Norbert Ahrens

University Hospital Regensburg



EXTERNAL LINK

<https://doi.org/10.1371/journal.pone.0210099>

THIS PROTOCOL ACCOMPANIES THE FOLLOWING PUBLICATION

Sawierucha J, Posset M, Hähnel V, Johnson CL, Hutchinson JA, Ahrens N (2018) Comparison of two column agglutination tests for red blood cell antibody testing. PLoS ONE 13(12): e0210099. doi: [10.1371/journal.pone.0210099](https://doi.org/10.1371/journal.pone.0210099)

PROTOCOL STATUS

Working

Dataset

1

☐ [AKS Gruppe A Rohdaten.ods](#)

☐ [Differenzierung Gruppe A und B Rohdaten.ods](#)



This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited