


MEANS, X21000.ybp



MEANS without sp removed, X21000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X20000.ybp**



**MEANS without sp removed, X20000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X19000.ybp**



**MEANS without sp removed, X19000.ybp**





Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X18000.ybp**



**MEANS without sp removed, X18000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X17000.ybp**



**MEANS without sp removed, X17000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X16000.ybp**



**MEANS without sp removed, X16000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X15000.ybp**



**MEANS without sp removed, X15000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X14000.ybp**



**MEANS without sp removed, X14000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt



MEANS, X13000.ybp



MEANS without sp removed, X13000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X12000.ybp**



**MEANS without sp removed, X12000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X11000.ybp**



**MEANS without sp removed, X11000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X10000.ybp**



**MEANS without sp removed, X10000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X9000.ybp**



**MEANS without sp removed, X9000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X8000.ybp**



**MEANS without sp removed, X8000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X7000.ybp**



**MEANS without sp removed, X7000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X6000.ybp**



**MEANS without sp removed, X6000.ybp**



Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt



**MEANS, X5000.ybp**



**MEANS without sp removed, X5000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X4000.ybp**



**MEANS without sp removed, X4000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X3000.ybp**



**MEANS without sp removed, X3000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X2000.ybp**



**MEANS without sp removed, X2000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X1000.ybp**



**MEANS without sp removed, X1000.ybp**




Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt

**MEANS, X0.ybp**



**MEANS without sp removed, X0.ybp**



Species skipped = *Fraxinus quadrangulata*, GCM = ecbilt