

What if your brain were

~**literally**~


JavaScript?

by Jenna Zeigen
@zeigenvector

User Controls Team Lead
@ DigitalOcean



zeigenvector




jennazee

jenna.is/txjs15

Human




JavaScript



＼_(ツ)_／



!!!!! ~ !



**Language&
Imagery&
Perception&
Thinking&
Concepts&
Categories&
Memory&
Attention&
Judgement&
Reasoning&
Decision Making&
Consciousness...**

Language&

Imagery&

Perception&

Thinking&

Concepts&

Categories&

Memory&

Attention&

Judgement&


Reasoning&

Decision Making&

Consciousness...

1. Language Processing
2. Concepts + Categories // Objects, Prototypes, + Primitives
3. Attention // Event loop

Language Processing.



Language Processing

natural language vs. programming language

- regulation
- evolution
- learning

Language Processing

Programming languages
create and **manipulate** the
environment, rather than just describe it.

Language Processing

	Humans	JavaScript
syntax		
semantics		
morphology		
phonology		
pragmatics		

Language Processing

	Humans	JavaScript
syntax		
semantics		
morphology		
phonology		
pragmatics		

Language Processing


	Humans	JavaScript
syntax		
semantics		
morphology		
phonology		
pragmatics		

Language Processing

context.


Language Processing

"I saw the unicorn with
the binoculars."



Language Processing

"I saw the unicorn with
the binoculars."



Language Processing

context.

Language Processing

Reference: pronouns // variables

Language Processing

Anaphora: “**Jenna** gave **a talk** on the cognitive science of JavaScript, and **she** totally rocked **it**.”

Language Processing

Cataphora: "Though **she** had never given **it** before, **Jenna** knew **her talk** was going to be a hit."


Language Processing

Reference: pronouns // scope

Language Processing

syntax errors, reference errors

Concepts + Categories.



Concepts + Categories

“knowledge representation”

Concepts + Categories



Concepts + Categories



Concepts + Categories

classical

vs.

prototype

(categorization theories)

classical

vs.

prototypical

(inheritance)

Concepts + Categories

classical

vs.

prototype

(categorization theories)

classical

vs.

prototypical


(inheritance)

coincidence? _(ツ)_/


Concepts + Categories

“In a computer system designed for the storage of semantic information, it is **more economical to store generalized information with superset nodes**, rather than with all the individual nodes to which such a generalization might apply. But such a storage system incurs the cost of additional processing time in retrieving the information. When the implications of such a model were tested for human [subjects] using **well-ordered hierarchies** that are part of the common culture, there was a substantial agreement between the predictions and the data.”


(Collins & Quillian, 1969)




Is a canary a bird?




Is a canary an animal?



Is a canary yellow?




Does a canary breathe?



Concepts + Categories

Is a shark a fish????



Concepts + Categories

Prototype theory (Rosch, 1973):

- we store an average ideal representation of a category


Exemplar theory

- we store an **instance** of a category that is a combination of all experienced exemplars

Concepts + Categories

Basic Level Categories:

A “natural” level of categorization



Concepts + Categories

Basic Level Categories:

ECMAScript language types?

(Boolean, Null, Undefined, Number, String, Symbol)

Concepts + Categories

Basic Level Categories:

ECMAScript language types?

(Boolean, Null, Undefined, Number, String, Symbol)

```
> String.prototype.__proto__
```

```
< ▶ Object {}
```

```
> Boolean.prototype.__proto__
```

```
< ▶ Object {}
```

```
> Number.prototype.__proto__
```

```
< ▶ Object {}
```

```
> Symbol.prototype.__proto__
```

```
< ▶ Object {}
```

Concepts + Categories

Basic Level Categories:

ECMAScript types?

(Boolean, Null, Undefined, Number, String, Symbol)

```
> undefined.prototype
```

```
✖ ▶ Uncaught TypeError: Cannot read property 'prototype' of undefined  
    at <anonymous>:2:10  
    at Object.InjectedScript._evaluateOn (<anonymous>:905:140)  
    at Object.InjectedScript._evaluateAndWrap (<anonymous>:838:34)  
    at Object.InjectedScript.evaluate (<anonymous>:694:21)
```

```
> null.prototype
```

```
✖ ▶ Uncaught TypeError: Cannot read property 'prototype' of null  
    at <anonymous>:2:5  
    at Object.InjectedScript._evaluateOn (<anonymous>:905:140)  
    at Object.InjectedScript._evaluateAndWrap (<anonymous>:838:34)  
    at Object.InjectedScript.evaluate (<anonymous>:694:21)
```

Concepts + Categories

Basic Level Categories:

But what about Arrays? Functions? Dates? Promises?

Concepts + Categories

Basic Level Categories:

But what about Arrays? Functions? Dates? Promises?

“Well-Known Intrinsic Objects”

```
> Array.prototype.__proto__
< ▶ Object {}

> ArrayBuffer.prototype.__proto__
< ▶ Object {}

> Boolean.prototype.__proto__
< ▶ Object {}

> DataView.prototype.__proto__
< ▶ Object {}

> Date.prototype.__proto__
< ▶ Object {}

> Error.prototype.__proto__
< ▶ Object {}

> EvalError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> Float32Array.prototype.__proto__
< ▶ Object {}

> Float64Array.prototype.__proto__
< ▶ Object {}

> Function.prototype.__proto__
< ▶ Object {}

> Int8Array.prototype.__proto__
< ▶ Object {}

> Map.prototype.__proto__
< ▶ Object {}

> Number.prototype.__proto__
< ▶ Object {}

> Object.prototype.__proto__
< null

> Proxy.prototype.__proto__
✖ ▶ Uncaught ReferenceError: Proxy is not defined
    at <anonymous>:2:1
    at Object.InjectedScript._evaluateOn (<anonymous>:895:140)
    at Object.InjectedScript._evaluateAndWrap (<anonymous>:828:34)
    at Object.InjectedScript.evaluate (<anonymous>:694:21)

> Promise.prototype.__proto__
< ▶ Object {}

> RangeError.prototype.__proto__
< ▶ d {name: "Error", message: ""}


> ReferenceError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> RegExp.prototype.__proto__
< ▶ Object {}

> Set.prototype.__proto__
< ▶ Object {}

> String.prototype.__proto__
< ▶ Object {}

> WeakMap.prototype.__proto__
< ▶ Object {}
```



```
EvalError.prototype.__proto__
▶ d {name: "Error", message: ""}
```

```
> Array.prototype.__proto__
< ▶ Object {}

> ArrayBuffer.prototype.__proto__
< ▶ Object {}

> Boolean.prototype.__proto__
< ▶ Object {}

> DataView.prototype.__proto__
< ▶ Object {}

> Date.prototype.__proto__
< ▶ Object {}

> Error.prototype.__proto__
< ▶ Object {}

> EvalError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> Float32Array.prototype.__proto__
< ▶ Object {}

> Float64Array.prototype.__proto__
< ▶ Object {}

> Function.prototype.__proto__
< ▶ Object {}

> Int8Array.prototype.__proto__
< ▶ Object {}

> Map.prototype.__proto__
< ▶ Object {}

> Number.prototype.__proto__
< ▶ Object {}

> Object.prototype.__proto__
< null

> Proxy.prototype.__proto__
✖ ▶ Uncaught ReferenceError: Proxy is not defined
    at <anonymous>:2:1
    at Object.InjectedScript._evaluateOn (<anonymous>:895:140)
    at Object.InjectedScript._evaluateAndWrap (<anonymous>:828:34)
    at Object.InjectedScript.evaluate (<anonymous>:694:21)

> Promise.prototype.__proto__
< ▶ Object {}

> RangeError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> ReferenceError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> RegExp.prototype.__proto__
< ▶ Object {}


> Set.prototype.__proto__
< ▶ Object {}

> String.prototype.__proto__
< ▶ Object {}

> WeakMap.prototype.__proto__
< ▶ Object {}
```

EvalError.prototype.__proto__

▶ d {name: "Error", message: ""}



```

> Array.prototype.__proto__
< ▶ Object {}

> ArrayBuffer.prototype.__proto__
< ▶ Object {}

> Boolean.prototype.__proto__
< ▶ Object {}

> DataView.prototype.__proto__
< ▶ Object {}

> Date.prototype.__proto__
< ▶ Object {}

> Error.prototype.__proto__
< ▶ Object {}

> EvalError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> Float32Array.prototype.__proto__
< ▶ Object {}

> Float64Array.prototype.__proto__
< ▶ Object {}

> Function.prototype.__proto__
< ▶ Object {}

> Int8Array.prototype.__proto__
< ▶ Object {}

> Map.prototype.__proto__
< ▶ Object {}

> Number.prototype.__proto__
< ▶ Object {}

> Object.prototype.__proto__
< null

> Proxy.prototype.__proto__
✖ ▶ Uncaught ReferenceError: Proxy is not defined
   at <anonymous>:2:1
   at Object.InjectedScript._evaluateOn (<anonymous>:895:140)
   at Object.InjectedScript._evaluateAndWrap (<anonymous>:828:34)
   at Object.InjectedScript.evaluate (<anonymous>:694:21)

> Promise.prototype.__proto__
< ▶ Object {}

> RangeError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> ReferenceError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> RegExp.prototype.__proto__
< ▶ Object {}

> Set.prototype.__proto__
< ▶ Object {}

> String.prototype.__proto__
< ▶ Object {}

> WeakMap.prototype.__proto__
< ▶ Object {}

```

EvalError.prototype.__proto__

```
▶ d {name: "Error", message: ""}
```

```

zeigenspace:~ jenna$ node --harmony
> Proxy
{ create: [Function],
  createFunction: [Function] }
> Proxy.prototype
undefined
> _

```



```

> Array.prototype.__proto__
< ▶ Object {}

> ArrayBuffer.prototype.__proto__
< ▶ Object {}

> Boolean.prototype.__proto__
< ▶ Object {}

> DataView.prototype.__proto__
< ▶ Object {}

> Date.prototype.__proto__
< ▶ Object {}

> Error.prototype.__proto__
< ▶ Object {}

> EvalError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> Float32Array.prototype.__proto__
< ▶ Object {}

> Float64Array.prototype.__proto__
< ▶ Object {}

> Function.prototype.__proto__
< ▶ Object {}

> Int8Array.prototype.__proto__
< ▶ Object {}

> Map.prototype.__proto__
< ▶ Object {}

> Number.prototype.__proto__
< ▶ Object {}

> Object.prototype.__proto__
< null

> Proxy.prototype.__proto__
✖ ▶ Uncaught ReferenceError: Proxy is not defined
   at <anonymous>:2:1
   at Object.InjectedScript._evaluateOn (<anonymous>:895:140)
   at Object.InjectedScript._evaluateAndWrap (<anonymous>:828:34)
   at Object.InjectedScript.evaluate (<anonymous>:694:21)

> Promise.prototype.__proto__
< ▶ Object {}

> RangeError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> ReferenceError.prototype.__proto__
< ▶ d {name: "Error", message: ""}

> RegExp.prototype.__proto__
< ▶ Object {}

> Set.prototype.__proto__
< ▶ Object {}

> String.prototype.__proto__
< ▶ Object {}

> WeakMap.prototype.__proto__
< ▶ Object {}

```

EvalError.prototype.__proto__
▶ d {name: "Error", message: ""}


```

zeigenspace:~ jenna$ node --harmony
> Proxy
{ create: [Function],
  createFunction: [Function] }
> Proxy.prototype
undefined
> _

```

~_ (ツ) ~_

Attention.



Attention

- attention as a filter
- attention as a spotlight
- attention as glue

Attention

- attention as a filter
- attention as a spotlight
- attention as glue

Attention as threads!

Attention

Humans are pretty bad at multitasking:

- inattentional blindness
- dichotic listening task
- shadowing

Attention

Humans are pretty bad at multitasking:

- inattentional blindness
- dichotic listening task
- shadowing


task-specific resources

Attention

JavaScript does not multitask.

- single-threaded
- non-blocking
- asynchronous





Thanks!



Me, @zeigenvector