

You are welcome to work together but everyone needs to write up **distinct** solutions. If you use any books outside of our textbook or other people, please make sure to give them credit. Make sure your solutions are complete. If your handwriting is atrocious, I am happy to give you a basic introduction to L^AT_EX.

1. (a) Assume n is an even positive integer and show that D_n acts on the set consisting of pairs of opposite vertices of a regular n -gon.
For example, if $n = 6$ label the vertices $\{a, b, c, d, e, f\}$ in order around the hexagon. Then the set A would be: $\{(a, d), (b, e), (c, f)\}$ and r would act on those vertices by $r \cdot (a, d) = (b, e)$ or $r \cdot (c, f) = (a, d)$.
(b) Find the kernel of this action.

2. Let G be a group and let $G = A$.
(a) Show that if G is non-abelian then the map defined by $g \cdot a = ag$ for all $g, a \in G$ does not satisfy the axioms of a group action of G on itself.
(b) Show that the map defined by $g \cdot a = ag^{-1}$ does satisfy the axioms of a group action of G on itself.

3. Define A to be the set of ordered pairs with entries from the set $\{1, 2, 3\}$,

$$A = \{(i, j) \mid 1 \leq i, j \leq 3\}.$$

Let S_3 act on A by taking a $\sigma \in S_3$ and defining $\sigma \cdot (i, j) = (\sigma(i), \sigma(j))$. So if $\sigma = (1\ 2)$ then $\sigma \cdot (1, 3) = (2, 3)$ and if $\sigma = (1\ 2\ 3)$ then $\sigma \cdot (1, 3) = (2, 1)$.

- (a) Find the orbits of S_3 on A .
(b) For each orbit \mathcal{O} from (a), pick some $a \in \mathcal{O}$ and find the stabilizer of $a \in S_3$.
4. If the center of G is of index n , prove that every conjugacy class has at most n elements.
5. Find all conjugacy classes for the following groups. What is the Class Equation for each? Justify your work.
 - (a) Q_8
 - (b) D_5
 - (c) $S_3 \times \mathbb{Z}/2\mathbb{Z}$

Note: Theory is your friend here! Try to minimize the number of computations you must do.

6. Find (with proof) all finite groups which have exactly two conjugacy classes.