Imatissma posticata -	[1.2, 5.1]	-	[-0.28, 1.5]		0.58
Imatissma sackeni -	[–3.7, 5.8]	-	[–1, 1.5]		0.5
Laetodon laetus -	[-4.6, 1.2]	-	[-0.72, 1.5]		0.49
Lejops bilinearis -	[-0.77, 5]	-	[-0.27, 1.8]		0.55
Lejops chrysostomus -	[-3.5, 3.6]	-	[-0.56, 1.5]		0.53
Lejops lineatus -	[-1.9, 0.61]	-	[–1.1, 0.35]		0.78
Melanostoma mellina -	[0.65, 6]	-	[-0.95, 1.3]		0.61
Meliscaeva cinctella -	[–1.9, 3]	-	[–1.1, 1.3]		0.54
Merodon equestris -	[1.9, 3.8]	-	[-1.4, -0.26]		0.94
Meromacrus acutus -	[0.44, 2.3]	-	[-0.18, 0.94]		0.86
Meromacrus gloriosus -	[-3.5, 5.7]	-	[-0.88, 1.5]		0.28
Milesia virginiensis -	[1.2, 3.5]	-	[0.042, 1.4]		0.71
Monoceromyia floridensis -	[-3.6, 5.8]	-	[-0.99, 1.5]		0.28
Myathropa florea -	[1.8, 7.4]	-	[–2.4, 1]		0.73
Myolepta strigilata -	[-4.5, 1.4]	-	[-0.99, 1.1]		0.48
Nausigaster unimaculata -	[-3.2, 5.9]	-	[-0.9, 1.5]		0.44
Nuntianus cubanus -	[-4, 5.6]	-	[-0.85, 1.5]		0.36
Ocyptamus antiphates -	[–2.5, 6]	-	[–0.98, 1.5]		0.41
Ocyptamus costatus -	[-1.3, 0.89]	-	[-0.25, 0.92]		0.75
Ocyptamus dimidiatus -	[-3.1, 2.3]	-	[-0.77, 1.4]		0.48
Ocyptamus fuscipennis -	[0.79, 2.5]	-	[-0.065, 0.84]		0.96
Ornidia obesa -	[-5.1, -3]	-	[-0.87, 0.26]		0.87
Orphnabaccha jactator -	[–4.7, 5.6]	-	[–0.97, 1.6]		0.34
Orthonevra flukei -	[–2.4, 6]	-	[–0.88, 1.5]		0.5
Orthonevra nitida -	[1.3, 3.9]	-	[0.21, 1.8]		0.7
Palpada agrorum -	[-2.3, -0.052]	-	[-0.56, 0.7]		0.67
Palpada albifrons -	[-4.5, -0.95]	-	[–1.1, 0.76]		0.52
Palpada alhambra -	[-6.1, -3.5]	-	[-0.69, 0.31]		0.86
Palpada furcata -	[-0.66, 1.2]	-	[-0.32, 0.72]		0.79
Palpada mexicana -	[-5.5, -3.3]	-	[-0.43, 0.67]		0.89
	Westerie's		U species	Ex:	26
	OBCIL.		ecie	Pativita	18 cs
	1/24		1/24	Var.	⟨ `
	·		·		