Parhelophilus integer -	[0.21, 5.4]	[-0.28, 1.8]		0.54
Parhelophilus flavifacies -	[-2.4, 4.3]	[-0.38, 1.8]		0.52
Paragus haemorrhous -	[-3.1, -1.4]	[-0.082, 0.78]		1
Palpada vinetorum -	[-0.93, 0.6]	[-0.6, 0.25]		0.98
Palpada pusilla -	[-0.71, 4.2]	[-0.78, 1.5]		0.42
Palpada mexicana -	[-5.3, -2.9]	[-0.31, 0.81]		0.89
Palpada furcata -	[-0.64, 1.3]	[-0.46, 0.78]		0.76
Palpada alhambra -	[-6, -3]	[-0.72, 0.4]		0.84
Palpada albifrons -	[-4.4, -0.53]	[-0.98, 0.92]		0.53
Palpada agrorum -	[-2.7, -0.25]	[-0.77, 0.74]		0.69
Orthonevra nitida -	[0.9, 3.7]	[0.17, 1.8]		0.7
Orthonevra flukei -	[–2.6, 5.8]	[-0.86, 1.5]		0.52
Orphnabaccha jactator -	[-4.5, 5.3]	[–0.89, 1.6]		0.34
Ornidia obesa -	[-4.9, -2.8]	[-0.82, 0.54]		0.85
Ocyptamus fuscipennis -	[0.49, 2.2]	[-0.38, 0.65]		0.95
Ocyptamus dimidiatus -	[–2.5, 5.3]	[-0.86, 1.5]		0.44
Ocyptamus costatus -	[–1.4, 1.1]	[-0.47, 0.91]		0.73
Ocyptamus antiphates -	[-3, 5.4]	[-0.94, 1.6]		0.4
Nuntianus cubanus -	[–3.4, 5.4]	[–0.81, 1.6]		0.37
Nausigaster unimaculata -	[–4, 5.5]	[–0.78, 1.6]		0.45
Myathropa florea -	[2.1, 7.4]	[–1.3, 1.5]		0.77
Milesia virginiensis -	[0.82, 3.4]	[0.013, 1.4]		0.7
Meromacrus acutus -	[0.043, 2]	[–0.28, 1]		0.87
Merodon equestris -	[1.6, 3.5]	[-0.78, 0.33]		0.96
Meliscaeva cinctella -	[–1.8, 3.6]	[–0.88, 1.4]		0.55
Melanostoma mellina -	[0.38, 4.2]	[-0.22, 2]		0.62
Lejops lineatus -	[–2.3, 0.21]	[–1.4, 0.25]		0.8
Lejops bilinearis -	[–1.1, 4.8]	[–0.35, 1.7]		0.54
Laetodon laetus -	[-5, 0.8]	[–0.96, 1.5]		0.53
	6	· ×	\	'
	Uspecies	aditat	nativity	KR &
	Mede	COA. It	all	<
	4	cies,	112	*
		1150		
		Wspecies rat. radiat		