B. vosnesenskii -	[0.12, 2.7]	[3.5, 6.3]	[-0.038, 1.9]	[-0.64, 1.1]	0.97	0.56
B. vandykei -	[-1.4, 0.53]	[-1.5, 0.97]	[-0.93, 0.37]	[-0.31, 1]	0.79	0.27
B. vagans -	[-2.9, -1.4]	[-5.2, -3.3]	[-0.3, 0.54]	[-1.2, -0.091]	0.97	0.96
B. terricola -	[-4.9, -3.1]	[-6.8, 2.8]	[-1.4, 0.72]	[-1.5, 0.96]	0.55	0.28
B. ternarius -	[-4.1, -2.5]	[-6.7, -4.3]	[-0.9, 0.44]	[-1.7, 0.028]	0.79	0.47
B. sitkensis -	[0.6, 5.9]	[0.11, 6.4]	[-0.96, 1.2]	[-1, 1.7]	0.57	0.15
B. sandersoni -	[-4.8, -2.4]	[-8.4, 3]	[-1.2, 1] <sup>1</sup>	[-1.4, 1.1]	0.73	0.15 0.19
B. rufocinctus -	[-2.2, -0.65]	[-4.6, -2.8]	[-0.33, 0.51]	[-0.52, 0.49]	1	0.72
B. perplexus -	[-3.3, -1.8]	[-4.5, -2.5]	[-0.21, 0.59]	[0.64, 1.8]	0.97	0.78
B. pensylvanicus -	[5.2, 9.7]	[7.2, 12]	[-0.82, 1.4]	[–1.5, 1.2]	0.35	0.63
B. occidentalis -	[-1.6, 0.17]	[-3.4, -0.34]	[-0.88, 0.94]	[-0.84, 1.4]	0.75	0.52
B. nevadensis -	[-1.2, 0.5]	[-1.2, 0.97]	[-0.53, 0.84]	[-0.26, 1.4]	0.49	0.44
B. morrisoni -	[-4.5, -2.5]	[-4.2, -1.7]	[-1.9, 0.26]	[0.0046, 2]	0.88	0.46
B. mixtus -	[0.0015, 2.4]	[3.4, 9.4]	[-0.78, 1.5]	[–1.1, 1.6]	0.6	0.62
B. melanopygus -	[2, 6.2]	[2.3, 4.5]	[0.3, 2.1]	[-0.42, 0.86]	0.91	0.72
B. impatiĕns-	[1.4, 3]	[0.16, 1.9]	[-0.39, 0.31]	[-0.36, 0.47]	1	0.78
B. huntii -	[-1.7, -0.13]	[–2.8, –1.1]	[-0.45, 0.72]	[0.68, 1.8]	1	1
B. griseocollis -	[0.94, 2.5]	[-0.32, 1.3]	[-0.26, 0.36]	[-0.25, 0.5]	1	0.86
В. fraternus -	[3.2, 7.9]	[0.69, 3.2]	[-0.32, 1]	[-0.8, 0.9]	0.71	0.47
B. flavifrons -	[0.67, 4.3]	[0.75, 3.1]	[-0.58, 0.74]	[-1.2, 0.37]	0.82	0.26
B. flavidus -	[-3.3, -1.3]	[–1.6, 6.6]	[-0.91, 1.4]	[-1.4, 1.5]	0.51	0.24
B. fervidus -	[-0.5, 1.1]	[0.88, 2.7]	[-0.29, 0.5]	[0.075, 0.95]	0.97	0.47
B. crotchii -	[–1.7, 1.7]	[0.052, 2.3]	[–1, 0.066]	[0.028, 1]	0.85	0.53
B. citrinus -	[-1.9, 0.14]	[-3.3, -1.3]	[–0.028, 1]	[-1.2, -0.052]	0.9	0.61
B. centralis -	[–1.6, 0.11]	[-5.6, -2.4]	[-1.2, 0.74]	[-0.33, 1.7]	0.68	0.23
B. caliginosus -	[0.46, 5.8]	[-2.7, 2.4]	[-0.074, 1.9]	[-0.72, 1.1]	0.66	0.29
B. borealis-	[-4.6, -2.8]	[–5.5, 1.6]	[–0.99, 1]	[–1.2, 1.3]	0.54	
B. bimaculatus -	[0.64, 2.2]	[-0.24, 1.8]	[–0.22, 1]	[-0.55, 0.57]	1	0.53
B. bifarius -	[–1.6, 0.1]	[–2.4, 2.5]	[-0.69, 1.2]	[-1.3, 0.95]	0.51	
B. auricomus -	[0.048, 2.2]	[-3.3, -1.5]	[-0.46, 0.25]	[-1.3, -0.34]	1	0.94
B. appositus -	[-1.8, 0.099]	[–2.5, 0.21]	[-1.5, 0.44]	[-1.3, 0.98]	0.73	0.31
B. affinis -	[-2.4, -0.24]	[-4.2, -2]	[-0.15, 0.93]	[–1, 0.57]	0.98	0.53
	1	1	ı			'
	206	, oall	ome	nita <sup>t</sup>	. R &	186
	Kon.	Jule	Since	al rate		
	Jepecies tange	y species urban	<b>U</b> species income	5Pecie Snaural raditat	×	×
	COOL.	COOL.	1159	iesa		
1	1/2x	1/54	W.	Sec.		
			1/2	5 <sup>x</sup>		