Allograpta exotica -	[-2.5, -0.98]	- [-0.28,	0.77]	0.73
Allograpta obliqua -	[0.78, 1.9]	- [-0.27,		1
Allograpta radiata -	[-4.4, 5.6]	- [-0.81,	1.6]	0.43
Asemosyrphus polygrammus -	[-4.4, -0.21]	- [-0.28,		0.54
. Blera badia -	[–2.8, 1.7]	- [-0.94,		0.52
Blera humeralis -	[0.097, 7.2]	· [-0.9,		0.5
Blera pictipes -	[-2.7, 2.7]	- [-0.39,	1.3]	0.61
Brachyopa vacua -	[-2.5, 0.87]	- [–1, 0.	.75]	0.67
Brachypalpus alopex -	[-1.8, 6.4]	- [-0.8,	1.6]	0.5
Brachypalpus oarus -	[-2.1, 3.5]	- [-0.71,	1.1]	0.68
Callicera erratica -	[-3.8, 2.2]	- [–0.97	', 1] <sup>-</sup>	0.56
Ceriana tridens -	[-5.7, 2.7]	- [-0.58,	1.5]	0.55
Chalcosyrphus chalybeus -	[-3, 0.46]	- [-0.56,	1.4]	0.62
Chalcosyrphus piger -	[-2.9, 1.9]	- [0.053,	2.2]	0.59
Cheilosia fraterna -	[4.1, 8.2]	- [-0.71,	1.3]	0.87
Copestylum apiciferum -	[-8.5, -5.8]	[0.28,	1.4]	0.74
Copestylum avidum -	[-4, 4.3]	- [-0.54,	2.1]	0.67
Copestylum fornax -	[-8.9, 1.6]	- [–1.2,	1.1]	0.52
Copestylum fraudulentum -	[-4.6, 5.4]	- [-0.78,	1.6]	0.52
Copestylum haagii-	[-5.5, 0.38]	- [-0.03,	2.1]	0.71
Copestylum isabellina -	[-8.5, -5.7]	- [–1.1,		0.79
Copestylum marginatum -	[-4.6, -2.7]	- [-0.19,		0.93
Copestylum mexicanum -	[-4.3, -2.9]	- [-0.18,	0.48]	0.97
Copestylum satur -	[-5.3, 5.2]	- [-0.66,	2.1]	0.42
Copestylum sexmaculatum -	[-0.77, 2.6]	- [-0.13,	1.8]	0.5
Copestylum tamaulipanum -	[-4, -2]	- [-0.072]		0.72
Copestylum vesicularium -	[–1.2, 0.81]	- [0.4, 1		0.7
Copestylum violaceum -	[-4.3, -2.8]	- [-0.19, (	0.55]	0.97
			, nativity	
	·62,	:63	, ili,	Ros
	C/V	S <sub>C</sub> V.	all	<u> </u>
	ie (species)	Wrat. nabitat Species	00	
ا.	cile <sup>z</sup>	bita		
"solo	)	Nor		
<b>3</b>		Mat.		
		A.		