Didea fuscipes -	[-0.1, 5.5]	[-0.59, 1.7]		0.53
Copestylum vittatum -	[-4.3, 1.1]	[-0.68, 1.3]		0.53
Copestylum violaceum -	[-4.3, -2.5]	[-0.082, 0.84]		0.96
Copestylum vesicularium -	[-1.6, 0.82]	[-0.26, 1.2]		0.66
Copestylum tamaulipanum -	[-4, -1.5]	[0.072, 1.8]		0.68
Copestylum sexmaculatum -	[–1.6, 1.8]	[–0.35, 1.5]		0.51
Copestylum satur-	[-6.1, 4.2]	[-0.55, 2]		0.45
Copestylum mexicanum -	[-4.2, -2.4]	[-0.12, 0.74]		0.94
Copestylum marginatum -	[-4.7, -2.6]	[–0.046, 1]		0.93
Copestylum isabellina -	[-7.8, 1.5]	[–1.2, 0.68]		0.74
Copestylum haagii -	[-5.5, 2.4]	[-0.24, 2.2]		0.68
Copestylum fraudulentum -	[-4.3, 5.3]	[-0.82, 1.6]		0.51
Copestylum fornax -	[-7.9, 4]	[–1.2, 1.3]		0.44
Copestylum avidum -	[-4.3, 3.8]	[–0.49, 2.1]		0.7
Copestylum apiciferum -	[-8.7, -2.4]	[–0.093, 1.2]		0.74
Cheilosia fraterna -	[3.6, 7.7]	[–0.54, 1.3]		0.84
Chalcosyrphus piger -	[–3.7, 1]	[0.27, 2.4]		0.63
Chalcosyrphus chalybeus -	[-3.2, 0.39]	[–0.44, 1.5]		0.63
Ceriana tridens -	[-5.9, 0.96]	[–0.77, 1.3]		0.56
Brachypalpus oarus -	[-2.4, 3.2]	[-0.49, 1.4]		0.67
Brachypalpus alopex -	[-2.6, 5.3]	[-1.1, 1.4]		0.52
Brachyopa vacua -	[-2.5, 0.81]	[-0.97, 0.86]		0.68
Blera pictipes -	[-2.8, 3.8]	[-0.68, 1.3]		0.59
Blera humeralis -	[-0.07, 6.7]	[–0.88, 1.6]		0.5
Blera badia -	[-2.9, 1.7]	[-0.85, 1.2]		0.52
Asemosyrphus polygrammus -	[-4.1, 0.19]	[–0.54, 1.7]		0.54
Allograpta radiata -	[-4.1, 5.4]	[-0.8, 1.6]		0.41
Allograpta obliqua -	[0.39, 1.9]	[-0.31, 0.43]		1
Allograpta exotica -	[–2.8, –1]	[-0.41, 0.68]		0.76
	6	1 X		'
	Westerie's	U SPecies natinativat	nativity	LR &
	" espera	at. No	aille	✓
	W.	ile ^{stu}	60	
		Coo		
		1/2.		