Didea fuscipes -	[0.24, 5.8]	-	[-0.75, 1.6]		0.53
Epistrophe emarginata -	[0.85, 5.5]	-	[-0.27, 1.8]		0.55
Epistrophe grossulariae -	[-2.5, 1.9]	-	[-0.48, 1.3]		0.66
Ėristalinus aeneus -	[–1.7, –0.016]	-	[–1, 0.1]		0.72
Eristalinus taeniops -	[-4.4, -2.7]	-	[-0.33, 0.66]		0.91
Eristalis anthophorina -	[0.1, 4.6]	-	[-0.88, 1.3]		0.5
Eristalis arbustorum -	[2, 3.5]	-	[-2, -0.9]		0.88
Eristalis flavipes -	[-0.58, 2]	-	[-1.8, -0.22]		0.69
Eristalis hirta-	[0.3, 6.5]	-	[-0.92, 1.3]		0.56
Eristalis saxorum -	[-3.6, 0.98]	-	[-0.67, 1.3]		0.58
Eristalis stipator -	[-0.44, 0.85]	-	[-1.4, -0.61]		0.93
Eristalis tenax -	[3.7, 8]	-	[-1, 1.4]		0.51
Eristalis transversa -	[4.3, 7.7]	-	[-0.59, 1.3]		0.85
Eumerus sp	[0.83, 3.4]	-	[-0.72, 1.1]		0.66
Eupeodes americanus -	[2.4, 4]	-	[-0.89, 0.056]		0.99
Eupeodes fumipennis -	[-0.018, 2.9]	-	[-0.74, 1.3]		0.84
Eupeodes lapponicus -	[-1.4, 1.4]	-	[–1, 0.8]		0.55
Eupeodes latifasciatus -	[-3.1, 4.1]	-	[-0.81, 1.6]		0.57
Eupeodes perplexus -	[–1.4, 5.8]	-	[–0.52, 1.7]		0.54
Eupeodes pomus -	[3.1, 8.7]	-	[-1, 1.4]		0.52
Eupeodes volucris -	[-1.9, -0.65]	-	[-0.41, 0.31]		0.99
· Fazia micrura -	[-0.9, 4.3]	-	[-0.49, 1.7]		0.66
Ferdinandea buccata -	[-4, -0.92]	-	[0.075, 1.7]		0.73
Ferdinandea croesus -	[-2.5, 5.4]	-	[–1.1, 1.5]		0.47
Helophilus fasciatus -	[4.7, 9.3]	-	[–1, 1.1]		0.53
Helophilus hybridus -	[-2.5, 3.6]	-	[-0.73, 1.6]		0.43
Helophilus latifrons -	[-0.5, 3.2]	-	[–1.3, 0.45]		0.47
Hypocritanus fascipennis -	[-1.7, -0.42]	-	[-0.58, 0.3]		1
Hypocritanus lemur -	[–2.9, 5.9]	-	[–1, 1.5]		0.52
lmatissma albipilis -	[-3.9, 3.7]	-	[-0.76, 1.5]		0.52
				nativity	'
	. 65		. 053	Cij.	KR &
	Cle		cie		
	200		000	10	X
	(5)		154	•	
	.65*				
active additive					
1/50					
Wespecies to Peciles 1 What haditat to Peciles 1 What haditat to Peciles 1					
		X,			