Imatissma posticata -	[0.8, 4.9]	[-0.41, 1.4]		0.58
Imatissma bautias -	[0.79, 4.2]	[-0.78, 0.86]		0.67
Imatissma albipilis -	[-3.7, 3.3]	[-0.67, 1.7]		0.52
Hypocritanus lemur -	[-3, 5.5]	[–1, 1.5]		0.52
Hypocritanus fascipennis -	[-2.1, -0.49]	[-0.9, 0.19]		1
Helophilus latifrons -	[-0.24, 5]	[-1.3, 0.86]		0.48
Helophilus fasciatus -	[4.6, 9.2]	[-0.99, 1.2]		0.49
Ferdinandea croesus -	[-2.2, 5.1]	[–1.1, 1.5]		0.48
Ferdinandea buccata -	[-4.4, -0.91]	[-0.19, 1.6]		0.71
Fazia micrura -	[-0.98, 4.2]	[-0.73, 1.7]		0.68
Eupeodes volucris -	[-2, -0.47]	[-0.43, 0.4]		0.99
Eupeodes pomus -	[2.3, 7.6]	[-0.72, 1.4]		0.52
Eupeodes perplexus -	[-2.1, 4.5]	[-0.65, 1.5]		0.54
Eupeodes latifasciatus -	[-3.3, 3.4]	[-0.68, 1.7]		0.58
Eupeodes lapponicus -	[-1.6, 1.4]	[-0.93, 0.94]		0.55
Eupeodes fumipennis -	[0.11, 3.1]	[-0.53, 1.6]		0.85
Eupeodes americanus -	[2.3, 4.3]	[-0.61, 0.55]		0.98
Eumerus sp	[0.4, 3.1]	[-0.53, 1.3]		0.66
Eristalis transversa -	[3.8, 7]	[-0.52, 1.4]		0.84
Eristalis tenax -	[3.1, 7]	[-0.65, 1.5]		0.51
Eristalis stipator -	[-0.92, 0.68]	[-1.6, -0.71]		0.94
Eristalis saxorum -	[-3.6, 2.9]	[-0.61, 1.5]		0.56
Eristalis hirta -	[0.25, 6]	[-0.93, 1.4]		0.57
Eristalis flavipes -	[-0.79, 2.3]	[-1.6, 0.068]		0.67
Eristalis arbustorum -	[2, 3.9]	[-2.1, -0.78]		0.83
Eristalis anthophorina -	[-0.13, 4.4]	[-0.7, 1.3]		0.49
Eristalinus taeniops -	[-4.5, -2.3]	[-0.33, 0.95]		0.9
Eristalinus aeneus -	[-1.9, 0.064]	[-0.82, 0.42]		0.75
Epistrophe grossulariae -	[–2.7, 1.8]	[–0.31, 1.5]		0.65
		ı		ı
	Westerie's	obitat	Rativity	R &
	180°	at. No	atily	⟨ ` ``
	W.	ie ⁵ °°	60	
		Wspecies nat. naditat		
		1/21		