


# Windows Server: Exchange Server

Jens Du Four

2018 - 2019

## 1 Introductie

U bent IT-Consultant en krijgt de vraag om een voorstel te maken en te demonstreren van een Windowsomgeving. Deze omgeving moet bestaan uit het volgende . De cliënt wenst een redundante oplossing voor zijn servers. Dit vooral op de domeincontrollers. De cliënt wenst ook dat er een mailomgeving geïnstalleerd wordt en een omgeving die toelaat om op een efficiënte manier Windows toestellen te installeren en te deployen.



## 2 Server Requirements

1. DC1
  - (a) RAM: 2048 MB
  - (b) HDD: 50 GB
  - (c) Netwerkadapters: NAT en Internal Network (jenduf.gent)
    - i. NAT
      - i. IP: 192.168.1.1
      - ii. SN: 255.255.255.0
  - (d) OS Version: Windows Server 2016

2. DC2

- (a) RAM: 2048 MB
- (b) HDD: 50 GB
- (c) Netwerkadapters: Internal Network (jenduf.gent)
  - i. IP: 192.168.1.2
  - ii. SN: 255.255.255.0
  - iii. DG: 192.168.1.1
- (d) OS Version: Windows Server 2016

3. SQL Server

- (a) RAM: 2048 MB
- (b) HDD: 50 GB
- (c) Netwerkadapters: Internal Network (jenduf.gent)
  - i. IP: 192.168.1.3
  - ii. SN: 255.255.255.0
  - iii. DG: 192.168.1.1
- (d) OS Version: Windows Server 2016
- (e) SQL Version: SQL Server 2013-2016


4. Exchange Server

- (a) RAM: 8096 MB
- (b) HDD: 100 GB
- (c) Netwerkadapters: Internal Network (jenduf.gent)
  - i. IP: 192.168.1.4
  - ii. SN: 255.255.255.0
  - iii. DG: 192.168.1.1
- (d) OS Version: Windows Server 2016
- (e) Exchange Version: Exchange Server 2013-2016


5. SCCM Server

- (a) RAM: 8089 MB
- (b) HDD: 100 GB
- (c) Netwerkadapters: Internal Network (jenduf.gent)
  - i. IP: 192.168.1.5
  - ii. SN: 255.255.255.0
  - iii. DG: 192.168.1.1
- (d) OS Version: Windows Server 2016
- (e) OS Version: Windows Deployment Server 2012



### 3 Windows Server Installatie




Selecteer de gewenste taalinstellingen.




Start de installatie.




Selecteer "I don't have a product key".




Selecteer "Windows Server 2016 Standard (Desktop Experience)".




Ga akkoord met de gebruiksvoorwaarden.




Selecteer "Costum: Install Windows only (Advanced)".




Ga verder.




### 3.1 Server Hernoemen




## 3.2 IP Instellingen




## 3.3 Toevoegen aan het domein



Geef als domein jenduf.gent in.



Geef gebruikersnaam "Administrator" in en paswoord "Admin2018".



De connectie is geslaagd bij het weergeven van volgende boodschap.

## 4 Installatie Exchange Server

### 4.1 Aanmaken Exchange-user op DC1

The screenshot shows the Windows Server 2012 R2 Server Manager interface. The left navigation pane is expanded to show 'All Servers' under 'AD DS'. In the center pane, the 'Active Directory Users and Computers' section is selected. A sub-menu for 'Active Directory Users and Computers' is open, listing various management tools. The main pane displays a list of users in the 'Users' container, including 'Administrator', 'Guest', and 'Invited'. The bottom pane shows the 'SERVICES' list, which includes services like 'Wired AutoConfig', 'Contact Data\_Belie1', and 'Telephony'. The taskbar at the bottom indicates the system is running on Oracle VM VirtualBox.


The image shows two screenshots of a Windows Server 2012 R2 interface, likely from a VM named DC1.



**Screenshot 1 (Top):**


- Server Manager - All Servers:** A user is creating a new object (User). The 'Create in' dropdown is set to 'sendlf.gent/Users'. The 'First name' field contains 'Exchange' and the 'Last name' field contains 'Exchange'. The 'Full name' field is also 'Exchange'. The 'User logon name' dropdown is set to 'Exchange' (pre-Windows 2000). The 'User logon name [pre-Windows 2000]' dropdown is also set to 'Exchange'. Below these fields are several checkboxes for security and account options, including 'User must change password at next login', 'User cannot change password', 'Password never expires', and 'Account is disabled'. The 'Next >' button is highlighted.
- Services:** A table showing system services. All services are stopped and set to Manual start type. Services listed include dot3svc, PrintIndexMaintenanceSvc\_BeBe1, and TapSrv.

**Screenshot 2 (Bottom):**


- Server Manager - All Servers:** The same user creation process is shown, but the 'Password' and 'Confirm password' fields now contain '\*\*\*\*\*'. The checkboxes for account options remain checked. The 'Next >' button is highlighted.
- Services:** The same service status table is displayed, showing all services stopped and set to Manual start type.









## 4.2 Prerequisites




Stel het "ExecutionPolicy" op "Unrestricted".




Selecteer "Yes to All".





Voer het script uit en selecteer "Run once".







Ga akkoord met de voorwaarden en druk op "Install".








Installeer de "Microsoft Unified Communications Managed API".






Ga akkoord met de licentievoorwaarden en installeer.






Installeer "Microsoft Visual C++ 2013".



## 4.3 Installatie Exchange Server




Zeek naar updates voor de start van de installatie.




Ga verder na het zoeken naar updates.








Ga akkoord met de licentievoorwaarden.




Selecteer "Don't use recommended settings".









Geef "jenduf" in als organisatienaam.



Selecteer "No" voor de malwarebescherming.









Vink het selectievak aan en klik op "finish".

#### 4.4 Configuratie Exchange-server




in met de vooraf aangemaakte Exchange-gebruiker.




Selecteer de voorkeurstaal en stel de tijdszone in op Brussel.


The screenshot shows the Exchange Admin Center mailbox management interface. The left sidebar has a "recipients" tab selected, showing links for "permissions", "compliance management", "organization", "protection", "mail flow", "mobile", "public folders", "unified messaging", "servers", and "hybrid". The main content area shows a table for managing mailboxes. The first row of the table has columns: DISPLAY NAME, MAILBOX TYPE, and EMAIL ADDRESS. The first row contains the values "Exchange", "User", and "Exchange@ynduf.gent". To the left of the table is a toolbar with icons for creating (+), editing (pencil), deleting (trash), and other actions. To the right of the table is a detailed view pane for the selected "Exchange" mailbox. It shows basic information like "User mailbox" and "Exchange@ynduf.gent", and various settings sections such as "Phone and Voice Features", "Mobile Devices", "In-Place Archive", and "Email Connectivity". The status bar at the bottom shows "9:11 AM" and the date "11/28/2018".




Navigeer naar de "send connectors" in de optie "mail flow".




Voeg een nieuwe "send connector" en selecteer de optie "Internet".



een "\*" (Asterisk) in als "FQDN".



Selecteer de Exchange-server als "Source server"



## 4.5 Testen Exchange-server