

# Logic and Statements

# Logic and Statements

# Logic

- ▶ Informally, logic is the set of rules that govern reasoning.
- ▶ The rules of logic allow one to combine truths together to conclude other truths. For example, if we know that every bird has wings, and we know that a turkey is a bird, then we “automatically” know that a turkey has wings.
- ▶ Naively we might think that if we have a complete set of axioms, or basic truths, then using logic we could derive all other truths.
- ▶ The work of Godel showed that there are true statements that can't be proved. The book *Godel, Escher, Bach* by Douglas Hofstadter is a beautiful explanation of Godel's work that is accessible to everyone. See *Hofstadter, Douglas R. (1999) [1979], Gödel, Escher, Bach: An Eternal Golden Braid, Basic Books, ISBN 0-465-02656-7,*

# Statements

A **statement** is a sentence which is either True or False. Some examples:

- ▶ Every buffalo is a mammal.
- ▶ Every system of  $n$  linear equations in  $n$  unknowns has a solution.
- ▶ There have been 62 presidents of the United States.
- ▶ There is an  $x \in \mathbb{Q}$  such that  $x^2 = 2$ .

## Non-statements

- ▶ Speak friend, and enter.
- ▶  $\{2x : x \in \mathbb{N}\}$ .
- ▶ 42

## Naming statements and statements with variables

- ▶  $P$  is the statement “Every odd number is prime.”
- ▶  $Q$  is the statement “No even number is prime.”
- ▶  $P(x)$  is the statement: The integer  $x$  is even. The truth of this depends on  $x$ ; this is really infinitely many statements, one for each integer  $x$ . When the truth depends on the values of the variables it is called an **open sentence**.

## Some statements are mysterious

Book gives Goldbach Conjecture and Fermat's Last Theorem.

The Collatz Game: Pick a natural number  $x$ . If  $x$  is even, divide it by 2. If  $x$  is odd, multiply it by 3 and add 1. Repeat.

7, 22, 11, 34, 17, 52, 26, 13, 40, 20, 10, 5, 16, 8, 4, 2, 1, 4, 2, 1, 2, 1, ...

Let  $C(x)$  be the statement:

*if you start with  $x$ , you will eventually (after finitely many steps) reach the cycle 1, 2, 4, 1, 2, 4, ...*

Is  $C(x)$  always true?