## Untitled3

July 15, 2025

```
[3]: from urllib import request
[4]: url = "https://www.gutenberg.org/browse/scores/top#books-last1"
[5]: response = request.urlopen(url)
[6]: raw = response.read().decode('utf8')
[7]: import nltk
    from nltk.tokenize import word_tokenize
    url = "https://www.gutenberg.org/browse/scores/top#books-last1"
    response = request.urlopen(url)
    tokens = word_tokenize(raw)
    print(tokens[:200])
     LookupError
                                               Traceback (most recent call last)
     Cell In[7], line 5
           3 url = "https://www.gutenberg.org/browse/scores/top#books-last1"
           4 response = request.urlopen(url)
     ----> 5 tokens = word_tokenize(raw)
           6 print(tokens[:200])
     File /opt/conda/envs/anaconda-2024.02-py310/lib/python3.10/site-packages/nltk/
       →tokenize/__init__.py:129, in word_tokenize(text, language, preserve_line)
         114 def word_tokenize(text, language="english", preserve_line=False):
         115
         116
                 Return a tokenized copy of *text*,
         117
                 using NLTK's recommended word tokenizer
        (...)
         127
                 :type preserve_line: bool
         128
                 sentences = [text] if preserve_line else_
      --> 129
       ⇔sent_tokenize(text, language)
                 return [
         130
                     token for sent in sentences for token in_
         131
```

```
132
            1
File /opt/conda/envs/anaconda-2024.02-py310/lib/python3.10/site-packages/nltk/
 →tokenize/__init__.py:106, in sent_tokenize(text, language)
     96 def sent tokenize(text, language="english"):
     97
     98
            Return a sentence-tokenized copy of *text*,
            using NLTK's recommended sentence tokenizer
   (...)
    104
            :param language: the model name in the Punkt corpus
    105
--> 106
            tokenizer = load(f"tokenizers/punkt/{language}.pickle")
    107
            return tokenizer.tokenize(text)
File /opt/conda/envs/anaconda-2024.02-py310/lib/python3.10/site-packages/nltk/
 odata.py:750, in load(resource_url, format, cache, verbose, logic_parser, ⊔

¬fstruct_reader, encoding)

            print(f"<<Loading {resource_url}>>")
    749 # Load the resource.
--> 750 opened_resource = _open(resource_url)
    752 if format == "raw":
    753
            resource_val = opened_resource.read()
File /opt/conda/envs/anaconda-2024.02-py310/lib/python3.10/site-packages/nltk/
 →data.py:876, in _open(resource_url)
    873 protocol, path_ = split_resource_url(resource_url)
    875 if protocol is None or protocol.lower() == "nltk":
--> 876
            return find(path_, path + [""]).open()
    877 elif protocol.lower() == "file":
            # urllib might not use mode='rb', so handle this one ourselves:
    878
            return find(path_, [""]).open()
    879
File /opt/conda/envs/anaconda-2024.02-py310/lib/python3.10/site-packages/nltk/
 ⇔data.py:583, in find(resource_name, paths)
    581 \text{ sep} = "*" * 70
    582 resource_not_found = f'' \n{sep} \n{sep} \n'
--> 583 raise LookupError(resource_not_found)
LookupError:
  Resource punkt not found.
  Please use the NLTK Downloader to obtain the resource:
 >>> import nltk
 >>> nltk.download('punkt')
  For more information see: https://www.nltk.org/data.html
```

```
- '/home/e9f2e6f2-2728-40a7-9938-d80ebfe53d70/nltk data'
         - '/opt/conda/envs/anaconda-2024.02-py310/nltk data'
         - '/opt/conda/envs/anaconda-2024.02-py310/share/nltk data'
         - '/opt/conda/envs/anaconda-2024.02-py310/lib/nltk_data'
         - '/usr/share/nltk data'
         - '/usr/local/share/nltk data'
         - '/usr/lib/nltk_data'
          - '/usr/local/lib/nltk_data'
[8]: import nltk
     nltk.download('punkt')
    [nltk_data] Downloading package punkt to
    [nltk_data]
                    /home/e9f2e6f2-2728-40a7-9938-
    [nltk data]
                    d80ebfe53d70/nltk data...
    [nltk_data] Unzipping tokenizers/punkt.zip.
[8]: True
[9]: import nltk
     from nltk.tokenize import word_tokenize
     url = "https://www.gutenberg.org/browse/scores/top#books-last1"
     response = request.urlopen(url)
     tokens = word_tokenize(raw)
     print(tokens[:200])
    ['<', '!', 'DOCTYPE', 'html', '>', '<', 'html', 'class=', "''", 'client-nojs',
    "''", 'lang=', "''", 'en', "''", 'dir=', "''", 'ltr', "''", '>', '<', 'head',
    '>', '<', 'meta', 'charset=', "''", 'UTF-8', "''", '>', '<', 'title', '>',
    'Top', '100', '|', 'Project', 'Gutenberg', '<', '/title', '>', '<', 'link',
    'rel=', "''", 'stylesheet', "''", 'href=', "''", '/gutenberg/style2.css', '?',
    'v=1.5', "''", '>', '<', 'link', 'rel=', "''", 'stylesheet', "''", 'href=',
    "''", '/gutenberg/collapsible.css', '?', '1.3', "''", '>', '<', 'link', 'rel=',
    "''", 'stylesheet', "''", 'href=', "''", '/gutenberg/new_nav.css', '?', 'v=1.6',
    "''", '>', '<', 'link', 'rel=', "''", 'stylesheet', "''", 'href=', "''",
    '/gutenberg/pg-desktop-one.css', '?', 'v=1.1', "''", '>', '<', 'meta', 'name=',
    "''", 'viewport', "''", 'content=', "''", 'width=device-width', ',', 'initial-
    scale=1', "''", '>', '<', 'meta', 'name=', "''", 'keywords', "''", 'content=',
```

Attempted to load tokenizers/punkt/PY3/english.pickle

Searched in:

[]:

```
"''", 'books', ',', 'ebooks', ',', 'free', ',', 'kindle', ',', 'android', ',', 'iphone', ',', 'ipad', "''", '>', '<', 'meta', 'name=', "''", 'google-site-verification', "''", 'content=', "''", 'wucOEvSnj5kP3Ts_360fP64laakK-1mVTg-ptrGC9io', "''", '>', '<', 'meta', 'name=', "''", 'alexaVerifyID', "''", 'content=', "''", '4WNaCljsE-A82vP_ih2H_UqXZvM', "''", '>', '<', 'link', 'rel=', "''", 'copyright', "''", 'href=', "''", 'https', ':', '//www.gnu.org/copyleft/fdl.html', "''", '>', '<', 'link', 'rel=', "''", 'icon', "''", 'type=', "''", 'image/png', "''", 'href=', "''", '/gutenberg/favicon.ico', "''", 'sizes=', "''", '16x16', "''", '>', '<', 'meta', 'property=', "''", 'og', ':', 'title', "''", 'content=', "''", 'Project', 'Gutenberg', "''", '>', '<', 'meta', 'property=']
```

[]: