



Manage the storage system

SnapCenter Software

Soumik Das, Archana
June 10, 2021

This PDF was generated from https://docs.netapp.com/us-en/snapcenter/admin/concept_manage_the_storage_system.html on June 24, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Manage the storage system 1
 - Modify storage system configuration 1
 - Delete the storage system 3

Manage the storage system

After adding the storage system, you can modify the storage system configuration and connections, or delete the storage system.

Modify storage system configuration


You can use SnapCenter to modify your storage system configuration if you want to change the user name, password, platform, port, protocol, timeout period, preferred IP address, or messaging options.

About this task

You can modify storage connections for an individual user or for a group. If you belong to one or more groups with permission to the same storage system, the storage connection name is displayed multiple times in the storage connection list, once for each group with permission to the storage system.

Steps

1. In the left navigation pane, click **Storage Systems**.
2. On the Storage Systems page, from the **Type** drop-down perform one of the following actions:

Select...	Steps...
ONTAP SVMs	<p>To view all the storage virtual machines (SVMs) that were added, and to modify the required SVM configuration.</p> <ol style="list-style-type: none"> 1. On the Storage Connections page, click the appropriate SVM name. 2. Perform one of the following actions: <ul style="list-style-type: none"> ◦ If the SVM is not part of any cluster, on the Modify Storage System page, modify the configurations such as user name, password, EMS and AutoSupport settings, platform, protocol, port, timeout, and preferred IP. ◦ If the SVM is part of a cluster, then on the Modify Storage System page, select Manage SVM Independently and modify the configurations such as user name, password, EMS and AutoSupport settings, platform, protocol, port, timeout, and preferred IP. <p>After modifying the SVM to be managed independently, if you decide to manage it through cluster, you should delete the SVM and then click Rediscover. The SVM will be added to the ONTAP cluster.</p> <div>  <p>When a storage system password is updated on SnapCenter GUI, you should restart the SMCORE services of the respective plug-in or the server host because the updated password does not reflect in SMCORE, and the backup jobs will fail with an incorrect credential error.</p> </div>

Select...	Steps...
ONTAP Clusters	<p>To view all the clusters that were added and modify the required cluster configuration.</p> <ol style="list-style-type: none"> 1. On the Storage Connections page, click the cluster name. 2. On the Modify Storage System page, click the edit icon next to Username and modify the user name and password. 3. Select or clear the EMS and AutoSupport settings. 4. Click More Options and modify other configurations such as platform, protocol, port, timeout, and preferred IP.

3. Click **Submit**.

Delete the storage system

You can use SnapCenter to delete any unused storage system.

About this task

You can delete storage connections for an individual user or for a group. If you belong to one or more groups with permission to the same storage system, the storage system name is displayed multiple times in the storage connection list, once for each group with permission to the storage system.



When you are deleting a storage system, all operations that are being performed on that storage system will fail.

Steps

1. In the left navigation pane, click **Storage Systems**.
2. In the Storage Systems page, from the **Type** drop-down, select either **ONTAP SVMs** or **ONTAP Clusters**.
3. In the Storage Connections page, either select the check box next to the SVM, or the cluster that you want to delete.



You cannot select the SVM that is part of a cluster.

4. Click **Delete**.
5. In the Delete Storage System Connection Settings page, click **OK**.



If an SVM is deleted from ONTAP cluster using ONTAP GUI, in the SnapCenter GUI click **Rediscover** to update the SVM list.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.