Sans Forgetica is Really Forgettable

Jason Geller¹, Sara D. Davis², & Daniel Peterson²

University of Iowa
 Skidmore College

Recent claims have demonstrated that Sans Forgetica font serves as a desirbale difficulty—defined as processing difficulty that improves long-term retention. Despite these claims, there is very little empircal evidence. This led us to examine more closely Sans Forgetica as a potential desirable difficulty. In two preregistered experiments, we tested if Sans Forgetica is really unforgetable. In Experiment 1 (N = 215), participants studied weakly realted cue-target word pairs with targets presented in either Sans Forgetica or with missing letters (e.g., G_RL). Cued recall performance showed a robust generation effect, but no Sans Forgetica memory benefit. In Experiment 2 (N=528), participants read a passage on ground water with select sentences presented in either Sans Forgetica, yellow highlighting, or unchanged. Cued recall for select words were better for pre-highlighted information than when no changes to the passage were made. Critically, presenting sentences in Sans Forgetica did not produce better cued recall than pre-highlighted sentences or sentences presented unchanged. Our findings suggests that Sans Forgetica is really forgeticable.

Keywords: Disfluency Word count: X

Students want to remember more and forget less. Decades 21 of research have put forth the paradoxical idea that mak- 22 ing learning harder (not easier) should have the desirable 23 effect of improving long-term retention of material-called 24 the desirable diffuclty principle (Bjork, 1994). Notable examples of desirable difficulties include having participants generate information from word fragments instead of passively reading intact words (e.g., Slamecka & Graf, 1978 (NEWER REFERENCE)), spacing out study sessions instead of massing them (e.g., Carpenter, 2017), and having 10 participants engage in retrieval practice after studying instead 11 of simply restudying the information (Kornell & Vaughn, 2016). Another simple strategy that has gained some atten-13 tion is to make material more perceptually disfluent. This can be done by changing the material's perceptual character-15 istics (Diemand-Yaumen, Oppenheimer, & Vaughan, 2011; French et al., 2013). Visual material that is masked (Mul-17 ligan, 1996), inverted (Sungkhasette, Friedman, & Castel, 2011), presented in an atypical font (Diemand Yaumen et al., 2011), blurred (Rosner, Davis, & Milliken, 2015), or even

in handwritten cursive (Geller, Still, Dark, Carpenter, 2018) have all been shown to produce memory benefits. The desirable effect of perceptual disfluency on memory is called the disfluency effect (Bjork, 2016)

Although appealing as a pedagogical strategy due to the relative ease of implementation, there have been several experiments that failed to find memorial benefits for perceptually disfluent materials (e.g., Magreehan, Serra, Schwartz & Narciss, 2016; Rhodes & Castel, 2008, 2009; Rummer, Scheweppe, & Schewede, 2016; Yue, Castel, & Bjork, 2013), casting doubt upon the robustness of the disfluency effect. Corrobroating this, A recent meta-analysis by Xie, Zhou, and Liu (2018) with 25 studies and over 3,000 participants found a small, nonsignificant, effect of perceptual disfluency on recall and (d = -0.01) and transfer (d = 0.03). Despite having no mnnmemonic effect, perceptual did produce longer reading times (d = 0.52) and produce lower judgments of learning (d= -0.043). Experimentally, Geller et al.(2018) and Geller & Still (2018) manpiulated several boundary conditions (e.g., level of degradation, type of judgement of learning, retentional interval, and testing expectany) and found you can get mnnmeonic benefits from perceptual disfluent mateirals, but it is rather fickle and not at all robust. Taken together, the evidence suggests that utility of perceptual disfluency is rather limited.

Despite the weak evidence, perceptual disfluence is still being touted as a viable learning tool, es

Add complete departmental affiliations for each author here. 43 Each new line herein must be indented, like this line.

Enter author note here.

Correspondence concerning this article should be addressed to Jason Geller, Postal address. E-mail: jason-geller@uiowa.edu

49

50

51

52

53

55

56

58

61

62

66

68

71

72

73

75

77

84

90

94

105

106

107

pecially in the popular press. Recently, reputable 96 news soruces like Washington Post (https://www. 97 washingtonpost.com/business/2018/10/05/introducingsans-forgetica-font-designed-boost-your-memory/) and 99 **NPR** (https://www.npr.org/2018/10/06/655121384/sans-100 forgetica-a-font-to-remember claimed that a new font called 101 Sans Forgetica can enhance memory. Since the release of those articles, the Sans Forgetica font is available on all operating systems (all you have to do is downlaod the font file), some browsers (e.g., Chrome), and as a phone application. As of this writing no peer-reviewed research or data has been released that supports the assertions of the 103 Sans Forgetica team.

What do we know about SF?

There is not a lot information on Sans Forgetica. What we do know is that the typyface itself is a variation of a sansserif typeface. SF is a typeface that consists of intermitten gaps in letters that are back slanted (see below picture). As it pertains to the empirical validation of the claims made, the website does offer some information about SF and how the original results were obtained, but not enough information to replicate the studies.

Accoring to an interview conducted by Earp (2018), In the 117 first experiment (N=96), they had participants read 20 word 118 pairs (e.g., girl - guy) in three new fonts (one of them being 119 SF) and a typical or common font. The font pairs were pre-120 sented in was counterbalanced participants. What this means 121 is that all fonts were showns, but the same pairs were never 122 presneted in more than one type of font. Each word pair was 123 presnted on the screen for 100 ms (that is super fast...). For a final test, they were given the cue (e.g., girl) and had to respond with the target (guy). What did they find? According 124 to the interview, targets were recalled 68% of time when presented in a common font. For cue-target pairs in SF, targets were recalled 69% of the time—a negeliable difference.

In the second experiment ((N = 300) participants were presented passages (250 words in total) where one of the paragraphs was presented in SF. Each participant saw five different texts in total. For each text they were asked one question about the part written in SF and another question about the part written in standard Arial. Participants remembered 57% of the text when a section was written in Sans Forgetica, compared to 50% of the surrounding text that was written in a plain Arial font.

Current Studies

The question of whether Sans Forgetica prodices mnn-139 menomic benefits has clear practical implications. In the ed-140 ucational domian, it would be relatively quick and easy to use141

Sans Forgetica. However, in order for the Sans Forgetica to be useful, it is importnat to note and understand both its successes and its failures. Using information obtained in Earp (2018) as a starting point, we set out to replicate and extend the Sans Forgetica effect in two high-powered preregistered experiments.

Experiment 1

In Experiment 1, we were interested in two questions. First, is Sans Forgetica more memorable than a normal, fluent, font (e.g., Arial)? Second, is the Sans Forgetica effect on memory similar in magnitude to the generation effect? One potential mechanism dirivng the mnnmenic benefit for Sans Forgetica is related to the design features. Essentailly, the intermiten gaps of Sans Forgetica may require readers to generate or fill in the missing pieces. This is similar to the mechanism of action of the generation effect which is a phenomenon wherein information is better remembered when generated or filled-in compared to if it is simply read. In a prototypical experiment, participants are asked to generate words from word fragments DOLL - DR_ or read intact cue-target pairs (DOLL-DRESS). In Experiment 1 we examined the mnnemonic benefit of Sans Forgetica and generation looking at cued recall performance with weakly realted pairs. If Sans Forgetica does produce a mnnmoneic benefit we should that cued recall is higher for Sans forgetica comarped to normal font. Futhrer, if it is similar to the generation effect, the magnitude of the memory benefit between the two should be sim-

Participants

136

137

138

We recruited 230 people from Amazon's Mechanical Turk Service. Sample size was based on a priori power analyses conducted using PANGEA v0.2 (Westfall, 2016). Sample size was calculated based on the smallest effect of interest (SEOI; Lakens & Evers, 2014). In this case, we were interested in powering our study to detect a medium-sized effect size ($d \ge 35$). We choose this effect size as our SESOI due in part to the small effect sizes seen in actaul classroom studies (Bulter et al., 2014). Therefore, assuming an alpha of .05 and a desired power of 90%, a sample size of 270 is required to detect whether an effect size of .35 differs from zero. After excluding participants who 1) did not complete every phase of the experiment, 2) started the experiment multiple times, 3) reported experiencing technical problems did not indicate that they were fluent in English [^2]: This question was not asked during the experiment., or 5) reported seeing our stimuli before, we were left with 115 participants per group.

SANS FORGETICA 3

Materials

143

144

145

147

149

157

158

159

160

161

162

164

166

168

169

170

171

172

173

175

177

179

180

181

182

183

184

185

187

The preregistration for Experiment 1 can be found here:191 https://aspredicted.org/3ai98.pdf. All materials, data, and192 analysis scirpts for both Experiment 1 can be found here:193 (https://osf.io/d2vy8/). The results contained herein are:194 computationally reproducible by going to the primary au-195 thor's github repository for the paper (https://github.com/196 jgeller112/SF_Expt2) and clicking on the binder button.

Participants were presented with 22 weakly related cuetarget pairs taken from Carpenter, Pashler, & Vul, 2012)[^1]:¹⁹⁸
Two cue-target pairs () had to be thrown out as they were not preseted due to a coding error. The cue-target pairs were all¹⁹⁹ nouns, 5–7 letters and 1–3 syllables in length, and high in²⁰⁰ concreteness (400–700) and frequency (at least 30 per mil-²⁰¹ lion).

203

204

205

231

Design and Procedure

Disfluency (fluent vs. disfluency) was manipulated withinsubejcts and within-items and difficulty type (Generation
vs. Sans Forgetcia) was manipulated between participants.
For half the participants, targets were presented in Sans Forgetica while the other half were presented in Arial font; for
the other half of participants, targets were presented with
missing letters (vowels were replaced by underscores) and
the other half were intact (Arial font). After a short 2 minute
distractor task (anagram generation), they completed a cued
recall test. During cued recall, participants were presented 24
cues one at a time and asked to provide the target word. After
they were thanked and debriefed.

Participants completed the experiment on-line via the²¹⁹ Qualtrics survey platfom hosted on Amazon Mechainal Turk.

The experiment began with the presentation of 22 word pairs,
221 shown one at a time, for 2 secconds each. The cue word
222 always appeared on the left and the target always on the
233 right. Immediately proceeding this, participants did a short
2 minute distractor task (anagram generation). Finally par225 ticipants completed a cued recall test. During cued recall,
226 participants were presented 24 cues one at a time and asked
227 to provide the target word. Responses were self-paced. Once
228 completed participants clicked on a button to advance to the
229 next question. After they were asked several demographic
230 questions.

Scoring

Spell checking was automated with the hunspell package in²⁵³ R (Ooms, 2018) using spellCheck.R. At the next step we²⁵⁴ manually examined the output to catch incorrect suggestions²⁵⁵ and to add their own corrections. Becasuse participants were²⁵⁶ recruited in the United States, we used the American English²⁵⁷

dictionary. A nice walkthrough on how to use the package can be found in Buchcamam, De Deyne, and Montefinese (2019). Using the package, each response was corrected for misspelings. Corrected spellings are provided in the most probable order, therefore, the first suggestion is selected as the correct answer. In the package, As a second pass, we went throigh and made sure the program slected the correct spelling. If the response was close to the correct response, it was marked as correct.

Results

Models were fit in R (vers. 3.5.0; R Core Team, 2019) with the lme4 package (vers. 2.3.1; Bates). We fit a logistic mixed model to predict cued recall accuracy with difficulty type (Generation vs. Sans Forgetcia) and disfluency (fluent vs. disfluency). We fit the maximal model (formula: "brm(acc~difftypedisflu + (1+disflu|ResponseID) + (1+disflu difftypeltarget), family=bernoulli, data=data"). Standardized parameters were obtained by fitting the model on a standardized version of the dataset. Effect sizes were labelled following Chen's (2010) recommendations. The model's total explanatory power is substantial (conditional R2 = 0.60) and the part related to the fixed effects alone (marginal R2) is of 0.01. The effect of difficulty type is negative and can be considered as very small and not significant (beta = -0.09, SE = 0.11, 95% CI [-0.30, 0.13], std. beta = -0.09, p = 0.431). The effect of disfluency is positive and can be considered as very small and significant (beta = 0.21, SE = 0.06, 95% CI [0.09, 0.33], std. beta = 0.22, p < .001). The interaction between difficulty type and disfluency was positive and can be considered as very small and significant (beta = 0.22, SE = 0.04, 95% CI [0.14, 0.30], std. beta = 0.21, p < .001).

To examine the strength of the interaction we examined the full model against the main effects model using the brms package (vers. 2.3.1). We used normal priors on all fixed effects. These are uninformative in terms of direction—both positive and negative effects are equally likely—but they are informative in terms of magnitude. The prior indicated that a model with the interaction term was strongly preferred over the model without the interaction (BF > 100; Jeffreys, 1961). This suggests that the magnitide of the generation effect is larger than the Sans Forgetica effect. This can be clearly seen in Fig. 2.

Warning: Missing column names filled in: 'X1'

The results for Experiment 1 are clear-cut. Cued recall performance for target pairs presented intact and in Sans Forgetica font were equivocial. That is, we did not observe a memory benefit for Sans Forgetica. We did, however, observe better cued recall performance for targets that had to be generated then when simply read, which replicates decades of


263

264

265

Cued Recall Accuracy 95% HDI Intervals

cued recall performance on a passage where some of the material were either presented in: SF, pre-highlighted in yellow, or unmarked. Each condition was manipulated betweensubjects.



282

289

290

291

Figure 1

238

239

240

242

243

245

246

247

248

249

250

251

252

254

256

258

260

litearture (cite some shit). This suggests that (1) presenting₂₈₄ materials in Sans Forgetica does not lead to better memory₂₈₅ and (2) the Sans Forgetica effect is most likely not gener-₂₈₆ ated by the same mechanisms that give rise to the generation₂₈₇ effect.

Experiment 2

Experiment 1 failed to find a memory benefit for Sans Forget-292 ica effect. One caveat of Experiment 1 is that simple paired²⁹³ associate learning lacks educational realsim. To remedy this, 294 Experiment 2 tested the effects of SF using more realistic²⁹⁵ materials. Whereas Experiment 1 tested whether Sans Forgetica is driven by generation, Experiment 2 examined an-296 other possible mechanism of action-that is, the Sans Forgetcia effect might exert its mnnmenonic benefit by making₂₉₇ material more distinctive. Specifically, Sans Forgetica may₂₉₈ make the marked portion of text more memorable because299 it stands out from the surrounding text. This is similar to₃₀₀ the effects of pre-highlighting on learning. Indeed, some evidence supports this type of role for highlighting: When³⁰¹ students read pre-highlighted passages, they recall more of 302 the highlighted information and less of the non-highlighted information compared to students who receive an unmarked copy of the same passage (Fowler and Barker 1974; Silvers and Kreiner 1997). To this end, Experiment 2 compared

The preregistration for Experiment 2 can be found here: https://aspredicted.org/3jz3z.pdf.

Participants read a passage on ground water (856 words) taken from from the U.S. Geological Survey (see Yue et al., 2014) Eleven critical phrases¹ each containing a different keyword, were selected from the passage (e.g., the term *recharge* was the keyword in the phrase: Water seeping down from the land surface adds to the ground water and is called recharge water.) and were either presented in SF, highlighted, or unchanged. Then, 11 fill-in-the blank questions were created from these phrases by deleting the keyword and asking participants to provide it on the final test (e.g., Water seeping down from the land surface adds to the ground water and is called ______ water).

Design and Procedure

Participants were randomly assigned to either the prehighlighted codnition, sans forgetica condition, or normal condition. Our design employed three between-subject variables: pre-highlighting, sans forgetica, and normal.

Participants completed the experiment on-line via the Qualtrics survey platform. Participant read the passage on

¹orginally we had 12 critical phrases but a pilot test showed that one of the questions was repeated twice so we removed one of them and also added a manipulation check question to sure participants were paying attention

SANS FORGETICA 5

ground water in its entirety. Participants were given 10 minutes to read the passage. Participants in the pre-highlighted condition received some of the passages in yellow highlighting. Participants in the sans forgetcia codnition were presnetd some of the sentences in the sans forgetica font. Participants in the normal passage condition were presented sentences with no changes. All participants were instructed to read the passage as though they were studying material for a class.

After 10 minutes, all participants were given a brief questionnaire (2 questions) asking them to indicate their metacognitive beliefs afte reading the passage. The two questions were: "Do you feel that the presentation fo the material helped you remember" and "How likely is it that you will be able to recall material from the passage you just read on a scale of 0 (not likely to recall) to 100 (likely to recall) in 5 minutes?" Participants were then given a short distractor task (anagrams) for 3 minutes. Finally, all participants were given 11 fill-in-the-blank test questions, one at a time. There was 1 manipulation multiple choice questions: What was the passage you read on?."

Results

304

305

306

307

309

310 311

312

314

316

318

319

320

321

322

323

324

325

326

327

329

331

333

335

336

337

338

339

340

341

342

344

346

348

350

We fit a logistic mixed model in a similar fashion to Experiment 1. We fit a model with passage type as a fixed effect and random intercepts subjects (n=528) and questions (n=11): (formual: acc=glmer(auto_acc~passage_type+(1|Participant) (1|Question), data=data, family="binomial"). Standardized parameters were obtained by fitting the model on a The model's total³⁵⁷ standardized version of the dataset. explanatory power is substantial (conditional R2 = 0.45)³⁵⁸ and the part related to the fixed effects alone (marginal R2) is of 0.00. We hypothesized that recall for pre-highlighted and sans forgetica sentences would be better remembered 361 than normal sentences and that there would be no recall³⁶² differences between the highlighted and sans forgetia sentences. Our hypotheses were partially supported (see Figure 2). Results indicated that pre-highlighted sentences³⁶⁵ were better remembered than sentences presented normally,366 beta = 0.38, SE = 0.17, 95% CI [0.05, 0.71], std. beta³⁶⁷ = 0.38, p < .05, and were marginally better remembered368 than sentences presented in Sans Forgetcia, Estimate = 369 -.317, exp(B) = 1.37, SE = .168, z = -1.89, p = .059, d = .370.76. Critically, there was no difference between sentences presented normally and in sans forgetcia (beta = 0.06, SE = 0.17, 95% CI [-0.26, 0.39], std. beta = 0.06, p = 0.700. A₃₇₁ Bayes factor using the brms package (Burkner, 2015) was computed and there is moderate evidence that the effects are equal (BF = 7.47).




Figure 2

Exploratory Analysis

In Experiment 2 we also asked students about their metacognitive awarness. Specifically we asked participants: "How likely is it that you will be able to recall material from the passage you just read on a scale of 0 (not likely to recall) to 100 (likely to recall) in 5 minutes?" Initial analyses suggest that the normal passage was given higher JOLs (M = 57.4, SE = 1.97) than the pre-highlighted passage (M = 50.3, SE = 1.97), t(525) = -7.08, p = .023. There were no reliable differences between the pre-highlighted passage and Sans Forgetica (M = 53.8, SE = 1.97), t(525) = -3.52, p = .415 or between the passage in Sans Forgetica and the passage presneted normally, t(525) = 3.56, p = .406.

One potential reason for pre-highlighted information recieving lower JOLs than the normal passage is that pre-highlighted information served to focus participants attention specific parts of the passage. Given the question, pariticipants might have thought this would hinder them if tested over the passage as a whole. Interestingly,

contrast	estimate	SE	df	t.ratio	p.va
Highlight - Normal	-7.079546	2.7792	525	-2.547332	0.02991
Highlight - Passage	-3.517046	2.7792	525	-1.265488	0.41539
Normal - Passage	3.562500	2.7792	525	1.281844	0.40605

NULL






Figure 3. Judgements of learning as a function of passage type.

Table 1

contrast	estimate	SE	df	t.ratio	p.value
Highlight - Normal	-7.08	2.78	525.00		0.03
Highlight - Passage	-3.52	2.78	525.00	-1.27	0.42
Normal - Passage	3.56	2.78	525.00	1.28	0.41

Dicussion

Across two experiment The evidence contained herein suggests that SF does not have the mnemonic effects pruported by its creators. Now it is possible that there is an effect of SF, but the effect size might be smaller than we could detect across our two studies. Our SESOI was d=.35. If so, it probably does not have any real educational benefit. It is our conclsuion that SF is really forgetable and you should not be using it as a way to boost learning.