```
1: // $Id: square.cpp,v 1.9 2014-08-12 14:28:29-07 - - $
 3: // Draw a square.
 4:
 5: #include <string>
 6: using namespace std;
7:
 8: #include <GL/freeglut.h>
9:
10: struct {
11:
       string name;
12:
       int width {256};
       int height {256*3/4};
13:
14: } window;
15:
16: const GLubyte RED[] = \{0xFF, 0x00, 0x00\};
18: void draw_square (GLfloat xpos, GLfloat ypos,
19:
                       GLfloat width, const GLubyte* color) {
20:
       glBegin (GL_POLYGON);
21:
       glColor3ubv (color);
22:
       glVertex2f (xpos, ypos);
23:
       glVertex2f (xpos + width, ypos);
24:
       glVertex2f (xpos + width, ypos + width);
       glVertex2f (xpos, ypos + width);
25:
26:
       glEnd();
27: }
28:
29: void display() {
30:
       glClearColor (0.0, 0.0, 1.0, 1.0);
31:
       glClear (GL_COLOR_BUFFER_BIT);
32:
       draw_square (window.width * 0.25, window.height * 0.25,
33:
                    window.height * 0.5, RED);
34:
       glutSwapBuffers();
35: }
36:
37: void reshape (int width, int height) {
       window.width = width;
39:
       window.height = height;
40:
       glMatrixMode (GL_PROJECTION);
41:
       glLoadIdentity();
       gluOrtho2D (0, window.width, 0, window.height);
42:
43:
       glMatrixMode (GL_MODELVIEW);
44:
       glViewport (0, 0, window.width, window.height);
45:
       glutPostRedisplay();
46: }
47:
48: int main (int argc, char** argv) {
49:
       glutInit (&argc, argv);
50:
       glutInitDisplayMode (GLUT_RGBA | GLUT_DOUBLE);
51:
       glutInitWindowSize (window.width, window.height);
52:
       glutInitWindowPosition (128, 128);
53:
       glutCreateWindow (argv[0]);
54:
       glutDisplayFunc (display);
55:
       glutReshapeFunc (reshape);
56:
       glutMainLoop();
57:
       return 0;
58: }
```

02/17/15 18:36:44	\$cmps109-wm/Assignments/asg4-oop-inheritance/opengl-examples/square.cpp	2/2
59:	з дише. -ерр	