

```
1: // $Id: division.cpp,v 1.6 2014-05-29 19:11:29-07 - - $
2:
3: #include <cstdlib>
4: #include <iostream>
5: #include <stdexcept>
6:
7: using namespace std;
8:
9: using ulong = unsigned long;
10: using uupair = pair<ulong,ulong>;
11:
12: uupair divide (const ulong &dividend, const ulong &divisor) {
13:     if (divisor == 0) throw domain_error ("divide(_,0)");
14:     ulong powerof2 = 1;
15:     ulong divisor_ = divisor;
16:     while (divisor_ < dividend) {
17:         divisor_ *= 2;
18:         powerof2 *= 2;
19:     }
20:     ulong quotient = 0;
21:     ulong remainder = dividend;
22:     while (powerof2 > 0) {
23:         if (divisor_ <= remainder) {
24:             remainder -= divisor_;
25:             quotient += powerof2;
26:         }
27:         divisor_ /= 2;
28:         powerof2 /= 2;
29:     }
30:     return uupair (quotient, remainder);
31: }
32:
```

```
33:
34: ostream &operator<< (ostream &out, const uupair &pair) {
35:     out << pair.first << " R " << pair.second;
36:     return out;
37: }
38:
39: uupair tests[] = {
40:     {          0L, 1024L},
41:     {          5L,   7L},
42:     {        100L,   0L},
43:     {        100L,  50L},
44:     {        320L,  20L},
45:     {        963L,  71L},
46:     {12345678912345L, 9876L},
47: };
48:
49: int main (int argc, char **argv) {
50:     (void) argc; // warning: unused parameter 'argc'
51:     (void) argv; // warning: unused parameter 'argv'
52:     uupair *testend = tests + sizeof tests / sizeof *tests;
53:     for (uupair *itor = tests; itor < testend; ++itor) {
54:         ulong dividend = itor->first;
55:         ulong divisor = itor->second;
56:         cout << dividend << " / " << divisor << " = ";
57:         try {
58:             uupair result = divide (dividend, divisor);
59:             cout << result;
60:             uupair tested = uupair (dividend / divisor,
61:                                     dividend % divisor);
62:             if (tested != result) {
63:                 cout << ": wrong " << tested;
64:             }
65:         } catch (domain_error &error) {
66:             cout << "domain_error: " << error.what();
67:         }
68:         cout << endl;
69:     }
70:     return EXIT_SUCCESS;
71: }
72:
73: //TEST// ./division 2>&1 >division.output
74: //TEST// mkpspdf division.ps division.cpp* division.output
75:
```

[illegible]

```
1: 0 / 1024 = 0 R 0
2: 5 / 7 = 0 R 5
3: 100 / 0 = domain_error: divide(_, 0)
4: 100 / 50 = 2 R 0
5: 320 / 20 = 16 R 0
6: 963 / 71 = 13 R 40
7: 12345678912345 / 9876 = 1250068743 R 6477
```