

# Exploring Connections Between Dust Attenuation and the Type Ia Supernova Host Bias

JARED HAND<sup>1</sup> AND MICHAEL WOOD-VASEY<sup>1</sup>

<sup>1</sup>*Department of Physics and Astronomy, University of Pittsburgh*

## 1. PERSONNEL

We request support for graduate student Jared Hand and one undergraduate student under Professor Michael Wood-Vasey at the University of Pittsburgh. The rigor of our proposed project will vary from introductory to complex, providing an appropriate introduction to LSST science for the undergraduate researcher. Professor Wood-Vasey and graduate student Hand will guide the undergraduate via weekly objectives in the development of the following skills:

- Development of scalable, project-oriented programming techniques using Python and github<sup>1</sup> while working with large data sets.
- A pragmatic, hands-on introduction to Bayesian statistical modeling using the statistics programming language Stan<sup>2</sup>.
- Introduction to relational database concepts and querying and management using a local SQLite database.

Data-driven analysis skills will be developed through manipulation of large SN Ia data sets presented within the context of LSST's science goals. The mentors will also assist in preparing the undergraduate's presenting of results to the Dark Energy Science Committee, providing practice in science communication and giving exposure to the LSST science community. The undergraduate will also play an active role in writing the paper we plan to publish about our proposed project.

## 2. PROPOSED PROJECT

The Vera C. Rubin Observatory will dramatically increase the number of photometrically observed transient objects over the next decade, providing an order of magnitude increase in observe type Ia supernovae (SNe Ia) will improve these objects' ability to constrain fundamental cosmological constants such as the Hubble constant and the dark energy equation of state (Perlmutter et al. 1999). SNe Ia are standardizable — correlations between peak brightness and both color and SN duration are used to reduce the low intrinsic scatter in peak brightness of these objects. Though the effects of foreground host galaxy dust simultaneously diminish a SN Ia's peak brightness and redden its spectrum, this dust-only model fails to completely account for all SN Ia color variation (Brout & Scolnic 2021). It is an established bias between SNe Ia properties and the properties of its host galaxies that propagates through any SN Ia standardization procedure (Rigault et al. 2020; Sullivan et al. 2010).

<sup>1</sup> <https://github.com/>

<sup>2</sup> <https://mc-stan.org/>

These host properties, such as stellar mass, stellar age, and star formation rate (SFR), also correlates with host galaxy dust, with recent studies finding certain host properties (SFR and age, specifically) in linear combination with host stellar mass better account for both the observed host bias and in accounting for said its during standardization (Rigault et al. 2020; Rose et al. 2021). Brout & Scolnic (2021) has found that a more sophisticated dust model for SNe Ia accounts for the host bias during standardization, though. As host properties apart from stellar mass are strongly correlated with host dust properties, an exploration into the effects of host dust correction on the measured host bias would provide bridge the knowledge gap between these two approaches. Such a project would determine if dust attenuation modeling influences the measured host bias while exploring the relationship between dust attenuation and star formation epoch within the context of SN Ia standardization.

Our project is a continuation of recent the analysis from the Wood-Vasey group into the influence of observation and fitting techniques into SN Ia host bias measurements (Hand et al. 2021). Using Integral Field Spectrum (IFS) observations and data products from both the PISCO (Galbany et al. 2018) and AMUSING<sup>3</sup> SN Ia host samples alongside overlapping ultraviolet (UV) surveys, we will compare specific SFR (sSFR) calculations from global and resolved H $\alpha$  flux and UV photometry. Said sSFR estimates will be calculated with and without host galaxy dust attenuation corrections. sSFR is a natural host property to explore given its intrinsic nature, differing observables that trace differing epochs of star formation, and by its definition being a linear combination of extrinsic host properties:  $\log(sSFR) = \log(SFR) - \log(Mass)$ . Along with the commonly used H $\alpha$ /H $\beta$  ratio correction, more sophisticated dust attenuation models will be implemented and compared (Salim et al. 2018; Narayanan et al. 2018). All this work will be performed within hierarchical Bayesian framework implemented with Stan to appropriately account for covariance in physical and latent parameters inherent to such an analysis.

## REFERENCES

- |  |   |
|--|---|
| <p>Brout, D., &amp; Scolnic, D. 2021, ApJ, 909, 26,<br/>doi: <a href="https://doi.org/10.3847/1538-4357/abd69b">10.3847/1538-4357/abd69b</a></p> <p>Galbany, L., Anderson, J. P., Sánchez, S. F.,<br/>et al. 2018, ApJ, 855, 107,<br/>doi: <a href="https://doi.org/10.3847/1538-4357/aaaf20">10.3847/1538-4357/aaaf20</a></p> <p>Hand, J., Liu, S., Galbany, L., et al. 2021,<br/>arXiv e-prints, arXiv:2102.08980.<br/><a href="https://arxiv.org/abs/2102.08980">https://arxiv.org/abs/2102.08980</a></p> <p>Narayanan, D., Conroy, C., Davé, R.,<br/>Johnson, B. D., &amp; Popping, G. 2018, ApJ,<br/>869, 70, doi: <a href="https://doi.org/10.3847/1538-4357/aaed25">10.3847/1538-4357/aaed25</a></p> <p>Perlmutter, S., Aldering, G., Goldhaber, G.,<br/>et al. 1999, ApJ, 517, 565,<br/>doi: <a href="https://doi.org/10.1086/307221">10.1086/307221</a></p> | <p>Rigault, M., et al. 2020, Astron. Astrophys.,<br/>644, A176,<br/>doi: <a href="https://doi.org/10.1051/0004-6361/201730404">10.1051/0004-6361/201730404</a></p> <p>Rose, B. M., Rubin, D., Strolger, L., &amp;<br/>Garnavich, P. M. 2021, ApJ, 909, 28,<br/>doi: <a href="https://doi.org/10.3847/1538-4357/abd550">10.3847/1538-4357/abd550</a></p> <p>Salim, S., Boquien, M., &amp; Lee, J. C. 2018,<br/>ApJ, 859, 11,<br/>doi: <a href="https://doi.org/10.3847/1538-4357/aabf3c">10.3847/1538-4357/aabf3c</a></p> <p>Sullivan, M., Conley, A., Howell, D. A., et al.<br/>2010, MNRAS, 406, 782,<br/>doi: <a href="https://doi.org/10.1111/j.1365-2966.2010.16731.x">10.1111/j.1365-2966.2010.16731.x</a></p> |
|--|---|

<sup>3</sup> <https://amusing-muse.github.io/publications/>