/

Congratulations! You passed!

Next Item




1/1 point


1

Matrices make transformations on vectors, potentially changing their magnitude and direction.

If we have two unit vectors (in orange) and another vector, $\mathbf{r}=\begin{bmatrix}3\\2\end{bmatrix}$ (in pink), before any transformations - these look like this:



Take the matrix, $A=egin{bmatrix} 1/2 & -1 \\ 0 & 3/4 \end{bmatrix}$, see how it transforms the unit vectors and the vector, ${f r}$,



What new vector, \mathbf{r}' , does A transform \mathbf{r} to? Specifically, what does the following equal?

$$A\mathbf{r} = egin{bmatrix} 1/2 & -1 \ 0 & 3/4 \end{bmatrix} egin{bmatrix} 3 \ 2 \end{bmatrix} =$$

$$\begin{bmatrix} 3/2 \\ -3/4 \end{bmatrix}$$

$$\begin{bmatrix} 3/2 \\ -1/2 \end{bmatrix}$$

Correct

You could either calculate this or read it off the graph.

$$\begin{bmatrix} -3/2 \\ 3/2 \end{bmatrix}$$



1/1 point

6/6 points (100%)

Type an expression for the vector, $\mathbf{s} = A egin{bmatrix} -2 \\ 4 \end{bmatrix}$.

- 1 # Replace a and b with the correct values below:
- 2 s = ([-5, 3]

Run

Reset

Correct Response


Well done.





1/1 point

3.

Select the transformation which best corresponds to the matrix, $M = \begin{bmatrix} -1/2 & 1/2 \\ 1/2 & 1/2 \end{bmatrix}$.








Correct

The axes have been rotated, and also flipped here.



V

1/1 point

4

A digital image can be stored by putting lots of coloured pixels at their particular coordinates on a grid.

If we apply a matrix transformation to the coordinates of each of the pixels in an image, we transform the image as a whole.

Given a starting image (such as this one of "The Ambassadors" [1533] by Hans Holbein the Younger),





which is made up of 400×400 pixels, if we apply the same transformation to each of those 160,000 pixels, the transformed image becomes:



Pick a matrix that could correspond to the transformation.

$$\begin{bmatrix} 1/2 & 0 \\ -\sqrt{3}/2 & 1/2 \end{bmatrix}$$



Correct

This is a rotation matrix (by 30° anticlockwise).

$$\begin{bmatrix} -1/2 & 0 \\ 0 & \sqrt{3}/2 \end{bmatrix}$$



1/1 point

5.

At the bottom of the "The Ambassadors", in the middle of the floor, there is a skull that Holbein has already applied a matrix transformation to!

To undo the transformation, build a matrix which is firstly a shear in the y direction followed by a scaling in y direction. I.e., multiply the matrices,

$$M = \begin{bmatrix} 1 & 0 \\ 0 & 8 \end{bmatrix} \begin{bmatrix} 1 & 0 \\ -1/2 & 1 \end{bmatrix}$$

Correct Response

Well done.

Use your answer in the next question to transform the skull back.



1/1 point

6

Use your answer from the previous question to transform the skull back to normal. Change the values of the matrix and press *Go!* to score on this question.

You can also use this example to experiment with other matrix transformations. Try some of the ones in this Using matrices to make transformations

6/6 points (100%) Practice Quiz, 6 questions







