

## **Congratulations! You passed!**

Next Item



1/1 point

1

In this quiz, you will check if some simple collection of vectors are linearly independent or not.

Are the following set of vectors linearly independent?

$$\mathbf{a} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$$
 and  $\mathbf{b} = \begin{bmatrix} 2 \\ 1 \end{bmatrix}$ .



Yes

## Correct

These vectors are linearly independent as one is not a scalar multiple of the other.



No



1/1 point

2

Are the following set of vectors linearly independent?

$$\mathbf{a} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$$
 and  $\mathbf{b} = \begin{bmatrix} 2 \\ 2 \end{bmatrix}$ .



Yes



No

5/5 points (100%) Practice Quiz, 5 questions



1/1 point

3.

Are the following set of vectors linearly independent?

$$\mathbf{a} = \begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix} \text{ and } \mathbf{b} = \begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}.$$



Yes

## Correct

These vectors are linearly independent as one is not a scalar multiple of the other.



No



1/1 point

Are the following set of vectors linearly independent?

$$\mathbf{a} = egin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$$
 ,  $\mathbf{b} = egin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix}$  and  $\mathbf{c} = egin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$ 



Yes

These vectors are linearly independent as one can not be written as a linear sum of the other two.



No



1/1 point

5.

# Are the following set of vectors linearly independent? Linear dependency of a set of vectors $\text{Practice Quiz} \ \text{ 1 duestions } \left[ \begin{array}{cc} 2 \end{array} \right] \qquad \left[ -3 \right]$

Practice Quiz 
$$\mathbf{q}$$
 questions  $\begin{bmatrix} 2 \\ -1 \\ 1 \end{bmatrix}$  and  $\mathbf{c} = \begin{bmatrix} -3 \\ 1 \\ -2 \end{bmatrix}$ .





Yes

## Correct

Indeed, one of the vectors can be written as a linear sum of the other two.

5/5 points (100%)