National University of Singapore School of Computing CS1010X: Programming Methodology Semester II, 2019/2020

Recitation 4 Data Abstraction

Python

- 1. *Tuple (value1, value2, ...)*
 - A tuple is an immutable sequence of Python objects enclosed in parentheses and separated by commas.
- 2. Operations on tuples:
 - (a) len(x) Returns the number of elements of tuple x.
 - (b) *element* in x Returns True is *element* is in x, and False otherwise.
 - (c) for var in x Will iterate over all the elements of x with variable var.
 - (d) max(x) Returns the maximum element in the tuple x.
 - (e) min(x) Returns the minimum element in the tuple x.

Problems

1. Evaluate the following expressions:

```
tup_a = (10, 12, 13, 14) #Creating tup_a
print(tup_a)

tup_b = ("CS1010S", "CS1231") #Creating tup_b
print(tup_b)

tup_c = tup_a + tup_b #Creating tup_c
print(tup_c)

len(tup_c)

14 in tup_a

11 in tup_c

tup_d = tup_b[0] * 4

tup_d[0]

tup_d[1:]

count = 0
```

```
for i in tup_a:
        count = count + i
print(count)

max(tup_a)

min(tup_a)

max(tup_c)
```

2. Write expressions whose values will print out like the following.

```
(1, 2, 3)
```

```
(1, (2), 3)
```

3. Write expressions to that will return the value 4 when the x is bound to the following values:

4. You found a holiday assignment at the Registar's Office. Your job is to write a program to help students with their scheduling of classes. You are provided with an implementation of the records for each class as follows:

```
def make_module(course_code, units):
    return (course_code, units)

def make_units(lecture, tutorial, lab, homework, prep):
    return (lecture, tutorial, lab, homework, prep)

def get_module_code(course):
    return course[0]

def get_module_units(course):
    return course[1]

def get_module_total_units(units):
    return units[0] + units[1] + units[2] + units[3] + units[4]
```

Each class (course) has a course code and an associated number of credit unit, e.g. for CS1101S, that's 3-2-1-3-3. Your job is now to write a schedule object to represent the sets of classes taken by a student. **Note:** Since class is a keyword in Python, we will use course as the variable representing the current class of interest.

(a) Write a constructor make_empty_schedule() that returns an empty schedule.

```
def make_empty_schedule():
```

Order of growth in time, space?

(b) Write a function add_class that when given a class and a schedule, returns a new schedule including the new class:

```
def add_class(course, schedule):
```

Order of growth in time, space?

(c) Write a function total_scheduled_units that computes the total number of units in a specified schedule.

```
def total_scheduled_units(schedule):
```

Order of growth in time, space?

(d) Write a function drop_class that returns a new schedule with a particular class dropped from a specified schedule.

```
def drop_class(schedule, course):
```

Order of growth in time, space?

(e) Implement a credit limit by taking in a schedule, and returning a new schedule that has total number of units is less than or equal to max_credits by removing classes from the specified schedule.

```
def credit_limit(schedule, max_credits):
```

Order of growth in time, space?

(f) **Homework:** Implement an improved version of credit_limit that will return a schedule with a total number of units is less than or equal to max_credits, but with the maximal number of classes. What is the order of growth of your solution? Is that the best you can do?