



ML-179-003-003403 Seat No. _____

B. C. A. (Sem. IV) (CBCS) Examination

April/May - 2012

RDBMS Using Oracle

Faculty Code : 003

Subject Code : 003403

Time : 3 Hours]

[Total Marks : 70

- Instrucitons :**
- (1) Section - 1 contains 20 MCQ of 20 marks.
 - (2) Section - 2 contains main 2 questions. Q - 2 and Q - 3 each of 25 marks.
 - (3) Ans. of the Q - 1 should be written on the same answersheet.

1 Answer following MCQ : 20

- (1) The HAVING clause does which of the following ?
 - (A) Acts like a WHERE clause but is used for groups rather than rows.
 - (B) Acts like a WHERE clause but is used for rows rather than columns
 - (C) Acts like a WHERE clause but is used for columns rather than groups
 - (D) Acts EXACTLY like a WHERE clause.
- (2) Which of the following is the root directory for oracle ?
 - (A) ORACLE_HOME
 - (B) ORACLE_ROOT
 - (C) ORACLE_BASE
 - (D) ORACLE_SERVER

- (3) When the database is running of 24*7 basis, the backup should be.
- (A) Online backup
 - (B) Offline backup
 - (C) Table space backup
 - (D) None of above
- (4) The value of : NEW is NULL in case of
- (A) Update
 - (B) Delete
 - (C) Insert
 - (D) Cannot say
- (5) Which statement is TRUE about package ?
- (A) The package specification must be declared for all packages
 - (B) The package body must be declared for all packages
 - (C) The package specification as well as body must be declared for all packages
 - (D) None of above
- (6) The SQL statement 'select * from emp where exists(select* from emp where sal>1000 and sal<=1000)' will return.
- (A) No rows
 - (B) Exactly one row
 - (C) Multiple row
 - (D) Cannot say
- (7) :OLD and :NEW are.
- (A) Records in the table
 - (B) Variables in the PL/SQL block
 - (C) Pseudo records for row level trigger
 - (D) None of above
- (8) The Option ON DELETE CASCADE can be defined with
- (A) UNIQUE KEY
 - (B) PRIMARY KEY
 - (C) FOREIGN KEY
 - (D) All of above

- (9) A hot backup is
- (A) Taking up the backup of the database while it is still up and running.
 - (B) Taking up the backup followed by taking cold backup
 - (C) Taking up the backup of the database after the user logs off
 - (D) None of the above
- (10) The Sub Query may have nested Sub Queries inside it.
- (A) True
 - (B) False
 - (C) Nesting is illegal in Sub Query
 - (D) Cannot say
- (11) Which character function can be used to return a specified portion of a character string ?
- (A) INSTR
 - (B) POS
 - (C) SUBSTR
 - (D) None of above
- (12) Which of the following SQL functions can operate on any datatype ?
- (A) TO_CHAR
 - (B) LOWER
 - (C) LPAD
 - (D) MAX
- (13) A cluster is a schema object that contains data from _____ all of which have one or more columns in common.
- (A) One table
 - (B) One or more tables
 - (C) Two or more tables
 - (D) At least two tables

- (14) Which SQL statement is used to extract data from a database ?
- (A) SELECT
 - (B) GET
 - (C) OPEN
 - (D) EXTRACT
- (15) Which of the following gets the largest integer less than or equal to x ?
- (A) TRUNC
 - (B) CEIL (x)
 - (C) FLOOR (x)
 - (D) ACOS (x)
- (16) The ORDER BY clause can only be used in.
- (A) SELECT query
 - (B) INSERT query
 - (C) GROUP BY query
 - (D) Having query
- (17) The first step to start the database is
- (A) Mounting database
 - (B) Open the database
 - (C) Start the database
 - (D) Instance creation
- (18) In case of EXPORT, the file created by oracle will be.
- (A) Ascii file
 - (B) Binary file
 - (C) Bitmap file
 - (D) Vector file

- (19) Which table space is created automatically ?
- (A) DBA
 - (B) USER
 - (C) SYSTEM
 - (D) None of above
- (20) The 'Record' type variable is automatically declared in.
- (A) Simple cursor
 - (B) Cursor with WHILE Loop
 - (C) Cursor with row processing logic
 - (D) Cursor FOR Loop

2 (a) Explain the following in detail : (any three) : **6**

- (1) Explain oracle as an RDBMS.
- (2) Explain substr () built in function.
- (3) Explain last _ day () function.
- (4) Basic data types in SQL.
- (5) Define like and exists operator.
- (6) Explain to_char () function.

(b) Attempt the following in detail : (any three) : **9**

- (1) Discuss VIEW.
- (2) Discuss % TYPE and % ROWTYPE with example.
- (3) Explain group by clause and having clause.
- (4) Explain PL/SQL table with suitable example.
- (5) Explain the PL/SQL block structure.
- (6) Define blocks, segments and extents.

(c) Attempt the following in detail : (any two) : **10**

- (1) Explain trigger.
- (2) Define the term 'Cursor' justifies the need and use of explicit cursor in PL/SQL taking suitable example.
- (3) What is data constraints ? Explain I/O constraint.
- (4) List and explain various transaction control language commands in oracle.
- (5) What is JOIN ? Explain its types with appropriate example.

3 (a) Attempt the following : (any three) : **6**

- (1) Explain INSTR().
- (2) What is normalization ? Define 1NF, 2NF and 3NF with their rules.
- (3) What is snapshot ?
- (4) What is synonyms ?
- (5) What is backup ? List out and explain only two different strategies to backup data.
- (6) What is grant and revoke ?

(b) Attempt the following : (any three) : **9**

- (1) Write a short note on NET8.
- (2) Differentiate : SQL V/s. PL/SQL.
- (3) Write a short note on Database Link.
- (4) Write a short note on Index.
- (5) Differentiate : Procedure v/s function.
- (6) Explain redo logs in detail.

(c) Attempt the following : (any two) :

10

- (1) Explain SQL*LOADER.
- (2) How to handle the errors in PL/SQL ? Explain any three of them with suitable example.
- (3) What is stored procedure ? Explain with example how stored procedure can be created and executed.
- (4) Explain oracle instance architecture.
- (5) Write a PL/SQL Block which accepts employee name and update salary to 10,000 if found or else give proper message.
