



---

**REVISION HISTORY**

| NUMBER  | DATE       | DESCRIPTION  | NAME |
|---------|------------|--|------|
| 2.8.0.1 | 2023-07-01 | Current release of Network UPS Tools (NUT).                          |      |
| 2.6.0   | 2011-01-14 | First release of AsciiDoc documentation for Network UPS Tools (NUT). |      |

---

---

## Contents

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>APC</b>                              | <b>1</b> |
| 1.1      | 940-0024C clone . . . . .               | 1        |
| 1.2      | 940-0024E clone . . . . .               | 1        |
| 1.3      | 940-0024C clone for Macs . . . . .      | 1        |
| <b>2</b> | <b>Belkin</b>                           | <b>2</b> |
| 2.1      | OmniGuard F6C***-RKM . . . . .          | 2        |
| <b>3</b> | <b>Eaton</b>                            | <b>2</b> |
| 3.1      | MGE Office Protection Systems . . . . . | 2        |
| 3.1.1    | DB9-DB9 cable (ref 66049) . . . . .     | 2        |
| 3.1.2    | DB9-RJ45 cable . . . . .                | 3        |
| 3.1.3    | NMC DB9-RJ45 cable . . . . .            | 4        |
| 3.1.4    | USB-RJ45 cable . . . . .                | 4        |
| 3.1.5    | DB9-RJ12 cable . . . . .                | 5        |
| 3.2      | Powerware LanSafe . . . . .             | 7        |
| 3.3      | SOLA-330 . . . . .                      | 7        |
| <b>4</b> | <b>HP - Compaq</b>                      | <b>8</b> |
| 4.1      | Older Compaq UPS Family . . . . .       | 8        |
| <b>5</b> | <b>Phoenixtec (Best Power)</b>          | <b>8</b> |
| <b>6</b> | <b>Tripp-Lite</b>                       | <b>9</b> |

---

# 1 APC

## 1.1 940-0024C clone

From D. Stimits



### Note

The original 940-0024C diagram was contributed by Steve Draper.

## 1.2 940-0024E clone

Reported by Jonathan Laventhol

This cable is said to use the same wiring as 940-0024C clone.

## 1.3 940-0024C clone for Macs

From Miguel Howard



## 2 Belkin

### 2.1 OmniGuard F6C\*\*\*-RKM

From "Daniel"

A straight-through RS-232 cable (with pins 2-7 connected through) should work with the following models:

- F6C110-RKM-2U
- F6C150-RKM-2U
- F6C230-RKM-2U
- F6C320-RKM-3U

## ● RS232

Character based protocol



## 3 Eaton

Documents in this section are provided courtesy of Eaton.

### 3.1 MGE Office Protection Systems

The three first cables also applies to MGE UPS SYSTEMS and Eaton.

#### 3.1.1 DB9-DB9 cable (ref 66049)

This is the standard serial cable, used on most units.



### 3.1.2 DB9-RJ45 cable

This cable is used on the more recent models, including Ellipse MAX, Protection Station, ...



### 3.1.3 NMC DB9-RJ45 cable

The following applies to the MGE 66102 NMC (Network Management Card), and possibly other models. The NMC connection is an 8P8C RJ45-style jack.

| Signal | PC     | NMC    |
|--------|--------|--------|
|        | 1,4,6  |        |
| TxD    | 2      | 3      |
| RxD    | 3      | 6      |
| GND    | 5      | 4      |
|        | 7,8    |        |
|        | shield | shield |

### 3.1.4 USB-RJ45 cable

This cable is used also on the more recent models, including Ellipse MAX, Protection Station, ...

CABLE :



3.1.5 DB9-RJ12 cable

This cable is used on some older Ellipse models.



Sub D 9 :



RJ 12 :



CABLE :



### 3.2 Powerware LanSafe

LanSafe for  
**3115 / 5105 / 5119 / 9110 / 9150 / 9305**



### 3.3 SOLA-330

Just uses a normal serial cable, with pin 1-1 through to 9-9.



## 4 HP - Compaq

### 4.1 Older Compaq UPS Family

This cable can be used with the following models:

T700, T1000, T1500, T1500j, T700h, T1000h, T1500h, R1500, R1500j, R1500h, T2000, T2000j, T2400h, T2400h-NA, R3000 / R3000j, R3000h, R3000h-International, R3000h-NA, R6000h-NA, R6000i, R6000j.

UPS                      PC    9 pin connector

|   |       |       |
|---|-------|-------|
| 1 | ----- | 3     |
| 2 | ----- | 2     |
|   |       | 4 - \ |
| 4 | ----- | 5     |
|   |       | 6 - / |
| 6 | ----- | 7     |

Contributed by Kjell Claesson and Arnaud Quette.

## 5 Phoenixtec (Best Power)

Many Best Power units (including the Patriot Pro II) have a female DB-9 socket with a non-standard pinout.

| Signal | PC    | UPS |
|--------|-------|-----|
|        | 1,4,6 | NC  |
| TxD    | 2     | 2   |
| RxD    | 3     | 1   |
| GND    | 5     | 4   |
|        | 7,8   | NC  |

Sources:

- [http://pinoutsguide.com/UPS/best\\_power\\_pinout.shtml](http://pinoutsguide.com/UPS/best_power_pinout.shtml)
- [http://lit.powerware.com/ll\\_download.asp?file=m\\_patriotproii\\_jan99.pdf](http://lit.powerware.com/ll_download.asp?file=m_patriotproii_jan99.pdf)
- Stan Gammons

## 6 Tripp-Lite

From Tripp-Lite, via Bryan Kolodziej

This cable (black 73-0844 cable) is used on various models, using the "Lan 2.2 interface" and the genericups driver (upstype=5).

