

# Notes of "The Limit of A Sequence"

Jinxin Wang

## 1 Definition of the Limit of a Sequence

**Definition 1** (The Limit of a Sequence). ( $\epsilon$ - $N$ )  
(neighborhood- $N$ )

**Remark 1.** *The two definitions of the limit of a sequence is equivalent. The equivalence relation between them relies on the definition of a neighborhood.*

**Definition 2** (Divergence).

## 2 Properties of the Limit of a Sequence

### 2.1 General Properties

- 有限点无关性: A finite number of terms of a sequence doesn't affect the convergence of the sequence. (Proof: definition)
- 唯一性: The limit of a convergent sequence is unique. (Proof: contradiction + definition)
- 有界性: A convergent sequence is bounded. (Proof: definition)

### 2.2 Properties Involving Arithmetic Operations

**Theorem 1** (极限的四则运算).

### 2.3 Properties Involving Inequalities

**Theorem 2** (保序性).

**Theorem 3** (夹逼性).

## 3 Infinity

### 3.1 Definition of Infinity

**Definition 3** (Infinity, Positive Infinity, Negative Infinity).

**Corollary 1** (Relation between Infinity and Infinitesimal).

**Definition 4** (Not an Infinity).

### 3.2 Operations Involving Infinity

## 4 Existence of the Limit of a Sequence

### 4.1 Cauchy's Convergence Criterion

### 4.2 Existence of the Limit of a Monotonic Sequence

#### 4.2.1 e

**Proposition 1.** *The sequences  $a_n = (1 + \frac{1}{n})^n$  and  $b_n = (1 + \frac{1}{n})^{n+1}$  are convergent, and they have the same limit values.*

证明.

□

**Definition 5.**

**Proposition 2.**  $e = \sum_{n=0}^{\infty} \frac{1}{n!} = 1 + 1 + \frac{1}{2!} + \frac{1}{3!} + \cdots + \frac{1}{n!} + \cdots$

证明.

□

**Proposition 3.**  $e = \lim_{n \rightarrow \infty} \frac{n}{\sqrt[n]{n!}}$

证明.

□

#### 4.2.2 pi

#### 4.2.3 Euler Number

**Theorem 4** (Weierstrass Theorem / 单调有界数列收敛定理).

**Corollary 2.** 当数列严格单调增加时,

### 4.3 Subsequences and the Partial Limits

### 4.4 闭区间套定理

## 5 The Limit of Transformed Sequences

### 5.1 Undertermined Form

### 5.2 Toeplitz's Theorem

**Theorem 5.** *Suppose there exists a sequence  $\{t_{nk}\}$  such that  $\forall n, k \in \mathbb{N}^+, t_{nk} \geq 0, \sum_{k=1}^n t_{nk} = 1, \lim_{n \rightarrow \infty} t_{nk} = 0$ . If  $\lim_{n \rightarrow \infty} a_n = a$ , then*

$$\lim_{n \rightarrow \infty} \sum_{k=1}^n t_{nk} a_k = a$$

**Remark 2.** *The condition in the Toeplitz' Theorem  $\lim_{n \rightarrow \infty} t_{nk} = 0$  means that for any given  $k$ , in other words  $k$  is finite,  $t_{nk}$  tends to 0 when  $n$  tends to  $\infty$ . This is supported by the proof, since in the proof we only need the first finite number of terms in the sequence  $\{t_{nk}\}$  to converge to 0.*

### 5.3 Stolz's Theorem

**Theorem 6** ( $\frac{0}{0}$  type). Suppose  $\lim_{n \rightarrow \infty} a_n = 0$ ,  $\lim_{n \rightarrow \infty} b_n = 0$ , and  $\{a_n\}$  is decreasing. If

$$\lim_{n \rightarrow \infty} \frac{b_{n+1} - b_n}{a_{n+1} - a_n} = l$$

then

$$\lim_{n \rightarrow \infty} \frac{b_n}{a_n} = l$$

**Theorem 7** ( $\frac{*}{\infty}$  type). Suppose  $\{a_n\}$  is increasing and  $\lim_{n \rightarrow \infty} a_n = \infty$ . If

$$\lim_{n \rightarrow \infty} \frac{b_{n+1} - b_n}{a_{n+1} - a_n} = l$$

then

$$\lim_{n \rightarrow \infty} \frac{b_n}{a_n} = l$$

证明. Method: By Toeplitz's Theorem

$$t_n k = \left\{ \frac{a_1}{a_n}, \frac{a_2 - a_1}{a_n}, \frac{a_3 - a_2}{a_n}, \dots, \frac{a_n - a_{n-1}}{a_n} \right\}$$

$$c_n = \left\{ \frac{b_1}{a_1}, \frac{b_2 - b_1}{a_2 - a_1}, \frac{b_3 - b_2}{a_3 - a_2}, \dots, \frac{b_n - b_{n-1}}{a_n - a_{n-1}} \right\}$$

□

### 5.4 Cauchy's Proposition

**Proposition 4** (算术平均值形式). If  $\lim_{n \rightarrow \infty} a_n = a$ , then

$$\lim_{n \rightarrow \infty} \frac{a_1 + a_2 + \dots + a_n}{n} = a$$

**Proposition 5** (算术平均值等价形式). If  $\lim_{n \rightarrow \infty} (a_n - a_{n-1}) = a$ , then

$$\lim_{n \rightarrow \infty} \frac{a_n}{n} = a$$

**Proposition 6** (几何平均值形式). If  $\lim_{n \rightarrow \infty} a_n = a > 0$ , then

$$\lim_{n \rightarrow \infty} \sqrt[n]{a_1 a_2 \dots a_n} = a$$

## 6 方法与技巧

### 6.1 求数列极限

- 定义法: 使用的前提是已知极限值。
- 夹逼法
- Cauchy Proposition, Stolz Theorem, Topelitz Theorem
- 单调有界数列收敛原理
- Cauchy's Convergence Criterion

## 6.2 判定数列发散

- 利用数列发散的定义（数列收敛定义的反命题）
- 利用收敛数列性质的逆否命题
  - 无界数列一定发散
  - 有两个收敛到不同极限值的子列的数列一定发散
- 考察子列特性：有一个发散子列的数列一定发散
- Cauchy's Convergence Criterion

## 6.3 考察数列单调性

## 6.4 数列放缩技巧

- 加一项减一项结合三角不等式