

Insertion ,deletion,search,display using doubly link list

```
#include<stdio.h>
#include<stdlib.h>
struct node
{
    struct node *prev;
    struct node *next;
    int data;
};
struct node *head;
void insertion_beginning();
void insertion_last();
void insertion_specified();
void deletion_beginning();
void deletion_last();
void deletion_specified();
void display();
void search();
void main ()
{
    int choice =;
    while(choice!= 9)
    {
        printf("\n*****Main Menu*****\n");
        printf("\nChoose one option from the following list ...\n");
        printf("\n===== \n");
        printf("\n1.Insert in beginning\n2.Insert at last\n3.Insert at any random location\n4.Delete from
Beginning\n5.Delete from last\n6.Delete the node after the given
data\n7.Search\n8.Show\n9.Exit\n");
        printf("\nEnter your choice?\n");
        scanf("\n%d",&choice);
```

```
switch(choice)
{
    case 1:
        insertion_beginning();
        break;
    case 2:
        insertion_last();
        break;
    case 3:
        insertion_specified();
        break;
    case 4:
        deletion_beginning();
        break;
    case 5:
        deletion_last();
        break;
    case 6:
        deletion_specified();
        break;
    case 7:
        search();
        break;
    case 8:
        display();
        break;
    case 9:
        exit(0);
        break;
    default:
        printf("Please enter valid choice..");
}
```

```

    }
}
}
void insertion_beginning()
{
    struct node *ptr;
    int item;
    ptr = (struct node *)malloc(sizeof(struct node));
    if(ptr == NULL)
    {
        printf("\nOVERFLOW");
    }
    else
    {
        printf("\nEnter Item value");
        scanf("%d",&item);

        if(head==NULL)
        {
            ptr->next = NULL;
            ptr->prev=NULL;
            ptr->data=item;
            head=ptr;
        }
        else
        {
            ptr->data=item;
            ptr->prev=NULL;
            ptr->next = head;
            head->prev=ptr;
            head=ptr;
        }
    }
}

```

```

    }

    printf("\nNode inserted\n");
}

}

void insertion_last()
{
    struct node *ptr,*temp;

    int item;

    ptr = (struct node *) malloc(sizeof(struct node));
    if(ptr == NULL)
    {
        printf("\nOVERFLOW");
    }
    else
    {
        printf("\nEnter value");
        scanf("%d",&item);

        ptr->data=item;

        if(head == NULL)
        {
            ptr->next = NULL;

            ptr->prev = NULL;

            head = ptr;
        }
        else
        {
            temp = head;

            while(temp->next!=NULL)
            {
                temp = temp->next;
            }
        }
    }
}

```

```

    }

    temp->next = ptr;

    ptr ->prev=temp;

    ptr->next = NULL;

    }

}

printf("\nnode inserted\n");

}

void insertion_specified()
{
    struct node *ptr,*temp;

    int item,loc,i;

    ptr = (struct node *)malloc(sizeof(struct node));

    if(ptr == NULL)
    {
        printf("\n OVERFLOW");
    }
    else
    {
        temp=head;

        printf("Enter the location");

        scanf("%d",&loc);

        for(i=0;i<loc;i++)
        {
            temp = temp->next;

            if(temp == NULL)
            {
                printf("\n There are less than %d elements", loc);

                return;
            }

```

```

    }

    printf("Enter value");
    scanf("%d",&item);
    ptr->data = item;
    ptr->next = temp->next;
    ptr -> prev = temp;
    temp->next = ptr;
    temp->next->prev=ptr;
    printf("\nnode inserted\n");
}
}

void deletion_beginning()
{
    struct node *ptr;
    if(head == NULL)
    {
        printf("\n UNDERFLOW");
    }
    else if(head->next == NULL)
    {
        head = NULL;
        free(head);
        printf("\nnode deleted\n");
    }
    else
    {
        ptr = head;
        head = head -> next;
        head -> prev = NULL;
        free(ptr);
        printf("\nnode deleted\n");
    }
}

```

```

    }

}

void deletion_last()
{
    struct node *ptr;
    if(head == NULL)
    {
        printf("\n UNDERFLOW");
    }
    else if(head->next == NULL)
    {
        head = NULL;
        free(head);
        printf("\nnode deleted\n");
    }
    else
    {
        ptr = head;
        if(ptr->next != NULL)
        {
            ptr = ptr -> next;
        }
        ptr -> prev -> next = NULL;
        free(ptr);
        printf("\nnode deleted\n");
    }
}

void deletion_specified()
{
    struct node *ptr, *temp;

```

```

int val;

printf("\n Enter the data after which the node is to be deleted : ");

scanf("%d", &val);

ptr = head;

while(ptr -> data != val)

ptr = ptr -> next;

if(ptr -> next == NULL)

{

    printf("\nCan't delete\n");

}

else if(ptr -> next -> next == NULL)

{

    ptr ->next = NULL;

}

else

{

    temp = ptr -> next;

    ptr -> next = temp -> next;

    temp -> next -> prev = ptr;

    free(temp);

    printf("\nnode deleted\n");

}

}

void display()

{

    struct node *ptr;

    printf("\n printing values...\n");

    ptr = head;

    while(ptr != NULL)

    {

        printf("%d\n",ptr->data);

```



```

        ptr=ptr->next;
    }
}

void search()
{
    struct node *ptr;
    int item,i=0,flag;
    ptr = head;
    if(ptr == NULL)
    {
        printf("\nEmpty List\n");
    }
    else
    {
        printf("\nEnter item which you want to search?\n");
        scanf("%d",&item);
        while (ptr!=NULL)
        {
            if(ptr->data == item)
            {
                printf("\nitem found at location %d ",i+1);
                flag=0;
                break;
            }
            else
            {
                flag=1;
            }
            i++;
            ptr = ptr -> next;
        }
    }
}

```

```
        if(flag==1)
        {
            printf("\nItem not found\n");
        }
    }

}
```

Output

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

2

Enter value2

node inserted

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

3

Enter the location3

There are less than 3 elements

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning

- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

4

node deleted

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

7

Enter item which you want to search?

1

Item not found

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

7

Enter item which you want to search?

2

item found at location 1

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?

8

printing values...

2

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show

9.Exit

Enter your choice?

Enter item which you want to search?

2

item found at location 1

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

1.Insert in begining

2.Insert at last

3.Insert at any random location

4.Delete from Beginning

5.Delete from last

6.Delete the node after the given data

7.Search

8.Show

9.Exit

Enter your choice?

8

printing values...

2

\*\*\*\*\*Main Menu\*\*\*\*\*

Choose one option from the following list ...

=====

- 1.Insert in begining
- 2.Insert at last
- 3.Insert at any random location
- 4.Delete from Beginning
- 5.Delete from last
- 6.Delete the node after the given data
- 7.Search
- 8.Show
- 9.Exit

Enter your choice?



