4. Read a matrix from the console and check whether it is symmetric or not.

```
import java.util.*;
public class mat {
public static void main(String[] args) {


Scanner ip=new Scanner(System.in);
System.out.println("Enter the number of row: ");
int row=ip.nextInt();
System.out.println("Enter the number of coloumn: ");
int col=ip.nextInt();
if(row==col)
{
System.out.println("Matrix is symmetric ");
}
else
System.out.println("Matrix is not symmetric ");
}
}
```



5.Create CPU with attribute price. Create inner class Processor (no. of cores, manufacturer) and static nested class RAM (memory, manufacturer). Create an object of CPU and print information of Processor and RAM.

```
public class Cpu {
 int price;
 Cpu(int p) {
```

```
this.price = p;
}
class Processor {
int cores;
String manufacture; Processor(int n, String m) {
this.cores = n;
this.manufacture = m;
}
void display() {
System.out.println("No of Cores : " + this.cores);
System.out.println("Processor manufactures : " + this.manufacture);
}
}
static class Ram {
int memory;
String manufacture;
Ram(int n, String m) {
this.memory = n;
this.manufacture = m;
}
void display() {
System.out.println("Memory Size : " + this.memory);
System.out.println("Memory manufactures : " + this.manufacture);
}
}
void display() {
System.out.println("Price of CPU : " + this.price);
}
public static void main(String[] args) {
Cpu intel = new Cpu(30000);
Cpu.Processor i_processor = intel.new Processor(7, "intel");
```

```
Cpu.Ram i_ram = new Ram(1030, "hp");
intel.display();
i_processor.display();
i_ram.display();
}
}
```