The Bigger The Better II

Group 8-29 *

2022

Contents

1	Introduction		
	1.1	Rationale	2
	1.2	Research Questions	2
	1.3	Project Scope	2
2	Literature Review		3
3	Research Question 1		3
	3.1	Introduction	3
	3.2	Key Insights	3
	3 3	Solutions	3

^{*}Derrick Lukimin (L, 2i204), Tan Yong Yih (2i222), Wu Hao (2i324), Darren Yap (2i425)

1 Introduction

This project aims to find an algorithm to determine the side length of the largest square that can be inscribed inside a convex n-gon. It is a continuation from a previous project completed in 2021, The Bigger The Better. [1]

1.1 Rationale

Do note that the definition of inscribed is such that all vertices of the square lie on the sides of the polygon.

1.2 Research Questions

- 1. What is the side length of the largest square that can be inscribed in a triangle?
- 2. What is the side length of the largest square that can be inscribed in a regular n-gon, given $n \neq 4$?
- 3. What is the side length of the largest square that can be inscribed in a convex n-gon?

1.3 Project Scope

This project will mainly focus on polygons which are convex. This allows many restrictions to be made.

2 Literature Review

3 Research Question 1

3.1 Introduction

The first research question aims to find out the side length of the largest square that can be inscribed in a triangle, given the side lengths of the triangle.

3.2 Key Insights

- 1. It can be seen that no more than 2 vertices of a square can lie on a single side, as a square has at most 2 vertices lying on a single line.
- 2. We notice how a triangle has 3 sides, and a square has 4 vertices. In order for all the vertices to lie on the triangle, by pigeonhole principle, at least one side has at least 2 vertices lying on it.
- 3. Combining the first 2 insights, we can see that 2 sides of the triangle will have 1 vertices each lying on it, while the other side will have 2 vertices lying on it.

3.3 Solutions

A figure has been constructed for the purposes of illustrating the following proof.




Figure 1: The figure for RQ1.

We see that side c can be formed with s as well as $s \cot \angle A$ and $s \cot \angle B$.

$$c = s + s \cot \angle A + s \cot \angle B$$

$$s = \frac{c}{1 + \cot \angle A + \cot \angle B}$$

$$= \frac{c \sin \angle A}{\sin \angle A + \cos \angle A + \cot \angle B \sin \angle A}$$

$$= \frac{c \sin \angle A \sin \angle B}{\sin \angle A \sin \angle B + \cos \angle A \sin \angle B + \sin \angle A \cos \angle B}$$

$$= \frac{c \sin \angle A \sin \angle B}{\sin \angle A \sin \angle B + \sin (\angle A + \angle B)}$$

$$= \frac{c \sin \angle A \sin \angle B}{\sin \angle A \sin \angle B + \sin (180 - \angle C)}$$

$$= \frac{c \sin \angle A \sin \angle B}{\sin \angle A \sin \angle B + \sin \angle C}$$

$$= \frac{2Rc \sin \angle A \sin \angle B}{\sin \angle A \sin \angle B + \sin \angle C}$$

$$= \frac{2Rc \sin \angle A \sin \angle B}{2R \sin \angle A \sin \angle B + 2R \sin \angle C}$$

$$= \frac{ac \sin \angle B}{a \sin \angle B + c}$$

$$= \frac{2Rac \sin \angle B}{2Ra \sin \angle B + 2Rc}$$

$$= \frac{abc}{2Rc + ab}$$

Since each of the sides of the triangle, a, b and c can be the longest side, we can take

the maximum of the three combinations, hence

$$s_{max} = \max\left(\frac{abc}{2Rc + ab}, \frac{abc}{2Rb + ac}, \frac{abc}{2Ra + bc}\right)$$
 (2)

For obtuse triangles, we notice that only 1 placement exist, when the square lies on the longest side. We have:

$$s_{max} = \frac{abc}{2Rc + ab} \tag{3}$$

where c is the longest side.

References

[1] H. Wu and X. C. Huo. "The Bigger The Better". In: (2021). URL: http://projectsday.hci.edu.sg/2021/05-Report/cat-08/8-02/index.pdf.