

Special Adjuvant Types

- Combination adjuvant products may be used at doses that provide the required amount of NIS, COC, MSO and/or ammonium nitrogen fertilizer. Consult product literature for use rates and restrictions.
- In addition to the adjuvants specified above, other adjuvant types may be used if they provide the same functionality.

SEQUENTIAL APPLICATIONS FOLLOWING PREEMERGENCE HERBICIDES

ACCENT® Q is best used in a planned postemergence weed control program as part of a sequential application herbicide program, following a before-planting application of: BASIS® Blend, CINCH®, CINCH ATZ, CINCH ATZ Lite, FulTime® NXT, INSTIGATE®, Keystone® NXT, Keystone® LA NXT, LEADOFF®, PREQUEL®, Resicore®, RESOLVE® Q, SureStart® II, Surpass® NXT herbicides and/or other preemergence applied corn herbicides.

Refer to the preemergence grass herbicide label for use restrictions, application information, rotational crop guidelines, and cautionary statements prior to applying ACCENT® Q.

DO NOT apply ACCENT® Q to corn that exhibits herbicide injury from previous applications made to the current or preceding crop.

TANK MIX APPLICATIONS

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

For Additional Control of Broadleaf Weeds

ACCENT® Q may be tank mixed with many herbicides registered for postemergence application in corn for additional control of broadleaf weeds. See the tank mix partner label for weeds controlled, precautions, use restrictions, adjuvant and crop rotation information. The most restrictive language on either label shall apply.

See SPRAY ADJUVANTS for adjuvant rate directions. See ADDITIONAL INSTRUCTIONS AND/OR INSTRUCTIONS FOR SPECIFIC WEED PROBLEMS below for additional information.

ADDITIONAL INSTRUCTIONS AND/OR INSTRUCTIONS FOR SPECIFIC WEED PROBLEMS

Reduced Rates of ACCENT® Q

ACCENT® Q may be applied at 0.45 - 0.9 ounces (0.015 - 0.031 lb ai) for control of the small grass weeds noted in the table below. Always use a crop oil concentrate plus ammonium nitrogen fertilizer when applying reduced rates of ACCENT® Q.

Weeds controlled with reduced rates of ACCENT® Q.

Grasses	Maximum Height or Diameter ACCENT® Q Rate		
	0.45 oz (0.015 lb ai)	0.7oz (0.024 lb ai)	0.9 oz (0.031 lb ai)
Barnyardgrass†	2"	3"	4"
Foxtails (bristly, giant†, green†)	2"	3"	4"
yellow†	--	2"	4"
Itchgrass	2"	4"	6"
Johnsongrass†, seedling	--	8"	12"
rhizome	--	8"	18"
Panicum (Texas, browntop)	1"	2"	3"
fall	1"	2"	4"
Sandbur (field, longspine)	--	1"	3"
Shattercane†	3"	6"	12"
Sorghum alnum†	3"	6"	12"
Timothy	2"	4"	6"
Volunteer cereals	--	2"	6"
Wild oats†	2"	3"	4"
Wild proso millet	--	2"	4"
Witchgrass	2"	4"	6"
Woolly cupgrass	--	--	4"

† Naturally occurring resistant biotypes are known to occur.

Tank Mixtures with Atrazine

ACCENT® Q may be tank mixed with up to 2 pounds a.i. atrazine* for additional control of many broadleaf weeds, including:

	Maximum Height or Diameter
Sicklepod	2"
Prickly sida	2"
Wild Radish	12"
Cutleaf evening primrose	6"
Florida pusley	2"

* For best results add 0.25 - 2.0 quarts (0.25 - 2 lb ai) Atrazine 4L OR 4 - 35 ounces (0.22 - 2 lb ai) Atrazine 90DF. Products containing atrazine are restricted use products.

ACCENT® Q + atrazine tank mixtures may result in reduced control of grasses (antagonism) if applied to grasses under low moisture stress or to grasses exceeding the maximum labeled height. Before applying ACCENT® Q + atrazine tank mixtures, refer to the atrazine product label for information regarding the maximum amount of atrazine that may be applied in a year.

Tank Mixtures with Mesotrione

ACCENT® Q may be tank mixed with mesotrione herbicide plus atrazine at 0.375 to 1.5 lb ai/acre for control of the following weeds. **DO NOT** use MSO adjuvants when tank mixing ACCENT® Q with mesotrione. Use a petroleum-based crop oil concentration plus an ammonium nitrogen fertilizer. Refer to the mesotrione label for additional information regarding tank mixtures, adjuvants and rotational crops

Species

Amaranth, Palmer
Cocklebur
Dandelion
Jimsonweed
Kochia
Lambsquarters, common
Morningglory, ivyleaf
Mustard, wild
Nightshade (black, Eastern black)
Pigweed (redroot, smooth)
Ragweed, common
Ragweed, giant
Smartweed, ladysthumb
Smartweed Pennsylvania
Sunflower, common
Velvetleaf
Waterhemp (tall & common)

Tank Mixtures with Topramezone

ACCENT® Q may be tank mixed with topramezone herbicide plus atrazine at 0.375 to 1.5 lb ai/acre for control of the following weeds. Refer to the topramezone label for additional information regarding tank mixtures, adjuvants and rotational crops.

Species

Amaranth, Palmer
Cocklebur, common
Jimsonweed
Kochia
Lambsquarter, common
Morningglory, annual
Mustard, wild
Nightshade, (black, Eastern black)
Pigweed (redroot, smooth)
Ragweed, common
Ragweed, giant
Smartweed, Pennsylvania
Smartweed, Ladysthumb
Sunflower, common
Thistle, Canada
Velvetleaf
Waterhemp, (tall, common)

ACCENT® Q with Glyphosate

Glyphosate may be tank mixed with post emerge applications of ACCENT® Q when made to glyphosate-resistant corn hybrids. Refer to the Spray Adjuvants section for additional information on proper adjuvant selection.