Testing the coder package

Jérôme LAURENS

March 18, 2022

1 Have pygments?

Path=/Users/jlaurens/opt/anaconda3/bin/pygmentize WITH PYGMENTS Path=/Users/jlaurens/opt/anaconda3/bin/python

- 2 Sandbox
- 3 Testing the tag mechanism
- 4 \CDR_tag_choices_set:
- 5 \CDR_tag_boolean_set:
- 6 int
- 7 \CDRSet
- 8 \CDRCode
- 9 CDRBlock
- 9.1 Line numbering
- 9.1.1 fancyvrb linear
- Α
- Α
- 1 A
- 2 B
- з **С**

- 4 **A**
- 5 B
- 6 C
- 7 **A**
- 8 B
- 9 C

$9.1.2 \hspace{0.2in} \textbf{fancyvrb} \hspace{0.1in} \textbf{multi} \hspace{0.1in} \textbf{tags}$

- 1 A=*1,B=1,C=1
- 2 A=2,B=*2,C=2
- $_{3}$ A=2,B=*3,C=3
- A=2,B=4,C=*4
- 5 A=2,B=4,C=*5
- 6 A=2,B=4,C=*6
- $_{7}$ A=2,B=5,C=*7
- 8 A=2,B=6,C=*8
- $_{7}$ A=2,B=*7,C=9
- 8 A=3,B=*8,C=9
- 9 A=4,B=*9,C=9
- 5 A=*5,B=10,C=9
- 6 A=*6,B=10,C=10
- $_{7}$ A=*7,B=10,C=11

9.2 fancyvrb properties

- 10 **A**
- 11 B
- 12 C

9.3 Display tags

tests start here:
PYGMENTS:false
PYGMENTS:true
TAGS:NONE,ENON
TAGS:NONE,ENON

•		
function foo(arg)	return 0 end	3
NONE:4		
ENON:4		
function foo(arg)	no tags expected	4
2		5
3		6
4		7
5 6		8
end		10
NONE:11		
ENON:11		
<pre>function foo(arg)</pre>	no tags expected	1
2		2
3		3
4 5		4 5
6		6
end		7
NONE:8		
ENON:8		