

## Exercises for Module 1: Proofs

1. Prove De Morgan's Laws for propositions:  $\neg(P \wedge Q) = \neg P \vee \neg Q$  and  $\neg(P \vee Q) = \neg P \wedge \neg Q$  (Hint: use truth tables).

2. Write the following statements and their negations using logical quantifier notation and then prove or disprove them:

(i) Every odd integer is divisible by three

(ii) For any real number, twice its square plus twice itself plus 6 is greater than or equal to five. (*You may assume knowledge of calculus.*)

(iii) Every integer can be written as a unique difference of two natural numbers.

3. Prove the following statements:

(i) If  $a|b$  and  $a, n \in \mathbb{Z}_{>0}$  (positive integers), then  $a \leq b$ .

(ii) If  $a|b$  and  $a|c$ , then  $a|(xb + yc)$ , where  $x, y \in \mathbb{Z}$ .

(iii) Let  $a, b, n \in \mathbb{Z}$ . If  $n$  does not divide the product  $ab$ , then  $n$  does not divide  $a$  and  $n$  does not divide  $b$ .

4. Prove that for all integers  $n \geq 1$ ,  $3|(2^{2n} - 1)$ .

5. Prove the Fundamental Theorem of Arithmetic, that every integer  $n \geq 2$  has a unique prime factorization (i.e. prove that the prime factorization from the last proof is unique).

6. Let  $A = \{x \in \mathbb{R} : x < 100\}$ ,  $B = \{x \in \mathbb{Z} : |x| \geq 20\}$ , and  $C = \{y \in \mathbb{N} : y \text{ is prime}\}$ . Find  $A \cap B$ ,  $B^c \cap C$ ,  $B \cup C$ , and  $(A \cup B)^c$ .