

# COMP161 - Lab 3 & Homework 3

Spring 2015

Lab 3 and Homework 3 give you practice with writing and testing basic functional procedures.

## Lab 3

For lab you'll be working with the following problem from the first edition of *How to Design Programs*.

**Exercise 3.3.1.** The United States uses the English system of (length) measurements. The rest of the world uses the metric system. So, people who travel abroad and companies that trade with foreign partners often need to convert English measurements to metric ones and vice versa.

Here is a table that shows the six major units of length measurements of the English system:

English		metric
1 inch	=	2.54 cm
1 foot	=	12 in.
1 yard	=	3 ft.
1 rod	=	5(1/2) yd.
1 furlong	=	40 rd.
1 mile	=	8 fl.

Develop the functions inches→cm, feet→inches, yards→feet, rods→yards, furlongs→rods, and miles→furlongs. Then develop the functions feet→cm, yards→cm, rods→inches, and miles→feet. Hint: Reuse functions as much as possible. Use variable definitions to specify constants.

1

This problem lists several functions. **For lab you must complete and submit the inches to centimeters conversion.** Submit your source documents<sup>2</sup> as assignment *lab3* with *handin*. Do not submit objects, executables, temporary files created by emacs, or any other non-source file.

## Homework 3

**Due by class time Wednesday 2/4. Submit as hwk3.**

1. Complete the remainder of the functions from the lab problem for unit conversions.

<sup>1</sup> You cannot use `- >` in function names in C++, so you'll need to adjust the names accordingly.

<sup>2</sup> cpp and h files

2. Design and develop a procedure for the following problem<sup>3</sup><sup>3</sup> again, courtesy of *HtDP1e*

**Exercise 4.4.3.** Some credit card companies pay back a small portion of the charges a customer makes over a year. One company returns

.25% for the first \$500 of charges,

.50% for the next \$1000 (that is, the portion between \$500 and \$1500),

.75% for the next \$1000 (that is, the portion between \$1500 and \$2500),

and 1.0% for everything above \$2500.

Thus, a customer who charges \$400 a year receives \$1.00, which is  $0.25 \times 1/100 \times 400$ , and one who charges \$1,400 a year receives \$5.75, which is  $1.25 = 0.25 \times 1/100 \times 500$  for the first \$500 and  $0.50 \times 1/100 \times 900 = 4.50$  for the next \$900.

Determine by hand the pay-backs for a customer who charged \$2000 and one who charged \$2600.

Define the function `pay-back`, which consumes a charge amount and computes the corresponding pay-back amount.

*Problem Set*

These two problems are probably not enough practice with working the design recipe in C++. Give some serious consideration to working on these problems. You never know, they should show up on a quiz...

1. From *HtDP1e*. Problems are listed as *chapter.section.problem* numbers.<sup>4</sup>

<sup>4</sup> <http://htdp.org/2003-09-26/Book/>

(a) (Atomics) 3.3.2 - 3.3.5

(b) (Itemized) 4.4.4

2. *HtDP* Online Problem Sets<sup>5</sup>

<sup>5</sup> <http://htdp.org/2003-09-26/Problems/>

(a) (Itemized) Section 4