
Intent

⇒ Provide a unified interface to a set of interfaces in a subsystem. Facade defines a higher-level interface that makes the subsystem easier to use.

Motivation

- ⇒ Structuring a system into subsystems helps reduce complexity
- ⇒ Subsystems are groups of classes, or groups of classes and other subsystems
- ⇒ The interface exposed by the classes in a subsystem or set of subsystems can become quite complex
- → One way to reduce this complexity is to introduce a facade object that provides a single, simplified interface to the more general facilities of a subsystem

Motivation




Applicability

Use the Facade pattern:

- ⇒ To provide a simple interface to a complex subsystem. This interface is good enough for most clients; more sophisticated clients can look beyond the facade.
- ⇒ To decouple the classes of the subsystem from its clients and other subsystems, thereby promoting subsystem independence and portability

Structure



Consequences

- ⇒ Benefits
 - → It hides the implementation of the subsystem from clients, making the subsystem easier to use
 - → It promotes weak coupling between the subsystem and its clients. This allows you to change the classes the comprise the subsystem without affecting the clients.
 - → It reduces compilation dependencies in large software systems
 - → It simplifies porting systems to other platforms, because it's less likely that building one subsystem requires building all others
 - → It does not prevent sophisticated clients from accessing the underlying classes
 - → Note that Facade does not add any functionality, it just simplifies interfaces
- ⇒ Liabilities
 - → It does not prevent clients from accessing the underlying classes!

Facade Pattern Example

• A compiler

