Supplemental material for the article: Avoidable deaths caused stagnation and reversal in adulthood survival improvements in Mexican states, 1990-2015

José Manuel Aburto 1 and Tim Riffe 2

¹Department of Public Health & Max Planck Odense Center on the Biodemography of Aging at University of Southern Denmark

²Max Planck Institute for Demographic Research

February 6, 2017

Supplemental material

Appendix Table 1. Definitions of cause-of-death categories using the 9th and 10th revision of the International Classification of Diseases.

Category	ICD-10	ICD-9
I. Amenable to medical service		
I.A. AM-Infectious & respiratory diseases: intestinal infections, tuberculosis, zoonotic bacterial diseases, other bacterial diseases, septicemia, poliomyelitis, measles, rubella, infectious hepatitis, ornithosis, rickettsioses/arthropod-borne, syphilis (all forms), yaws, respiratory diseases, influenza & pneumonia, chronic lower respiratory diseases	A00-A09, A16-A19, B90, A20-A26, A28, A32, A33, A35, A36, A37, A40-A41, A80, B05-B06, B15-B19, A70, A68, A75, A77, A50- A64, A66, J00-J08, J20- J39, J60-J99, J09-J18, J40-J47	001-009, 010-018, 32, 33, 37, 137, 020-027, 38, 45, 55-56, 70, 73, 080-082, 087, 090-099, 102, 460-479, 500-519, 480-488, 490-496
I.B. AM-Cancers: malignant neoplasm of colon, skin, breast, cervix, prostate, testis, bladder, kidney-Wilm's tumor only, eye, thyroid carcinoma, Hodgkins disease, leukemia	C16,C18-C21, C43-C44, C50, C53, C61, C62, C67, C64, C69, C73, C81, C91-C95	153-154, 172-173, 174, 180, 185, 186, 188-189, 190, 193, 201, 204-208
I.C. AM-Circulatory: active/acute rheumatic fever, chronic rheumatic heart disease, hypertensive disease, cerebrovascular disease	I00-I02, I05-I09, I10-I13, I15, I60-I69	390-392, 393-398, 401-405, 430-438
I.D. AM-Birth: maternal deaths (all), congenital car- diovascular anomalies, perinatal deaths (excluding stillbirths)	O00-O99, Q20-Q28, P00- P96	630-676, 745-747, 760-779
I.E. AM-Other: disease of thyroid, epilepsy, peptic ulcer, appendicitis, abdominal hernia, cholelithiasis & cholecystitis, nephritis, benign prostatic hyperplasia, misadventures to patients during surgical or medical care, cisticerchosis	E00-E07, 40-G41, K25- K27, K35-K38, K40-K46, K80-K81, N00-N07, N17- N19, N25-N27, N40, Y60- Y69, Y83-Y84, B69	240-246, 345, 531-533, 540-543, 550-553, 574-575.1, 580-589, 600, E870-E876, E878-E879
II. Diabetes	E10-E14	250
III. Ischemic Heart Diseases (IHD)	I20-I25	410-414, 429.2
IV. HIV/AIDS	B20-B24	279.1, 042-044
V. Lung cancer	C33-C34	162
VI. Cirrhosis	K70	571.1-571.3
VII. Homicides	X85-Y09	E960-E969
VIII. Road traffic accidents	V01-V99	E810-E819
IX. Suicide and self-inflicted injuries	U03, X60-X84, Y87.0	E950-E959
X. Residual Causes: other cancers and other heart diseases	C00-D48, I00-I99 if not listed above, R00-R99	140-239, 390-459 if not listed above, 780-799

Total deaths Suicide Other causes Exposures 2000 3000 4000 5000 6000 000009 180000 1.1e+08 500000 160000 9.0e+07 15000 20000 25000 400000 140000 Lung cancer Cirrhosis Homicide Road traffic accidents 7000 18000 40000 60000 800001000d@000 11000 12000 13000 5500 6000 6500 Death counts 16000 14000 10000 12000 2000 Ischemic heart diseases HIV/AIDS AMS Diabetes 7e+04 170000 5e+04 3000 36+04 1990 1995 2000 2005 2010 2015 1990 1995 2000 2005 2010 2015 1990 1995 2000 2005 2010 2015 1990 1995 2000 2005 2010 2015 Year

Figure 1: Cause-specific mortality counts, 1990-2010.

Note: AMS "amenable to medical service". The red line indicates the change in ICD revision. Source: INEGI files.

Temporary Life Expectancy

Temporary life expectancy between ages x_1 and x_2 , for $x_1 < x_2$, is defined as the average years of life lived between these ages according to a given set of mortality rates (?). We denote this quantity as $e(x_1, x_2)$, and its benchmark minimum as $e^*(x_1, x_2)$. Defined in terms of lifetable survivorship, $\ell(x)$:

$$e(x_1, x_2) = \frac{\int_{x_1}^{x_2} \ell(x) \, dx}{\ell(x_1)} \tag{1}$$

If full survival is achieved, the maximum life expectancy is $x_2 - x_1$. For example, if we set $x_1 = 0$ and $x_2 = 14$, if no person dies between the ages 0 and 14, on average the population lives 14 full years.

Figure 2: Survival inequality by age group and sex, 1990-2010.






Figure 3: Cause-specific contributions to state differences from low mortality benchmark for older female adults, 1990-2010. States grouped into three regions.)




Note: AMS is "amenable to medical service", IHD is "isquemic heart diseases", and RTA is "road traffic accidents". Source: calculations based on INEGI and SOMEDE files.

Figure 4: Cause-specific contributions to state differences from low mortality benchmark for male young people, 1990-2010.




Note: AMS is "amenable to medical service", IHD is "isquemic heart diseases", and RTA is "road traffic accidents". Source: calculations based on INEGI and SOMEDE files.

Figure 5: Cause-specific contributions to state differences from low mortality benchmark for female young people, 1990-2010.




AMS is "amenable to medical service", IHD is "isquemic heart diseases", and RTA is "road traffic accidents". Source: calculations based on INEGI and SOMEDE files.

Figure 6: Cause-specific contributions to state differences from low mortality benchmark for male young adults, 1990-2010.



AMS is "amenable to medical service", IHD is "isquemic heart diseases", and RTA is "road traffic accidents". Source: calculations based on INEGI and SOMEDE files.

Figure 7: Cause-specific contributions to state differences from low mortality benchmark for female young adults, 1990-2010.



AMS is "amenable to medical service", IHD is "isquemic heart diseases", and RTA is "road traffic accidents". Source: calculations based on INEGI and SOMEDE files.

Figure 8: Distance from low mortality benchmark for selected years between ages 0-14




Figure 9: Distance from low mortality benchmark for selected years between ages 15-39




Figure 10: Distance from low mortality benchmark for selected years between ages 40-74

