

****Note:** Antibigrams are changed annually and digital Antibigram+ is the most up to date resource. The following are based on BCH Antibigram. **Sensitivities at BMC are different** (e.g., higher rates of clindamycin resistant MRSA)

Gram Negative Susceptibilities																	
Gram Negative	Amikacin	Ampicillin	Amp-Sulb	Aztreonam	Cefazolin (1 st)	Cefepime (4 th)	Ceftiaxone (3 rd)	Ceftazidime (3 rd)	Ciprofloxacin	Gentamicin	Levofloxacin	Meropenem	Minocycline	Nitrofurantoin	Pip-Tazo	Tobramycin	TMP-SMX
Citrobacter	●	-	-	-	-	●	-	-	●	▲	-	●	-	-	-	-	+
E. Coli	●	-	-	-	-	▲	▲	▲	+	▲	-	●	-	-	●	-	-
Enterobacter cloacae	●	-	-	-	-	●	-	-	●	●	-	●	-	-	-	-	▲
Haemophilus influenzae	-	-	▲	▲	-	●	▲	▲	▲	-	-	▲	▲	-	▲	-	-
Klebsiella pneumoniae	●	-	-	-	-	●	▲	▲	●	●	-	●	-	-	▲	-	▲
Moraxella catarrhalis	-	-	▲	-	-	●	▲	▲	▲	-	-	▲	▲	-	▲	-	▲
Neisseria gonorrhoeae	▲	-	-	▲	-	▲	▲	▲	-	▲	-	▲	-	-	-	▲	-
Neisseria meningitidis	-	▲	▲	▲	-	▲	▲	▲	▲	-	-	▲	-	-	▲	-	-
Proteus mirabilis	●	+	▲	-	-	●	●	●	●	●	-	●	-	-	●	-	▲
Pseudomonas aeruginosa	●	-	-	-	-	▲	-	●	▲	▲	-	●	-	-	●	●	-
Pseudomonas aeruginosa, CF	-	-	-	-	-	+	-	▲	-	-	-	-	-	-	▲	▲	-
Stenotrophomonas	-	-	-	-	-	-	-	-	-	-	+	-	●	-	-	-	●

Key: ● = 90-100%, ▲ = 80-89%, + = 70-79%
Sources exclude outpatient urine