
# Krypton Calibration Run 8174

Krypton Calibration Group

### Conditions and data

Table: Conditions and data for run 8174

| Conditions             | Data       |
|------------------------|------------|
| run number             | 8174       |
| file range             | (0,9736)   |
| date                   | 2020-10-08 |
| lab temperature:       | 20.0 deg   |
| Total number of S2s    | 1173422    |
| Total number of events | 858220     |






Figure: Run data.

Table: S1 & S2 for run 8174

| Conditions             | Data |
|------------------------|------|
| fraction of S1s        | 0.79 |
| fraction of S2s (1 S1) | 0.75 |
| fraction 1 S2 & 1 S1   | 0.59 |




Figure: S1 distributions.




Figure: S2 distributions.

#### Control distributions




Figure: XYZ distribution.

### Lifetime maps




Figure: Lifetime and geometrical map.

# Lifetime maps





Figure: Average lifetime.

### Lifetime and geometry correction



# R Profile showing R dropout





Figure: R profile shows that fiducial volume must be R < 180mm.

#### Profiles after R < 180mm






Figure: Profiles showing correction is robust.

#### Resolution fits as a function of R and Z




Figure: Resolution fits.

#### Resolution as a function of R and Z




Figure: Resolution fits.

## Efficiency over time




Figure: Efficiency tracking over time.




Figure: Response tracking over time.

#### Lifetime over time




Figure: Lifetime tracking over time.




Figure: Resolution tracking over time.