

C10156: Intro Programming in Python

Splash 2015

Jordan Moldow (jmoldow@alum.mit.edu)

MIT Educational Studies Program

Nov. 22, 2015

Outline

- 1 Introduction to Programming
- 2 Introduction to Python
- 3 Expressions and Variables
- 4 Control Flow

Learning Goals for this Lesson

- 1 Know what programming is
- 2 Have an idea of the power of programming
- 3 Know how to get started with a Python coding environment
- 4 Be able to write simple Python programs that print text
- 5 Be able to use expressions to calculate values from multiple pieces
- 6 Be able to assign to, and manipulate, variables
- 7 Be able to work with user input
- 8 Be able to use conditionals to control the flow of programs
- 9 Apply all of the above concepts to solve math challenges or create simple games


What does a program do?

- Provides instructions to a computer
- Produces output
 - Print text to console
 - Write to file
 - Draw on screen
- Acts on input
 - Keyboard presses
 - Mouse clicks
 - File contents



What does a programmer do?

- Write human-readable “source code”
- Use another program to interpret that as machine instructions



"Man, person, user icon" by Designez Base is licensed as free for commercial use

https://www.iconfinder.com/icons/186382/man_person_user_icon


<https://www.iconfinder.com/Designerbaze>

Why do we care about programming?




General Programming Steps

- 1 Pick a programming language
- 2 Write “source code” inside a text file
- 3 Use “compiler” or “interpreter” to translate source into binary / machine code that is understandable by computers
- 4 Computer executes code



Compilers vs. Interpreters

- Compiler outputs machine code into new file
 - This binary file is executable
- Interpreter immediately executes machine code
 - The source code file is executable by interpreter
 - Python is an interpreted language



Python Programs

- Source code file type is .py
- Code is written in a text editor
 - Notepad, Notepad++, vim, emacs, gedit, textedit, etc.
 - NOT Word, OpenOffice, LibreOffice
- Use the program called python (the interpreter) to execute code
- Optionally, an IDE can do both steps
 - Python IDLE
 - Web IDEs, e.g.
`https://repl.it/languages/python3`

Getting Set Up

Instructions

- 1 Log in to your computer
- 2 Open the web browser
- 3 Go to <https://repl.it/languages/python3>
- 4 Type something on line 1 in the left box
- 5 Press “save”
- 6 Email the link to yourself, or write it down



repl.it Python Interpreter

- Left side is source code, right side is interactive interpreter
- Type stuff into the right and press “Enter” key
- Type stuff into the left and press “run” button
 - Don’t forget to press “save” button periodically
- In its most basic form, the interpreter acts like a calculator, supporting all basic mathematical operations and orders of operations
- Of course, Python is infinitely more powerful than this, and we will slowly build up our knowledge of what it can do



Writing and Saving Programs

- No code you write into the interpreter on the right is permanent – it will be lost when you re-run programs from the left
- For simple one-line statements, use the interpreter on the right to try them out
- For anything longer, write it into the program window, then “save” and “run”



Hello World! Your First Program!

- A programming tradition – your first program simply outputs the text `Hello World!`
- “Output”, in this and most cases, means to write text on the screen

Instructions

- 1 Copy this program into the program window on the left

```
# Program: hello.py  
  
print("Hello World!")
```

- 2 Press “save”
- 3 Press “run”

Basic Python syntax

- Python is CASE SENSITIVE!
 - This means that `Print("Hello World!")` is WRONG
- `#` starts a comment
 - Everything on the line after the `#` is the comment
 - Comments have no effect on the program
 - Use them so others can understand your program
- `"` starts and ends a string
 - A string is a sequence of characters
 - If you want the quote character, use `\`
 - `"\"Hello World!\""` is the string consisting of the characters `"Hello World!"`
- Programs are made up of one-line statements:

```
do_this_first
then_do_that
finally_do_something_else
```

The `print` Function - Part 1

- This function is used for outputting text on the screen
- `print("Hello World!")` **outputs** `Hello World!`
- `print("text")` **outputs** `text` (literally)
- Don't forget the parentheses and the quotation marks!
- The enclosing quotation marks don't show up in the output
- After the text, a line break is output
- Can include line break in string with `\n` character

So wait, can Python do anything besides print messages?

- Yes, it can!
- Python can calculate the results of expressions
- Python can store and manipulate data using variables

Literals

- The building blocks of expressions
- A basic representation of a simple value
- Integer literals - 0, 17, -10, etc.
- Floating point literals - 1.0, 3.14159, etc.
- String literals - "Hello World!", etc.
- Boolean literals - True, False

The `print` Function - Part 2

- Can be used to print any literal

```
print(17)
print(3.14159)
print("Hello World!")
print(True)
print(False)
```

Arithmetic Expressions

Addition (+)	$17 + 5$	22
Subtraction (-)	$17 - 5$	12
Multiplication (*)	$17 * 5$	85
Division (/)	$17 / 5$	3.3999999999999999
Integer Division (//)	$17 // 5$	3
Modulus (%)	$17 \% 5$	2
Parenthesis (())	$(17 + 5) * 2$	44
Negative (-)	$-(17 + 5)$	-22

The `print` Function - Part 3

- Can be used to print any expression

```
print(17 + 5)
print(17 - 5)
print(17 % 5)
```

- Can print multiple expressions on one line

```
print("The value of 17 + 5 is", 17 + 5)
```

- Interactive interpreter can print expressions without typing `print`

Logical (Boolean) Expressions

Equality (==)	17==5	False
Inequality (!=)	17!=5	True
Greater than (>)	17>5	True
Greater than or equal (>=)	17>=5	True
Less than (<)	17<5	False
Less than or equal (<=)	17<=5	False

```
print(17 == 17)
print(17 == 5)
print(17 != 5)
print(17 > 5)
print(17 <= 5)
print(17 == (12 + 5))
print(True == True)
print(True == False)
```

Variables

- Can store values into memory locations
- Reference this memory with **variables**

```
variable = expression
```

- Computes value of `expression`, and **assigns** it to `variable`

```
temperature = 50  
average = (17.5 + 73.9) / 2  
temperature = temperature - 10
```

- In the last example, the expression value overwrites the old stored value in memory
- Variable name must start with a letter, consists of letters, numbers, and underscores

The `print` Function - Part 4

- Variables can be used as values, and used in expressions
- So `print` can display stored values

```
temperature = 50  
print(temperature)  
print(temperature - 10)
```

User input

```
name = input("What is your name? ")  
print("Your name is", name)  
  
temperature = int(input("What is the temperature? "))  
print("That is", temperature - 32, "above freezing")
```


Coding Challenge

- Write code to take two numbers of user input, add them together, and print the result.
- Write code to take the temperature in fahrenheit and print it in celsius.
 - $C = \frac{F - 32}{1.8}$

Conditional Execution with `if`-statements

- Execute a block of code only if an expression is `True`.

```
temperature = int(input("What is the temperature? "))  
print("The temperature is", temperature)  
if temperature < 32:  
    print("It is below freezing!")  
    print("Don't forget to wear your jacket!")
```

- Those messages will only print when the temperature is below 32
- `if`, followed by the true/false expression, followed by a colon
- The conditional block must be indented

Conditional Execution with `else`-statements

- Execute a block of code only if the immediately preceding `if`-statement was `False`

```
temperature = int(input("What is the temperature? "))  
print("The temperature is", temperature)  
if temperature < 32:  
    print("It is below freezing!")  
else:  
    print("It is", temperature - 32, "degrees above freezing")
```

- `if`-statement and block, followed by un-indented `else:` (with colon)
- The conditional block must be indented

Conditional Execution with `elif`-statements

- Execute a block of code only if all the immediately preceeding `if` and `elif`-statements were `False`

```
temperature = int(input("What is the temperature? "))
print("The temperature is", temperature)
if temperature < 32:
    print("It is below freezing!")
elif temperature == 32:
    print("We're at the freezing point!")
elif temperature < 100:
    print("It is", temperature - 32, "degrees above freezing")
else:
    print("It is really hot!")
```

- Un-indented `elif`, followed by the true/false expression, followed by a colon
- The conditional block must be indented

Coding Challenge Ideas

- Write code to take two numbers of user input, ask the user for an operation (addition, subtraction, etc.), and print the result.
- Write code to take the temperature in fahrenheit and print it in celsius, or do the reverse, depending on user input.
 - $C = \frac{F - 32}{1.8}$
 - $F = (1.8 \times C) + 32$
- Write a basic game, such as rock-paper-scissors.

More Learning Resources

- <https://docs.python.org/3/>
- <https://docs.python.org/3/tutorial/index.html>
- <https://www.python.org/downloads/release/python-350/>
- https://en.wikibooks.org/wiki/Python_Programming
- <http://www.diveintopython3.net/>
- <http://www.codecademy.com/en/tracks/python>
- <https://wiki.python.org/moin/PythonBooks>