Lecture 6: Calculating probabilities

Jacob M. Montgomery

Quantitative Political Methodology

Lecture 6: Calculating probabilities

IPA

Let's try this

Roadmap

Last time:

- Understanding the concept of a sampling distribution
- Understand the concept of a standard error
- See how the CLT allows us to know the distribution of certain sample statistics

This time:

- How to find probabilities from a binomial table
- ▶ How to find probabilities using a Z-distribution table
- ► How to find "critical values."
- Extend this logic to the t-distribution (online only)

Motivation

Castaneda v. Partida

- ► The true number of Mexican-Americans was 79.1% of the population.
- Individuals were selected for jury participation using the "key man" system.
- ▶ 45.5% of the members of the grand jury were Mexican-American.

Motivation

Castaneda v. Partida

- ► The true number of Mexican-Americans was 79.1% of the population.
- Individuals were selected for jury participation using the "key man" system.
- ► 45.5% of the members of the grand jury were Mexican-American.

How likely was this to happen by chance if the jury was of size n = 60?

Question 1

Which fraction represents the probability of obtaining exactly eight heads in ten tosses of a fair coin?

Question 2

For a normal distribution with $\mu=50$ and $\sigma=3$, find the probability that an observation falls:

- 1. At or below the value of 56
- 2. Between the values of 45 and 56

Question 3

Suppose that for exam grades $\mu=75$ and $\sigma=15$.

- 1. What is the probability of receiving an exam grade of 90 or better?
- 2. What about a 60 or worse?
- 3. If the probability of doing better than you is .05, then what is your score?

Question 4 (not on your form)

If you have a t-distributed variable with 21 degrees of freedom.

- ▶ What is the probability of a value above 1.721?
- ▶ .05% of the distribution is greater than what critical value?