- 1 What (if anything) is wrong with each of the following statements?
 - (a) if (a > b) then c = 0;
 - (b) if $a > b \{ c = 0; \}$
 - (c) if (a > b) c = 0;
- Write a program that will use Math.random() to simulate the flipping of a fair coin. Your program should print Heads Or Tails.
- 3 What values for boolean variables, X and Y, will result in the following statement being true? (5)

(3)

(3)

(5)

(10)

(20)

Explain your reasoning.

- 4 Write the program, Craps, that will roll two 6-sided dice and print the following:
 - Snake Eyes when two 1's are rolled,
 - Seven when the dice values total 7.
 - Boxcars when two 6's are rolled,
 - · Hard Way when any other pair is rolled.
- The exclusive-or (XOR) boolean operator evaluates to true if exactly one of two boolean expressions is true and false otherwise.
 - (a) Complete the following truth table for the XOR operator (\oplus) .

P	Q	$\mathbf{P}\oplus\mathbf{Q}$
\overline{T}	T	
T	F	
F	T	
F	F	

- (b) Write a boolean expression that will satisfy the output of $\mathbf{P} \oplus \mathbf{Q}$ above using any combination of AND (&&), OR (||) and NOT (!) logical operators.
- The Quadratic Formula. Write the program, Quadratic, that, when given a, b, and c, the coefficients of a quadratic function in the form $y = ax^2 + bx + c$, correctly prints the roots of the function. Be sure to consider the following:
 - The quadratic formula returns the roots of a given quadratic function. It is as follows:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Note: The command Math. sqrt(n) will return the square root of the number, n.

• When a is 0, in order to avoid dividing by zero when using the quadratic formula, you should instead solve the equation:

$$bx + c = 0$$

• When the discriminant, $b^2 - 4ac$, is negative, there is no real solution. Your program should instead print: No Real Solutions.