

# Worksheet: LFPs and spectral analysis

Joaquin Rapela

January 21, 2024


Please show all your calculations required for your answers.

1. We measure the LFP in human motor cortex with an Utah array. It is known that this LFP only has an oscillation at 11 Hz (i.e.,  $LFP(t) = A \cos(\omega_0 t)$  with  $\omega_0 = 2\pi f_0$  rad/sec,  $f_0 = 11$  Hz). However, when we sample this LFP at a frequency of 10 Hz (i.e.,  $\omega_s = 2\pi f_s$  rad/sec,  $f_s = 10$  Hz) we only observe an oscillation at 1 Hz (Figure ??).

- (a) explain the appearance of the 1 Hz oscillation using the sampling theorem.

Hints:

- the Fourier transform of a cosine is  $\mathcal{FT}\{\cos(\omega_0 t)\} = \frac{1}{2}[\delta(-\omega_0) + \delta(\omega_0)]$  and has the spectrum in the figure below.



- replicate the above spectrum, as indicated by the sampling theorem, with replicas at multiples of the sampling frequency  $\omega_s = 2\pi f_s$  ( $f_s = \frac{1}{T_s} = 10$  Hz).
- check if any of the above replicates adds signal at 1 Hz (i.e.,  $\omega = 2\pi f$  rad/sec,  $f = 1$  Hz).

Note: to avoid this type of problems of low-frequency oscillations appearing due to frequencies in the signal above the Nyquist frequency (i.e., half of the sampling frequency), before sampling signals are low pass filtered with an analog filter at the Nyquist frequency. This filter is called an **antialiasing filter**. The sampling theorem only applies to digital filters and therefore analog ones do not generate aliasing.

- (b) build another example of an LFP having an oscillation at a high frequency that when sampled at a frequency below the Nyquist rate generates an oscillation at a lower frequency. You can use [this](#) code to verify that with your values of the the LFP frequency and the sampling frequency an oscillation at a low frequency emerges.

2. solve [Ken's worksheet on power spectra](#).




Figure 1: An LFP oscillating at 11 Hz (i.e.,  $LFP(t) = A \cos(\omega_0 t)$  with  $\omega_0 = 2\pi f_0$  rad/sec,  $f_0 = 11$  Hz) when sampled at a frequency of 10 Hz (i.e.,  $\omega_s = 2\pi f_s$  rad/sec,  $f_s = 10$  Hz) only displays an oscillation at 1 Hz. Use the sampling theorem to explain this observation. Code to generate this figure appears [here](#).