SIN392 – Introduction to Digital Image Processing (2023)



Lecture 05 – Intensity transformations II

Prof. João Fernando Mari

<u>joaofmari.github.io</u>

joaof.mari@ufv.br

Agenda




Histogram equalization



Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1

5 x 5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]






Original image


	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


5 x 5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


5 x 5 pixels = 25 pixels 3 bits or 2³ = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	k
$s_k = T(r_k) = (L$	$-1)\sum_{j=0}p_r(r_j)$

k	p'	$s_k = T(r_k)$
0		
1		
2		
3		
4		
5		
6		
7	•	



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


5 x 5 pixels = 25 pixels 3 bits or 2³ = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	\boldsymbol{k}
$s_k = T(r_k) = (L - \frac{1}{2})^{-1}$	$-1)\sum_{j=0}p_r(r_j)$

k	p'	$s_k = T(r_k)$
0 7 × (0.12)	= 0.84	= 1
1		
2		
3		
4		
5		
6		
7		



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


5 x 5 pixels = 25 pixels 3 bits or 2³ = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





$$s_k = T(r_k) = (L-1) \sum_{j=0}^k p_r(r_j)$$

k	p'	$s_k = T(r_k)$
0 7×(0.12)	= 0.84	= 1
1 7 × (0.12 + 0.28)	= 2.80	= 3
2		
3		
4		
5		
6		
7	•	•



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	k
$s_k = T(r_k) = (L$	$-1)\sum_{i=0}p_r(r_i)$

k p'	$s_k = T(r_k)$
0 7×(0.12) = 0.84	= 1
1 7 × (0.12 + 0.28) = 2.80	= 3
2 7 × (0.12 + 0.28 + 0.32) = 5.04	= 5
3	
4	
5	
6	
7	



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


5 x 5 pixels = 25 pixels 3 bits or 2³ = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





$$s_k = T(r_k) = (L-1) \sum_{j=0}^k p_r(r_j)$$

k	p'	$s_k = T(r_k)$
0 7×(0.12)	= 0.84	= 1
1 7 × (0.12 + 0.28)	= 2.80	= 3
2 7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3 7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4		
5		
6		
7		



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	\boldsymbol{k}
$s_k = T(r_k) = (L$	$-1)\sum_{j=0}p_r(r_j)$

k	p'	$s_k = T(r_k)$
0 7×(0.12)	= 0.84	= 1
1 7 × (0.12 + 0.28)	= 2.80	= 3
2 7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3 7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4 7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04)	= 7.00	= 7
5		
6		
7		



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	\boldsymbol{k}
$s_k = T(r_k) = (L$	$-1)\sum_{j=0}p_r(r_j)$

_			
k		p'	$s_k = T(r_k)$
0	7 × (0.12)	= 0.84	= 1
1	7 × (0.12 + 0.28)	= 2.80	= 3
2	7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3	7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4	7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04)	= 7.00	= 7
5	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0)$	= 7.00	= 7
6			
7		•	•



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	\boldsymbol{k}
$s_k = T(r_k) = (L$	$-1)\sum_{j=0}p_r(r_j)$

k		p'	$s_k = T(r_k)$
0	7 × (0.12)	= 0.84	= 1
1	7 × (0.12 + 0.28)	= 2.80	= 3
2	7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3	7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04)$	= 7.00	= 7
5	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0)$	= 7.00	= 7
6	7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0 + 0)	= 7.00	= 7
7			•



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	k
$s_k = T(r_k) = (L$	$-1)\sum_{j=0}p_r(r_j)$

k	p'	$s_k = T(r_k)$
0 7 × (0.12)	= 0.84	= 1
1 7 × (0.12 + 0.28)	= 2.80	= 3
2 7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3 7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4 7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04)	= 7.00	= 7
5 7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0)	= 7.00	= 7
6 $7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0 + 0)$	= 7.00	= 7
7 7 × (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0 + 0)	= 7.00	= 7



Processed image








Original image

	0	1	2	3	4
0	1	2	2	3	1
1	1	3	3	4	2
2	1	2	3	3	2
3	0	2	2	3	2
4	0	0	1	1	1


 5×5 pixels = 25 pixels 3 bits or 2^3 = 8 gray levels (L). Gray level range: [0, 7]

Normalized histogram





	k
$s_k = T(r_k) = (L-1)$	$\sum_{j=0} p_r(r_j)$

k		p'	$s_k = T(r_k)$
0	7 × (0.12)	= 0.84	= 1
1	7 × (0.12 + 0.28)	= 2.80	= 3
2	7 × (0.12 + 0.28 + 0.32)	= 5.04	= 5
3	7 × (0.12 + 0.28 + 0.32 + 0.24)	= 6.72	= 7
4	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04)$	= 7.00	= 7
5	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0)$	= 7.00	= 7
6	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0 + 0)$	= 7.00	= 7
7	$7 \times (0.12 + 0.28 + 0.32 + 0.24 + 0.04 + 0 + 0)$	= 7.00	= 7



Processed image





Bibliography



- GONZALEZ, R.C.; WOODS, R.E. **Digital Image Processing**. 3rd ed. Pearson, 2007.
 - Sections 3.1 until 3.2.3
- MARQUES FILHO, O.; VIEIRA NETO, H. Processamento digital de imagens. Brasport, 1999.
 - (in Brazilian Portuguese)
 - Available on the author's website (for personal use only)
 - http://dainf.ct.utfpr.edu.br/~hvieir/pub.html
 - Sections 3.1 and 3.2
- J. E. R. Queiroz, H. M. Gomes. Introdução ao Processamento Digital de Imagens. RITA. v. 13, 2006.
 - (in Brazilian Portuguese)
 - http://www.dsc.ufcg.edu.br/~hmg/disciplinas/graduacao/vc-2016.2/Rita-Tutorial-PDI.pdf
 - Section 3



THE END